

OneShot™ 8 HARD SURFACE SANITIZER

See Carton Insert (MSDS)
For Directions for Use and
Additional Product Information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH
OF CHILDREN. CORROSIVE.
Causes irreversible eye damage
and skin burns. Do not get in
eyes, on skin or on clothing.
Wear goggles or face shield,
rubber gloves, and protective
clothing. Harmful if swallowed.
Remove contaminated clothing
and wash before reuse. Wash
thoroughly with soap and water
after handling.

FIRST AID

Have the product container or
label with you when calling a
poison control center or doctor,
or going for treatment.

If in eyes: Hold eye open and
rinse slowly and gently with water
for 15-20 minutes. Remove
contact lenses, if present,
after the first 5 minutes, then
continue rinsing eye. Call a
poison control center or doctor for
treatment advice.

SANITIZER

EPA REG No. 1839-50-7546
EPA EST. No. 7546-WI-1

ACTIVE INGREDIENTS

Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides.....	0.80%
Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides.....	0.80%
INERT INGREDIENTS	98.40%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional
precautionary statements.

If on skin or clothing: Take off
contaminated clothing. Rinse
skin immediately with plenty of
water for 15-20 minutes. Call a
poison control center or doctor
for treatment advice.

If swallowed: Call a poison
control center or doctor
immediately for treatment advice.
Have person sip a glass of water
if able to swallow. Do not induce
vomiting unless told to do so by
the poison control center or
doctor. Do not give anything by
mouth to an unconscious person.

If inhaled: Move person to fresh
air. If person is not breathing, call
911 or an ambulance then give
artificial respiration, preferably by
mouth-to-mouth, if possible. Call
a poison control center or doctor
for further treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may
contraindicate the use of gastric
lavage.

For Medical Emergency ONLY
call (24 hrs.)
1-800-851-7145 ext. 075.

DISC.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2014-2016** LIC. NO.

9026.28



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2011-2013** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2008-2010** LIC. NO.

One Shot 8 Hard Surface Sanitizer

EPA Reg. No. 1839-50-7546

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical and semi-critical medical device surfaces.

This product is designed to provide effective cleaning, deodorizing, sanitization and disinfection specifically for hospitals, nursing homes, schools, food processing plants, food service establishments, transportation terminals, office buildings, manufacturing facilities, lodging establishments, retail businesses and athletic/recreational facilities where housekeeping is of prime importance to control the hazard of cross contamination.

When used as directed, this product is formulated to disinfect hard, non-porous, inanimate environmental surfaces: floors, walls, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, cabinets, tables, chairs (non-upholstered surfaces), and telephones.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and other areas which are prone to odors caused by microorganisms.

DISINFECTION- To disinfect hard, inanimate, non-porous surfaces apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

GENERAL DISINFECTION- Add 4.5 ounces of this product per gallon of water.

HOSPITAL DISINFECTION- Add 6 ounces of this product per gallon of water.

For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

To disinfect food processing premises: floors, walls, and storage areas, add 4.5 ounces of this product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. Before using this product, food products and packaging materials must be removed from the area or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

To disinfect food service establishment food contact surfaces: countertops, appliances, tables add 4.5 ounces of this product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. This product cannot be used to clean the following food contact surfaces: utensils, glassware and dishes.

SANITIZATION- Recommended for use in restaurants, dairies, food processing plants, and bars. When used as directed this product is an effective sanitizer against Escherichia coli and Staphylococcus aureus.

Remove all gross food particles and soil from areas which are to be sanitized with a good detergent, pre-flush, pre-soak, or pre-scrape treatment. Rinse with a potable water rinse. To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200 ppm active quaternary solution by adding 8 ounces of this product to 5 gallons of water.

To sanitize immobile items such as tanks, chopping blocks and counter tops, flood the area with a 200 ppm active quaternary solution for a least 60 seconds making sure to wet all surfaces completely. Remove excess, drain the use solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove items, drain the use solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent. When used for sanitization of previously cleaned food equipment or food contact items, limit the active quaternary to 200 ppm. NO POTABLE WATER RINSE IS REQUIRED. This product is an effective sanitizer when diluted in water up to 400 ppm hardness (CaCO₃).

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL- Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Sold By: U S Chemical Corporation, Watertown, WI 53094