



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

9026.50



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.

MIXMATE™
SANITATION SYSTEM

NON-ACID RESTROOM CLEANER DISINFECTANT

CLEANER • ONE STEP DISINFECTANT • *VIRUCIDE • FUNGICIDE • MILDEWSTAT • DEODORIZER

EPA Reg. No. 6836-75-7546

EPA Est. No. 7546-WI-1

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride.....	1.65%
Dioctyl dimethyl ammonium chloride.....	0.66%
Didecyl dimethyl ammonium chloride.....	0.99%
Alkyl (C ₁₂ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	2.20%

OTHER INGREDIENTS	94.50%
TOTAL	100.00%



KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Use **this product** in bathrooms, health care facilities, hotels, institutional facilities, motels, locker rooms and public rest rooms.

Use **this product** on washable hard, nonporous surfaces of: bathroom fixtures, bathtubs, showers, sinks (bathroom) and toilets. **This product** eliminates 99.9% of *Staphylococcus aureus* and *Klebsiella pneumoniae* in 60 seconds.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting the surfaces, with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray.

For fungicidal activity, This product is an effective fungicide against *Trichophyton mentagrophytes* [the athlete's foot fungus] in areas such as locker rooms, dressing rooms, shower and bath areas and exercise

5548438 1Y 11/013



8 43787 00087 6

U S Chemical Corporation 316 Hart Street, Watertown, WI 53094

NET CONTENTS: 3.1 L (104.95 fl. oz.)

facilities. This product is a one-step fungicide at 2-8 oz. per gallon of water in 250 ppm hard water and 5% serum. At 2-8 oz. per gallon of water in 400 ppm hard water, this product must be used on precleaned surfaces.

For mold and mildew: At 2-8 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes. **To Clean and DEODORIZE:** Use 2-8 oz. per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

SEE REFERENCE SHEET FOR ADDITIONAL DIRECTIONS AND PRODUCT INFORMATION

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

For Medical Emergency ONLY call:
24 Hour Emergency Response Number
1-866-923-4913.



MIXMATE SANITATION SYSTEM NON-ACID RESTROOM CLEANER DISINFECTANT

Reference Sheet

EPA REG. NO. 6836-75-7546

EPA Est. No. 7546-WI-1

Use **this product** in bathrooms, health care facilities, hotels, institutional facilities, motels, locker rooms and public restrooms.

Use **this product** on washable hard, nonporous surfaces of: bathroom fixtures, bathtubs, showers, sinks (bathroom) and toilets.

This product is effective against: [Bacteria] Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica, Acinetobacter baumannii, Brevibacterium ammoniagenes, Campylobacter jejuni, Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS384) (USA300), Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS123) (USA400), Enterobacter aerogenes, Enterococcus faecalis, Enterococcus faecalis - Vancomycin resistant [VRE], Escherichia coli [E. coli], ESBL Escherichia coli [Extended spectrum beta-lactamase producing E. coli], Klebsiella pneumoniae, Legionella pneumophila, Pseudomonas cepacia, Salmonella schottmuelleri, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Staphylococcus aureus - Methicillin-Resistant - [MRSA], Staphylococcus aureus Multi-Drug Resistant, Staphylococcus aureus - Vancomycin Intermediate Resistant - [VISA], Streptococcus pyogenes, Vibrio cholerae

[Viruses:]*Adenovirus Type 5 [Adenovirus] [at 1:16 dilution (8 oz. per gallon of water)], *Adenovirus Type 7 [Adenovirus] [at 1:16 dilution (8 oz. per gallon of water)], *Hepatitis B Virus [HBV], *Hepatitis C Virus [HCV], *Herpes Simplex Virus Type 1 [Herpes], *Herpes Simplex Virus Type 2 [Herpes], *HIV-1 [the AIDS Virus], *Human Coronavirus, *Influenza Type A Virus / Brazil [Influenza], *Norwalk Virus [Norovirus], *Respiratory Syncytial Virus [RSV], *Rotavirus, *SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome], *Vaccinia [Pox Virus],

[Fungi:], Aspergillus niger, Trichophyton mentagrophytes

This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

Non-Acid Toilet Bowl [and Urinal] Disinfectant / Cleaner Directions:

Remove gross filth prior to disinfection.

From Concentrate:

Add 2 – 8 oz. to the bowl. Use 8 oz. to kill Adenovirus Type 5 and Type 7.

Thoroughly brush or swab over exposed surfaces and under the rim with a cloth, mop or sponge. Allow to stand for 10 minutes and flush.

From Use Solution:

Empty toilet bowl or urinal and apply 2 – 8 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer.

Use 8 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

For Heavy Duty Use:

Empty toilet bowl or urinal and apply an 8 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

Prepare a fresh solution daily or more often if the use solution becomes visibly diluted or soiled.

DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:

Apply use-solution to hard, nonporous surfaces, thoroughly wetting the surfaces, with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray.

For fungicidal activity, This product is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is a one-step fungicide at 2 – 8 oz. per gallon of water in 250 ppm hard water and 5% serum. At 2 – 8 oz. per gallon of water in 400 ppm hard water, this product must be used on pre-cleaned surfaces.

For mold and mildew At 2 – 8 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

TO CLEAN AND DEODORIZE: Use 2 – 8 oz. per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

See label for Precautionary Statements, First Aid, Storage and Disposal and additional Directions.

SKU# 5196209, 5341381

U S Chemical Corp, 316 Hart Street, Watertown, WI 53094

(11/013)