

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO<sub>2</sub>) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step.

Effective against the following pathogens: (Bacteria:) *Pseudomonas aeruginosa*<sup>1</sup>, *Staphylococcus aureus*<sup>1</sup>, *Salmonella enterica*, *Acinetobacter calcoaceticus*, *Bordetella bronchiseptica*, *Chlamydia psittaci*, Community Associated Methicillin-Resistant *Staphylococcus aureus* – [CA-MRSA] (NRS384) (USA300), Community Associated Methicillin-Resistant, *Staphylococcus aureus* – [CA-MRSA] (NRS123) (USA400), *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterococcus faecalis* – Vancomycin Resistant (VRE), *Escherichia coli*<sup>1</sup>, *Fusobacterium necrophorum*, *Klebsiella pneumoniae*<sup>1</sup>, *Legionella pneumophila*, *Listeria monocytogenes*, *Pasteurella multocida*, *Proteus mirabilis*, *Proteus vulgaris*, *Salmonella enteritidis*, *Salmonella typhi*, *Salmonella typhimurium*, *Serratia marcescens*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus* – Methicillin resistant – (MRSA), *Staphylococcus aureus* – Vancomycin Intermediate Resistant – (VISA), *Staphylococcus epidermidis*<sup>2</sup>, *Streptococcus faecalis*<sup>1</sup>, *Streptococcus pyogenes* [Strep] <sup>1</sup>ATCC & antibiotic-resistant strain <sup>2</sup> antibiotic-resistant strain only

(Viruses:) \*Adenovirus Type 4, \*Adenovirus Type 7 – at 8 oz. per gallon, \*Hepatitis B Virus (HBV), \*Hepatitis C Virus (HCV), \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*Human coronavirus, \*HIV-1 (AIDS virus), \*Influenza A Virus / Hong Kong, \*Respiratory Syncytial Virus (RSV), \*Rubella (German Measles), \*SARS Associated Coronavirus (SARS) [cause of Severe Acute Respiratory Syndrome], \*Vaccinia [Pox virus] (Animal viruses:) \*Avian polyomavirus, \*Canine distemper, \*Feline leukemia, \*Feline picornavirus, \*Infectious bovine rhinotracheitis, \*Infectious bronchitis (Avian IBV), \*Newcastle Disease, \*Pseudorabies (PRV), \*Rabies, \*Transmissible Gastroenteritis virus (TGE) (Fungi:) *Aspergillus niger*, *Candida albicans*, *Trichophyton mentagrophytes* [Athlete's Foot Fungus]

For use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, hotels, motels, airports, veterinary clinics, animal life science laboratories, zoos, tack shops, pet shops, kennels, breeding establishments and grooming establishments.

Disinfects, cleans and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, acrylic, etc.).

This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

**PELIGRO:** SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

#### DILUTION: 1:64

2 OUNCES PER GALLON OF WATER (660 ppm quat)


**DISINFECTION/CLEANING/DEODORIZING DIRECTIONS:** Remove heavy soil deposits from surface, then thoroughly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. (Use 8 oz per gallon of water to kill Adenovirus Type 7). The use-solution can be applied with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.

Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes.

Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

**FUNGICIDAL DIRECTIONS:** For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities, follow disinfection directions.

**MILDEWSTATIC INSTRUCTIONS:** Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.



# LEMON CLEANER DISINFECTANT

9026.53

Disinfectant • Pseudomonacidal • Staphylocidal • Salmonellacidal  
Bactericidal • Fungicidal • Mildewstatic • \*Virucidal

EPA REG. NO. 47371-131-7546

EPA EST. NO. 7546-WI-1

#### ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride .....	2.54%
n-Alkyl (C <sub>14</sub> 50%, C <sub>12</sub> 40%, C <sub>16</sub> 10%) dimethyl benzyl ammonium chloride .....	1.69%
INERT INGREDIENTS: .....	95.77%
TOTAL .....	100.00%

## KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

(See side panel for Precautionary Statements)

**NET CONTENTS:**

**1 gal. (3.79 L)**

[www.uschemical.com](http://www.uschemical.com)



T. NO. 7546-WI-1

..... 2.54%

..... 1.69%

..... 95.77%

..... 100.00%

EN

minutes. Remove

ely with plenty of

balance, then give

ainer or label with

stric lavage.



U S Chemical Corporation  
316 Hart Street  
Watertown, WI 53094

I. (3.79 L)

**\*KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1)(associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION:** Disposable protective gloves, gowns, face masks and eye coverings, as appropriate, must be worn during all cleaning of blood/body fluids and during decontamination procedures. **CLEANING PROCEDURES:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **CONTACT TIME:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (room temperature). HBV and HCV are inactivated after a 10-minute contact time. Use a 10-minute contact time for other viruses, fungi, and bacteria listed. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood/body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

**Veterinary Practice/Animal Care/Animal Laboratory/Zoos/Pet Shop/Kennels Disinfection Directions:** For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water (or equivalent dilution) for a period of 10 minutes. (Use 8 oz per gallon of water to kill Adenovirus Type 7). Immerse all animal handling and restraining equipment as well as forks, shovels and scrapers used to remove litter and manure. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried. **For Heavy Duty Cleaning and/or Odor Control:** When greater cleaning is desired, use 4-8 oz. of this product per gallon of water. Heavily soiled areas may require repeated cleaning before treatment.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER. CORROSIVE.** Causes irreversible eye damage. Do not get in eyes or clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Avoid contact with the skin. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

**For Medical Emergency ONLY call: 24 Hour Emergency Response Number 1-866-923-4913.**

**For Product Information, Contact Your Local Distributor.**

