

RAMSEY®

Multi-Surface Disinfectant Cleaner

Cleaner - Detergent - Deodorizer - Disinfectant - *Virucide

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride	1.627%
Diocetyl dimethyl ammonium chloride	0.814%
Didecyl dimethyl ammonium chloride.....	0.814%
Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chloride	2.170%

INERT INGREDIENTS.....94.575%

TOTAL.....100.000%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Net Contents: 1.5 L / 1.58 U.S. Qt.



LICENSED

PERIOD 2014-2016 LIC. NO.



LICENSED

PERIOD 2011-2013 LIC. NO.

RID®

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

MSDS Ref. No. MS0100903

EMERGENCY PHONE: 1-800-851-7145

4428303

9085.14 Disc.

This product is designed to provide effective cleaning, deodorizing, and disinfection for hospitals, nursing homes, schools, office buildings, and hotels where housekeeping is of prime importance in controlling cross-contamination from treated surfaces.

This product, when used as directed, is formulated to disinfect the following hard non-porous inanimate environmental surfaces: floors, walls, glazed porcelain, glazed ceramic tile, plastic surfaces, shower stalls, bathtubs, and cabinets.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on critical and semi-critical medical device surfaces.

DISINFECTION: To disinfect inanimate, hard non-porous surfaces add 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge, or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For sprayer applications, spray 6 - 8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

DEODORIZATION: To deodorize, apply this product as indicated under the heading DISINFECTION.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE AND *VIRUCIDE AGAINST THE LISTED ORGANISMS IN WATER UP TO 400 PPM HARDNESS (AS CaCO₃) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

BACTERICIDAL ACTIVITY: At the 2 ounce per gallon dilution, this product demonstrates effective disinfectant activity against the organisms: *Pseudomonas aeruginosa* PRD-10, *Salmonella enterica* subsp. *enterica* serotype *choleraesuis*, *Staphylococcus aureus*, *Staphylococcus aureus* (clinical isolate), *Bordetella bronchiseptica*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterobacter cloacae* (clinical isolate), *Enterococcus faecalis*, *Enterococcus faecalis* (clinical isolate), *Escherichia coli*, *Escherichia coli* (clinical isolate), *Fusobacterium necrophorum*, *Klebsiella pneumoniae* subsp. *pneumoniae*, *Lactobacillus casei* subsp. *rhamnosus*, *Listeria monocytogenes*, *Pasteurella multocida*, *Proteus vulgaris*, *Proteus mirabilis* ATCC 9921, *Proteus mirabilis* ATCC 25933, *Salmonella enterica* subsp. *enterica* serotype *paratyphi* B, *Salmonella enterica* subsp. *enterica* serotype *typhi*, *Salmonella enterica* subsp. *enterica* serotype *typhimurium*, *Salmonella enterica* subsp. *enterica* serotype *pullorum*, *Serratia marcescens*, *Shigella sonnei*, *Shigella flexneri*

See **Reference Sheet** for additional directions for use.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Store in original container in a cool, dry and locked storage area inaccessible to children.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse empty container. Triple rinse empty container with water. Offer empty metal or plastic containers for recycling if available. Return metal drums then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke. Offer for recycling if available.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER.

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through the skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Sold by:

© 2010 The Ramsey Company,
8310 16th Street, Sturtevant, WI 53177-1964

QUESTIONS?

COMMENTS:
1-800-421-2768

5322252 (10/055)

Type 2b, *Shigella dysenteriae*, *Staphylococcus aureus* subsp. *aureus*, *Staphylococcus epidermidis*, *Staphylococcus epidermidis* (clinical isolate), *Streptococcus pyogenes* (Clinical - Flesh Eating Strain BIRD M3), *Streptococcus pyogenes* Group A, *Xanthomonas maltophilia* (clinical isolate), Vancomycin resistant *Enterococcus faecalis* (VRE), Methicillin resistant *Staphylococcus aureus* (MRSA), and Vancomycin intermediate resistant *Staphylococcus aureus* (VISA).

***VIRUCIDAL ACTIVITY:** This product when used on environmental, inanimate, hard, non-porous surfaces exhibits effective virucidal activity against HIV-1, HIV-2, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Type 1 (causative agent of fever blisters), Herpes Simplex Type 2 (genital), Influenza A₂/Hong Kong, Vaccinia, Rotavirus, Human Coronavirus (ATCC VR-740, Strain 229E), Bovine Viral Diarrhea Virus (BVDV), Pseudorabies, Bovine Rhinotracheitis, Feline Leukemia, Feline Picornavirus, and Canine Distemper Virus. Add 2 ounces of the product per gallon of water. For heavily soiled areas, a

pre-cleaning step is required. Apply solution with a cloth, mop, sponge or hand-pump trigger sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid.

KILLS HIV-1, HIV-2, HBV, and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS

in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 or Type 2 (HIV-1 or HIV-2) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HIV-2, HBV, and HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

EPA Reg. No.: 1839-169-69920

EPA Est. No.: 4822-WI-1[WD]; 0312-WI-3[NW]

Lot code letters indicate establishment number.



RAMSEY® Multi-Surface Disinfectant Cleaner

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE AND *VIRUCIDE AGAINST THE LISTED ORGANISMS IN WATER UP TO 400 PPM HARDNESS (AS CaCO₃) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

BACTERICIDAL ACTIVITY- At the 2 ounce per gallon dilution, this product demonstrates effective disinfectant activity against the organisms:

Pseudomonas aeruginosa PRD-10
 Salmonella enterica subsp. enterica serotype choleraesuis
 Staphylococcus aureus
 Staphylococcus aureus (clinical isolate)
 Bordetella bronchiseptica
 Corynebacterium ammoniagenes
 Enterobacter aerogenes
 Enterobacter cloacae
 Enterobacter cloacae (clinical isolate)
 Enterococcus faecalis
 Enterococcus faecalis (clinical isolate)
 Escherichia coli
 Escherichia coli (clinical isolate)
 Fusobacterium necrophorum
 Klebsiella pneumoniae subsp. pneumoniae
 Lactobacillus casei subsp. rhamnosus
 Listeria monocytogenes
 Pasteurella multocida
 Proteus vulgaris
 Proteus mirabilis ATCC 9921
 Proteus mirabilis ATCC 25933
 Salmonella enterica subsp. enterica serotype paratyphi B
 Salmonella enterica subsp. enterica serotype typhi
 Salmonella enterica subsp. enterica serotype typhimurium
 Salmonella enterica subsp. enterica serotype pullorum
 Serratia marcescens
 Shigella sonnei
 Shigella flexneri Type 2b
 Shigella dysenteriae
 Staphylococcus aureus subsp. aureus
 Staphylococcus epidermidis
 Staphylococcus epidermidis (clinical isolate)
 Streptococcus pyogenes (Clinical - Flesh Eating Strain BIRD M3)
 Streptococcus pyogenes Group A
 Xanthomonas maltophilia (clinical isolate)
 Vancomycin resistant Enterococcus faecalis (VRE)
 Methicillin resistant Staphylococcus aureus (MRSA)
 Vancomycin intermediate resistant Staphylococcus aureus (VISA)

***VIRUCIDAL ACTIVITY-** This product when used on environmental, inanimate, hard, non-porous surfaces exhibits effective virucidal activity against:

Human Immunodeficiency Virus Type 1 (HIV-1)
 Human Immunodeficiency Virus Type 2 (HIV-2)
 Hepatitis B Virus (HBV)
 Hepatitis C Virus (HCV)
 Herpes Simplex Type 1 (causative agent of fever blisters)
 Herpes Simplex Type 2 (genital)
 Influenza A₂/Hong Kong
 Vaccinia
 Rotavirus
 Human Coronavirus (ATCC VR-740, Strain 229E)
 Bovine Viral Diarrhea Virus (BVDV)
 Pseudorabies
 Bovine Rhinotracheitis
 Feline Leukemia
 Feline Picornavirus
 Canine Distemper Virus

GENERAL CLEANING - Apply this product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. This product can be diluted at 2 ounces per gallon. Thoroughly wet soiled surface and scrub as necessary.

Veterinary Practice/Animal Care/Animal Laboratory/Zoos/Pet Shop/Kennels Disinfection

Directions: For cleaning and disinfecting the following hard non-porous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 ounces of this product per gallon of water (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

See product container label for complete directions for use.

EPA Reg. No. 1839-169-69920

Sold by:
 © 2009 The Ramsey Company,
 8310 16th Street, Sturtevant, WI 53177-1964