

3, 1 Gallon, F-Style



WEB

LICENSED

LICENSED

9085.7
Disc.

PERIOD **2012-2014** LIC. NO.

PERIOD **2015-2017** LIC. NO.

Ramsey WIDE RANGE II® Non-Acid Disinfectant Washroom Cleaner Concentrate

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.



Ramsey WIDE RANGE II® Non-Acid Disinfectant Washroom Cleaner Concentrate

Practical
Solutions™



Active Ingredients:

Octyl decyl dimethyl ammonium chloride	1.65%
Diocetyl dimethyl ammonium chloride	0.66%
Didecyl dimethyl ammonium chloride	0.99%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	2.20%

Other Ingredients: 94.50%

Total: 100.00%

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

**KEEP OUT OF REACH OF
CHILDREN
DANGER**

See side panel for Precautionary
Statements.

NET CONTENTS
3.78 L / 1 U.S. Gal.

RAMSEY®
4947605

Use this product in hospitals, nursing homes, restaurants, athletic facilities, business and office buildings, schools, colleges, hotels, institutional facilities, locker rooms, motels, public rest rooms, airports and transportation terminals.

Use this product on washable hard, nonporous surfaces of bathroom fixtures, bathtubs, counters, floors, showers, sinks, toilets, tubs, glazed tiles, urinals, walls and other hard nonporous surfaces made of glazed ceramic, glazed enameled surfaces, glazed porcelain, plastic (such as polystyrene or polypropylene), and sealed stone.

MSDS # MS0127004

EPA Registration No. 6836-75-69920
EPA Est. No. 0312-WI-3[NW];
4822-WI-1[WD]; 7546-WI-1 [WT];
13938-CN-1 [LD]
Lot code letters indicate establishment number.

Medical Emergency
1-800-851-7145

Distributed by:
©2011 The Ramsey Company,
8310 16th Street,
Sturtevant, WI 53177-1964
1-800-421-2768

This product is a one-step disinfectant, Bactericidal according to the current AOAC Use-Dilution Test Method, Fungicidal according to the AOAC Fungicidal Test and Virucidal* according to the virucidal qualification modified in the presence of 400 ppm hard water plus 5% organic serum against:

Bacteria:

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella enterica
Acinetobacter baumannii
Brevibacterium ammoniagenes
Campylobacter jejuni
Community Associated Methicillin-Resistant
Staphylococcus aureus - [CA-MRSA]
(NRS384) (USA300)
Community Associated Methicillin-Resistant
Staphylococcus aureus - [CA-MRSA]
(NRS123) (USA400)
Enterobacter aerogenes
Enterococcus faecalis
Enterococcus faecalis –
Vancomycin resistant [VRE]
Escherichia coli [E. coli]
ESBL Escherichia coli - [Extended spectrum
beta-lactamase producing E. coli]
Klebsiella pneumoniae
Legionella pneumophila
Pseudomonas cepacia
Salmonella schottmuelleri
Salmonella typhi
Serratia marcescens
Shigella dysenteriae
Staphylococcus aureus
Methicillin-Resistant [MRSA]

Kills Pandemic 2009 H1N1 influenza A virus.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Preparation Of Disinfectant Use-Solution: Add 2 oz. per gallon of water (1:64).

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL

DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting the surfaces, with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces

Staphylococcus aureus Multi-Drug
Resistant
Staphylococcus aureus -
Vancomycin Intermediate
Resistant – [VISA]
Streptococcus pyogenes
Vibrio cholerae

Viruses:

* Hepatitis B Virus (HBV)
* Hepatitis C Virus (HCV)
* Herpes Simplex Virus Type 1
* Herpes Simplex Virus Type 2
* HIV-1 (the AIDS Virus)
* Human Coronavirus
* Influenza Type A Virus/Brazil
* Norwalk Virus [Norovirus]
* Respiratory Syncytial Virus [RSV]
* Rotavirus
* SARS Associated Coronavirus [SARS]
[cause of Severe Acute Respiratory
Syndrome]

* Vaccinia [Pox Virus]

Fungi:

Aspergillus niger
Trichophyton mentagrophytes
(the Athlete's Foot Fungus)

must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For fungicidal activity, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is a one-step fungicide at 2 oz. per gallon of water in 250 ppm hard water and 5% serum. At 2 oz. per gallon of water in 400 ppm hard water, this product must be used on precleaned surfaces.

For mold and mildew: At 2 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

This product is not for use on medical device surfaces.

Prepare a fresh solution daily or more often if the use-solution becomes visibly diluted or soiled.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS: Remove gross filth prior to disinfection. **From Use Solution:** Empty toilet bowl or urinal and apply a 2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean up should always be done wearing protective gloves, gowns, mask and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV with a 2 oz. per gallon use-solution. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

TO CLEAN AND DEODORIZE: Mix 2 oz. per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.