



Fresh and Clean

This product is for use on hard, non-porous surfaces in hospitals, nursing homes, dental offices, hotels, schools, dormitories, classrooms, athletic facilities, locker rooms, automobiles, boats, buses, public transportation, delivery trucks, garbage trucks, EMS & fire facilities, emergency vehicles, recreational facilities, funeral homes, health clubs, foot spas, supermarkets, restaurants, bars, veterinary clinics, animal laboratories, businesses, and food establishments.

ACTIVE INGREDIENTS:
Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride.....4.50%
Alkyl (68% C12, 32% C14)

Dimethyl Ethylbenzyl Ammonium Chloride.....4.50%
OTHER INGREDIENTS:..... 91.00%
TOTAL:..... 100.00%

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

For medical emergencies call CHEMTREC (800) 424-9300 24 hours a day.

DISINFECTION PERFORMANCE IN INSTITUTIONS: Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions AND NON-MEDICAL FACILITIES Schools, Restaurants, and Food Services: This product kills the following bacteria in 10 minutes at 1 oz per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Acinetobacter baumannii, Bordetella bronchiseptica, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faecalis, Escherichia coli, Escherichia coli O111:H8, Escherichia coli O157:H7, Enterococcus faecium Vancomycin Resistant, Klebsiella pneumoniae, Klebsiella pneumoniae (NDM-1 positive), Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Shigella dysenteriae, Staphylococcus aureus, Staphylococcus aureus (MRSA), Staphylococcus aureus (CA-MRSA) Community Associated Methicillin Resistant, Staphylococcus aureus (VISA) Vancomycin Intermediate Resistant, Streptococcus salivarius.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Avian Influenza A Turkey/Wisconsin Virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Virus Type 1, Human Immunodeficiency Virus Type 1[†] (HIV-1), Human Coronavirus, Influenza A Virus H1N1, Influenza A2/Japan Virus, Norovirus, Vaccinia Virus. [†] Indicates a 2 minute contact time is required for this claim. **MILDEWSTATIC PERFORMANCE:** This product controls the following mold in 10 minutes at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Aspergillus niger.

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Avian Influenza A Turkey/Wisconsin Virus, Avian Reovirus, Bovine Viral Diarrhea Virus, Canine Coronavirus, Canine Distemper Virus, Equine Arteritis Virus, Infectious Avian Laryngotracheitis Virus, Infectious Bovine Rhinotracheitis Virus, Infectious Bronchitis Virus, Murine Norovirus, Porcine Respiratory & Reproductive Virus, Porcine Rotavirus, Pseudorabies Virus, Transmissible Gastroenteritis Virus.

This product kills the following viruses in 10 minutes at 1.25 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Adenovirus**, Canine Parainfluenza Virus**, Feline Calicivirus**, Feline Leukemia Virus**, Feline Infectious Peritonitis Virus**, Feline Panleukopenia Virus**, Feline Picornavirus**, Feline Rhinotracheitis Virus**, Infectious Canine Hepatitis Virus**, Murine Parainfluenza Virus Type 1**, Rabies Virus**. ** Indicates that a dilution of 1.25 oz. per gal. of water is required for this claim.

This product kills the following viruses in 10 minutes at 4 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus***, Minute Virus of Mice***, Newcastle Disease Virus***, Porcine Parvovirus***. *** Indicates that a dilution of 4 oz. per gal. of water is required for this claim.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Staphylococcus aureus, Klebsiella pneumoniae.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 1 oz. per gal. of water (700 ppm active) and on hard, non-porous surfaces: Trichophyton mentagrophytes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product food products and packaging materials must be removed from the room or carefully protected. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

FOR USE AS A ONE-STEP GENERAL/HOSPITAL/MEDICAL/DISINFECTANT/FUNGICIDE/VIRUCIDE*/CLEANER: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 1 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty. ***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection:** Wear protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surfaces to remain wet for 2 minutes for HIV and 10 minutes for all other organisms.

SURGICAL INSTRUMENT PRESOAK: Add 1 oz. of this product per gal. of water (700 ppm active). Place pre-cleaned instruments in solution to pre-soak surgical instruments for a minimum of 10 minutes, then proceed with normal sterilization procedure. **Note:** Plastic instruments can remain immersed until sterilization procedure. Metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle until sterilization procedure. Prolonged soaking will cause damage to metal instruments. Surgical instruments must be sterilized before use. Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACTSANTIZING DIRECTIONS-NON FOOD CONTACTSANTIZING: Pre-clean heavily soiled areas. Add 1 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces a sponge, brush, cloth, mop, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when visibly dirty. **TO CONTROL MOLD/MILDEW:** Pre-clean heavily soiled areas. Prepare use solution by adding 1 oz. of this product per gal. of water. Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

ANIMAL PREMISES: Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 1 oz. of this product per gal. of water (700 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE:** Prepare a use solution of 1.25 oz. of this product per gal. of water (880 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*:** Prepare a use solution of 4 oz. of this product per gal. of water (2800 ppm) for effectiveness against designated animal viruses on the label. Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mechanical spray device, coarse pump or trigger spray device. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

FOR USE AS A DISINFECTANT, FUNGICIDE, VIRUCIDE* OF GROOMING CLIPPERS, HAIR CLIPPERS, ELECTRIC SHEARS, BARBER/SALON SHEARS AND OTHER IMPLEMENTS, BARBER/SALON INSTRUMENTS AND TOOLS: Remove hair, dandruff and dust particles prior to disinfecting the blades. Turn the clipper off occasionally during use and spray between the teeth of blades with a use solution. Do not spray on the clipper case or drip into clipper housing. Immerse pre-cleaned barber/salon tools such as combs, brushes, razors, clipper and/or trimmer blades, manicure/pedicure tools, scissors, and other salon instruments and tools in a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) for at least 10 minutes. Rinse thoroughly and dry before use. Prepare a fresh solution daily or when visibly dirty. **Note:** Plastic instruments can remain immersed until ready to use. Stainless steel shears and other metal instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking will cause damage to metal instruments.

FOR USE AS A DISINFECTANT, FUNGICIDE, VIRUCIDE* OF HARD, NON-POROUS SURFACES IN FOOTBATHS: To remove body oils, dead tissue, soil and all other buildups or organic matter on surfaces after using the footbath, drain the water and thoroughly clean all surfaces with soap or detergent, then rinse with water. Apply a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) on surfaces with a brush, cloth, mop, sponge, coarse pump or trigger spray device. Brush or swab thoroughly and allow solution to stand for 10 minutes. For spray applications, spray 6-8 inches from surface. Do not breathe spray. After the unit has been thoroughly disinfected, rinse surfaces with fresh water. The unit is then ready for reuse.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS: Remove heavy soil prior to disinfection. **From a Concentrate:** Add 1 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush/mop, cloth, or sponge. Allow solution to stand for 10 minutes and flush. **From a Use Solution:** Empty water out of toilet bowl or urinal and apply use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) to exposed surfaces, including under the rim with a toilet brush/mop, cloth, or sponge, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 1 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution) to floors, walls and ceilings making sure not to over spray. To disinfect, all hard, non-porous surfaces must remain wet for 10 minutes. 3. Scrub using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Prepare a fresh solution daily or when visibly dirty.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

EPA Registration No.: 10324-105-56938
EPA Establishment No.: 56938-HI-01

Net contents: 1 gallon


J-14



LICENSED

PERIOD 2015-2017 LIC. NO.

9102.61



Sold by: ABC Corporation, 94-085 Leonui St., Waipahu, HI 96797

Phone: (808) 671-2671



Fresh and Clean

This product is for use on hard, non-porous surfaces in hospitals, nursing homes, dental offices, hotels, schools, dormitories, classrooms, athletic facilities, locker rooms, automobiles, boats, buses, public transportation, delivery trucks, garbage trucks, EMS & fire facilities, emergency vehicles, recreational facilities, funeral homes, health clubs, foot spas, supermarkets, restaurants, bars, veterinary clinics, animal laboratories, businesses, and food establishments.

ACTIVE INGREDIENTS:
Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride.....4.50%
Alkyl (68% C12, 32% C14)

Dimethyl Ethylbenzyl Ammonium Chloride..... 4.50%
OTHER INGREDIENTS:..... 91.00%
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

For medical emergencies call CHEMTREC (800) 424-9300 24 hours a day.

DISINFECTION PERFORMANCE IN INSTITUTIONS: Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions AND NON-MEDICAL FACILITIES Schools, Restaurants, and Food Services: This product kills the following bacteria in 10 minutes at 1 oz per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Acinetobacter baumannii, Bordetella bronchiseptica, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faecalis, Escherichia coli, Escherichia coli O111:H8, Escherichia coli O157:H7, Enterococcus faecium Vancomycin Resistant, Klebsiella pneumoniae, Klebsiella pneumoniae (NDM-1 positive), Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Shigella dysenteriae, Staphylococcus aureus, Staphylococcus aureus (MRSA), Staphylococcus aureus (CA-MRSA) Community Associated Methicillin Resistant, Staphylococcus aureus (VISA) Vancomycin Intermediate Resistant, Streptococcus salivarius.

VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Avian Influenza A Turkey/Wisconsin Virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Virus Type 1, Human Immunodeficiency Virus Type 1[†] (HIV-1), Human Coronavirus, Influenza A Virus H1N1, Influenza A2/Japan Virus, Norovirus, Vaccinia Virus. [†] Indicates a 2 minute contact time is required for this claim. **MILDEWSTATIC PERFORMANCE:** This product controls the following mold in 10 minutes at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Aspergillus niger.

ANIMAL PREMISE VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Avian Influenza A Turkey/Wisconsin Virus, Avian Reovirus, Bovine Viral Diarrhea Virus, Canine Coronavirus, Canine Distemper Virus, Equine Arteritis Virus, Infectious Avian Laryngotracheitis Virus, Infectious Bovine Rhinotracheitis Virus, Infectious Bronchitis Virus, Murine Norovirus, Porcine Respiratory & Reproductive Virus, Porcine Rotavirus, Pseudorabies Virus, Transmissible Gastroenteritis Virus.

This product kills the following viruses in 10 minutes at 1.25 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Adenovirus**, Canine Parainfluenza Virus**, Feline Calicivirus**, Feline Leukemia Virus**, Feline Infectious Peritonitis Virus**, Feline Panleukopenia Virus**, Feline Picornavirus**, Feline Rhinotracheitis Virus**, Infectious Canine Hepatitis Virus**, Murine Parainfluenza Virus Type 1**, Rabies Virus**. ** Indicates that a dilution of 1.25 oz. per gal. of water is required for this claim.

This product kills the following viruses in 10 minutes at 4 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus***, Minute Virus of Mice***, Newcastle Disease Virus***, Porcine Parvovirus***. *** Indicates that a dilution of 4 oz. per gal. of water is required for this claim.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Staphylococcus aureus, Klebsiella pneumoniae.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 1 oz. per gal. of water (700 ppm active) and on hard, non-porous surfaces: Trichophyton mentagrophytes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product food products and packaging materials must be removed from the room or carefully protected. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

FOR USE AS A ONE-STEP GENERAL/HOSPITAL/MEDICAL/DISINFECTANT/FUNGICIDE/VIROCIDE*/CLEANER: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 1 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surfaces to remain wet for 2 minutes for HIV and 10 minutes for all other organisms.

SURGICAL INSTRUMENT PRESOAK: Add 1 oz. of this product per gal. of water (700 ppm active). Place pre-cleaned instruments in solution to pre-soak surgical instruments for a minimum of 10 minutes, then proceed with normal sterilization procedure. **Note:** Plastic instruments can remain immersed until sterilization procedure. Metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle until sterilization procedure. Prolonged soaking will cause damage to metal instruments. Surgical instruments must be sterilized before use. Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACT SANITIZING DIRECTIONS-NON FOOD CONTACT SANITIZING: Pre-clean heavily soiled areas. Add 1 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces a sponge, brush, cloth, mop, by immersion, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when visibly dirty.

TO CONTROL MOLD/MILDEW: Pre-clean heavily soiled areas. Prepare use solution by adding 1 oz. of this product per gal. of water. Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

ANIMAL PREMISES: Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIROCIDE*: Prepare a use solution of 1 oz. of this product per gal. of water (700 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIROCIDE:** Prepare a use solution of 1.25 oz. of this product per gal. of water (880 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIROCIDE*:** Prepare a use solution of 4 oz. of this product per gal. of water (2800 ppm) for effectiveness against designated animal viruses on the label. Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device, coarse pump or trigger spray device. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

FOR USE AS A DISINFECTANT, FUNGICIDE, VIROCIDE* OF GROOMING CLIPPERS, HAIR CLIPPERS, ELECTRIC SHEARS, BARBER/SALON SHEARS AND OTHER IMPLEMENTS, BARBER/SALON INSTRUMENTS AND TOOLS: Remove hair, dandruff and dust particles prior to disinfecting the blades. Turn the clipper off occasionally during use and spray between the teeth of blades with a use solution. Do not spray on the clipper case or drip into clipper housing. Immerse pre-cleaned barber/salon tools such as combs, brushes, razors, clipper and/or trimmer blades, manicure/pedicure tools, scissors, and other salon instruments and tools in a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) for at least 10 minutes. Rinse thoroughly and dry before use. Prepare a fresh solution daily or when visibly dirty. **Note:** Plastic instruments can remain immersed until ready to use. Stainless steel shears and other metal instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking will cause damage to metal instruments.

FOR USE AS A DISINFECTANT, FUNGICIDE, VIROCIDE* OF HARD, NON-POROUS SURFACES IN FOOTBATHS: To remove body oils, dead tissue, soil and all other buildups or organic matter on surfaces after using the footbath, drain the water and thoroughly clean all surfaces with soap or detergent, then rinse with water. Apply a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) on surfaces with a brush, cloth, mop, sponge, coarse pump or trigger spray device. Brush or swab thoroughly and allow solution to stand for 10 minutes. For spray applications, spray 6-8 inches from surface. Do not breathe spray. After the unit has been thoroughly disinfected, rinse surfaces with fresh water. The unit is then ready for reuse.

Sold by: ABC Corporation, 94-085 Leonui St., Waipahu, HI 96797

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS: Remove heavy soil prior to disinfection. **From a Concentrate:** Add 1 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush/mop, cloth, or sponge. Allow solution to stand for 10 minutes and flush. **From a Use Solution:** Empty water out of toilet bowl or urinal and apply use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) (700 ppm) to exposed surfaces, including under the rim with a toilet brush/mop, cloth, or sponge, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 1 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution) to floors, walls and ceilings making sure not to over spray. To disinfect, all hard, non-porous surfaces must remain wet for 10 minutes. 3. Scrub using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Prepare a fresh solution daily or when visibly dirty.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

EPA Registration No.: 10324-105-56938
EPA Establishment No.: 56938-HI-01

Net contents: 5 gallons

J-14




LICENSED

PERIOD 2015-2017 LIC. NO.

9102.61

Phone: (808) 671-2671





Fresh and Clean

This product is for use on hard, non-porous surfaces in hospitals, nursing homes, dental offices, hotels, schools, dormitories, classrooms, athletic facilities, locker rooms, automobiles, boats, buses, public transportation, delivery trucks, garbage trucks, EMS & fire facilities, emergency vehicles, recreational facilities, funeral homes, health clubs, foot spas, supermarkets, restaurants, bars, veterinary clinics, animal laboratories, businesses, and food establishments.

ACTIVE INGREDIENTS:
Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride.....4.50%
Alkyl (68% C12, 32% C14)

Dimethyl Ethylbenzyl Ammonium Chloride..... 4.50%
OTHER INGREDIENTS:..... 91.00%
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

For medical emergencies call CHEMTREC (800) 424-9300 24 hours a day.

DISINFECTION PERFORMANCE IN INSTITUTIONS: Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions AND NON-MEDICAL FACILITIES Schools, Restaurants, and Food Services: This product kills the following bacteria in 10 minutes at 1 oz per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Acinetobacter baumannii, Bordetella bronchiseptica, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faecalis, Escherichia coli, Escherichia coli O111:H8, Escherichia coli O157:H7, Enterococcus faecium Vancomycin Resistant, Klebsiella pneumoniae, Klebsiella pneumoniae (NDM-1 positive), Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Shigella dysenteriae, Staphylococcus aureus, Staphylococcus aureus (MRSA), Staphylococcus aureus (CA-MRSA) Community Associated Methicillin Resistant, Staphylococcus aureus (VISA) Vancomycin Intermediate Resistant, Streptococcus salivarius.

VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Avian Influenza A Turkey/Wisconsin Virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Virus Type 1, Human Immunodeficiency Virus Type 1[†] (HIV-1), Human Coronavirus, Influenza A Virus H1N1, Influenza A2/Japan Virus, Norovirus, Vaccinia Virus. [†] Indicates a 2 minute contact time is required for this claim. **MILDEWSTATIC PERFORMANCE:** This product controls the following mold in 10 minutes at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Aspergillus niger.

ANIMAL PREMISE VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Avian Influenza A Turkey/Wisconsin Virus, Avian Reovirus, Bovine Viral Diarrhea Virus, Canine Coronavirus, Canine Distemper Virus, Equine Arteritis Virus, Infectious Avian Laryngotracheitis Virus, Infectious Bovine Rhinotracheitis Virus, Infectious Bronchitis Virus, Murine Norovirus, Porcine Respiratory & Reproductive Virus, Porcine Rotavirus, Pseudorabies Virus, Transmissible Gastroenteritis Virus.

This product kills the following viruses in 10 minutes at 1.25 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Adenovirus**, Canine Parainfluenza Virus**, Feline Calicivirus**, Feline Leukemia Virus**, Feline Infectious Peritonitis Virus**, Feline Panleukopenia Virus**, Feline Picornavirus**, Feline Rhinotracheitis Virus**, Infectious Canine Hepatitis Virus**, Murine Parainfluenza Virus Type 1**, Rabies Virus**. ** Indicates that a dilution of 1.25 oz. per gal. of water is required for this claim.

This product kills the following viruses in 10 minutes at 4 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus***, Minute Virus of Mice***, Newcastle Disease Virus***, Porcine Parvovirus***. *** Indicates that a dilution of 4 oz. per gal. of water is required for this claim.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 1 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Staphylococcus aureus, Klebsiella pneumoniae.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 1 oz. per gal. of water (700 ppm active) and on hard, non-porous surfaces: Trichophyton mentagrophytes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product food products and packaging materials must be removed from the room or carefully protected. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

FOR USE AS A ONE-STEP GENERAL/HOSPITAL/MEDICAL/DISINFECTANT/FUNGICIDE/VIROCIDE*/CLEANER: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 1 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surfaces to remain wet for 2 minutes for HIV and 10 minutes for all other organisms.

SURGICAL INSTRUMENT PRESOAK: Add 1 oz. of this product per gal. of water (700 ppm active). Place pre-cleaned instruments in solution to pre-soak surgical instruments for a minimum of 10 minutes, then proceed with normal sterilization procedure. **Note:** Plastic instruments can remain immersed until sterilization procedure. Metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle until sterilization procedure. Prolonged soaking will cause damage to metal instruments. Surgical instruments must be sterilized before use. Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACT SANITIZING DIRECTIONS-NON FOOD CONTACT SANITIZING: Pre-clean heavily soiled areas. Add 1 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces a sponge, brush, cloth, mop, by immersion, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when visibly dirty.

TO CONTROL MOLD/MILDEW: Pre-clean heavily soiled areas. Prepare use solution by adding 1 oz. of this product per gal. of water. Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

ANIMAL PREMISES: Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIROCIDE*: Prepare a use solution of 1 oz. of this product per gal. of water (700 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIROCIDE:** Prepare a use solution of 1.25 oz. of this product per gal. of water (880 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIROCIDE*:** Prepare a use solution of 4 oz. of this product per gal. of water (2800 ppm) for effectiveness against designated animal viruses on the label. Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device, coarse pump or trigger spray device. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

FOR USE AS A DISINFECTANT, FUNGICIDE, VIROCIDE* OF GROOMING CLIPPERS, HAIR CLIPPERS, ELECTRIC SHEARS, BARBER/SALON SHEARS AND OTHER IMPLEMENTS, BARBER/SALON INSTRUMENTS AND TOOLS: Remove hair, dandruff and dust particles prior to disinfecting the blades. Turn the clipper off occasionally during use and spray between the teeth of blades with a use solution. Do not spray on the clipper case or drip into clipper housing. Immerse pre-cleaned barber/salon tools such as combs, brushes, razors, clipper and/or trimmer blades, manicure/pedicure tools, scissors, and other salon instruments and tools in a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) for at least 10 minutes. Rinse thoroughly and dry before use. Prepare a fresh solution daily or when visibly dirty. **Note:** Plastic instruments can remain immersed until ready to use. Stainless steel shears and other metal instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking will cause damage to metal instruments.

FOR USE AS A DISINFECTANT, FUNGICIDE, VIROCIDE* OF HARD, NON-POROUS SURFACES IN FOOTBATHS: To remove body oils, dead tissue, soil and all other buildups or organic matter on surfaces after using the footbath, drain the water and thoroughly clean all surfaces with soap or detergent, then rinse with water. Apply a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) on surfaces with a brush, cloth, mop, sponge, coarse pump or trigger spray device. Brush or swab thoroughly and allow solution to stand for 10 minutes. For spray applications, spray 6-8 inches from surface. Do not breathe spray. After the unit has been thoroughly disinfected, rinse surfaces with fresh water. The unit is then ready for reuse.

Sold by: ABC Corporation, 94-085 Leonui St., Waipahu, HI 96797

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS: Remove heavy soil prior to disinfection. **From a Concentrate:** Add 1 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush/mop, cloth, or sponge. Allow solution to stand for 10 minutes and flush. **From a Use Solution:** Empty water out of toilet bowl or urinal and apply use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) (700 ppm) to exposed surfaces, including under the rim with a toilet brush/mop, cloth, or sponge, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 1 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution) to floors, walls and ceilings making sure not to over spray. To disinfect, all hard, non-porous surfaces must remain wet for 10 minutes. 3. Scrub using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Prepare a fresh solution daily or when visibly dirty.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

EPA Registration No.: 10324-105-56938
EPA Establishment No.: 56938-HI-01

Net contents: 55 gallons

J-14



LICENSED

PERIOD 2015-2017 LIC. NO.

9102.61

Phone: (808) 671-2671

