



LICENSED PERIOD 2014-2016 LIC. NO. 9123.31



LICENSED PERIOD 2011-2013 LIC. NO.

AQUATIC HERBICIDE

HARPOON GRANULAR

FOR USE IN SLOW MOVING OR QUIESCENT BODIES OF WATER, INCLUDING GOLF COURSES, ORNAMENTAL, FISH AND FIRE PONDS; FRESH WATER LAKES, FISH HATCHERIES AND POTABLE WATER RESERVOIRS.

ACTIVE INGREDIENT:
*Copper Ethylenediamine Complex (CAS# 13426-91-0).....9.87%
INERT INGREDIENTS.....90.13%
TOTAL.....100.00%

*Harpoon contains 3.41% elemental copper equivalent to 1.7 lbs. per 50 lbs. of product.

KEEP OUT OF REACH OF CHILDREN
DANGER/PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand label, find someone to explain it to you in detail.)

GENERAL INFORMATION

Harpoon Granular is a chelated copper formulation that effectively controls Hydrilla, Egeria (Brazilian Elodea), Naiads, Coontail, Elodea, Water Lettuce, Water Hyacinth, Giant Salvinia, and other species having a sensitivity to copper absorption. In waters with low alkalinity (hardness), Harpoon may also control Eurasian Watermilfoil and Horned, Sago, American, Curly-leaf, & Floating-leaf Pondweeds. Harpoon Granular may be applied to slow moving or quiescent bodies of water, including lakes, fish hatcheries, potable water reservoirs, golf courses, and ornamental, fish and fire ponds. Areas treated with Harpoon Granular Aquatic Herbicide may be used for fishing and swimming immediately after treatment.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. **Have the product container or label with you when calling a poison control center or doctor, or going for treatment.** If a medical emergency arises contact Arch Chemicals Emergency Action Network in the US call 1-800-654-6911 or outside the US call 423-780-2970. For help with a spill, leak, fire or exposure involving this material call CHEMTREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Wear: Long-sleeved shirt and long pants, socks, shoes, and gloves. For applications in waters destined for use as drinking water, those waters must receive additional and separate potable water treatment. Do not apply more than 1.0 ppm as metallic copper in these waters.
Personal Protective Equipment (PPE): Mixers, Loaders, Applicators, and Other Handlers must wear the following: Long-Sleeve Shirt, Long Pants or Coveralls, Shoes and Socks, Chemical Resistant Gloves made out of any water-proof material, Goggles or Face Shield.
User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.
User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Wash outside of gloves before removing.

WARRANTY

To the extent consistent with applicable law neither the manufacturer nor the seller makes any warranty, expressed or implied concerning the use of this product other than indicated on the label. To the extent consistent with applicable law buyer assumes risk of use of this material when such use is contrary to label instructions. Read and follow the label directions.

Manufactured for:
ab applied biochemists

W175 N11163 Stonewood Dr. Ste 234, Germantown WI 53022
Ph. (800) 558-5106 | www.appliedbiochemists.com
©2011 Applied Biochemists 020111 395640 351360
EPA EST No. 42291-GA-1 EPA Reg No. 8959-55



MOCK UPC
038005956404

NET CONTENTS:
40 Lbs./18.14 Kg.

SEE ADDITIONAL PRECAUTIONS AND DIRECTIONS FOR USE ON BACK PANEL

MOCK UPC
038005956404

AQUATIC HERBICIDE
HARPOON GRANULAR



GENERAL APPLICATION RESTRICTIONS
Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Some states may require permits for the application of this product to public waters. Check with your local authorities.
Do not enter or allow others to enter until application of product has been completed in the area.

PRE-TREATMENT CONSIDERATIONS
Injury may occur if concentrated Harpoon granules or treated water concentrations above 1.0 ppm of copper comes in contact with ornamentals, crops, grass, or other foliage. Do not exceed 1.0 ppm total copper in treated water.

OTHER TREATMENT CONSIDERATIONS
Confirm that target plants are either listed on this label or related to the listing provided. Not all aquatic plants are sensitive to Harpoon Granular.
It may be necessary to test water hardness if there are trout. Minimum water hardness is 50 ppm. Apply early in the day under calm, sunny conditions. Harpoon Granular works best when water temperatures are at least 60°F.

Treat when and where growth first begins to appear or create a nuisance. Apply in a manner that will ensure even distribution of the chemical within the treatment area. Re-treat areas if re-growth begins to appear and seasonal control is desired. Allow one to two weeks between consecutive treatments. Allow seven to ten days to observe the effects of treatment (bleaching and breaking apart of plant material). Under conditions of heavy infestation, treat only 1/3 to 1/2 of the water body at a time to avoid fish suffocation caused by oxygen depletion from decaying algae.

Algae growth on and around target plants may interfere with the uptake of Harpoon Granular. Pre-treat these areas with Cutrine-Plus algaecide. Do not exceed 1.0 ppm of total copper when using Harpoon Granular in combination with copper-based algaecides.



DIRECTIONS FOR USE
It is a violation of Federal Law to use Harpoon Granular in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

HERBICIDE APPLICATION

- Quiescent or Slow Moving Water**
A. LARGE AREA TREATMENT (over 5,000 sq. ft.)
- Identify form(s) of targeted submersed aquatic plants.
 - Estimate the targeted Plant Growth Height (in ft.) in the water column. This would be the distance from the base to the top of plants.
 - Calculate surface area (acres) of the treatment area (area of infestation) using the following formula:
$$\frac{\text{Length (ft.)} \times \text{Width (ft.)}}{43,560} = \text{Surface Acre(s)}$$
 - Refer to Table 1 to determine lbs. of Harpoon Granular to apply per Surface Acre based upon Plant Growth Height.
 - Distribute Harpoon Granular evenly over the water surface directly over the targeted vegetation, adjusting rates based upon the height of the vegetation in the water column. A dry fertilizer spreader or blower may be used to ensure even distribution. For small area (spot) treatments (see below), product may be applied with a hand scoop or spreader.

- B. SMALL AREA (SPOT) TREATMENT (under 5,000 sq. ft.)**
For treatment around small areas such as docks, rafts, water intakes, etc., apply product uniformly at the rate of 2.0 pounds (29 oz.) per 1,000 square feet for each foot of plant growth height. (for example, use 4 lbs. per 1,000 sq. ft. if plants are 2 foot tall). Note: In areas less than 1 ft. deep, reduce dosage by 2.4 oz. per inch of water per 1,000 sq. ft. so as to not exceed 1.0 ppm total copper.

Table 1. Pounds of Harpoon Granular to Apply per Surface Acre*

Submersed (Target) Species (In water of medium to high hardness)	ppm copper	Plant Growth Height (from bottom)		
		1 ft.	2 ft.	3 ft.
<i>Hydrilla verticillata</i> (Hydrilla)	0.75 - 1.0	60 - 80	120 - 160	180 - 240
<i>Egeria densa</i> (Brazilian Elodea)	0.5 - 0.75	40 - 60	80 - 120	120 - 180
<i>Najas sp.</i> (Southern/Northern Naiads)	0.5 - 1.0	40 - 80	80 - 160	120 - 240
<i>Ceratophyllum demersum</i> (Coontail)	0.5 - 1.0	40 - 80	80 - 160	120 - 240
<i>Elodea canadensis</i> (Common Elodea)	0.5 - 1.0	40 - 80	80 - 160	120 - 240

The following plants should only be treated in water where Calcium carbonate hardness is less than 150 ppm

<i>Myriophyllum spicatum</i> (Eurasian Watermilfoil)	0.75 - 1.0	60 - 80	120 - 160	180 - 240
<i>Potamogeton pectinatus</i> (Sago Pondweed)	0.75 - 1.0	60 - 80	120 - 160	180 - 240
<i>Potamogeton nodosus</i> (American Pondweed)	0.75 - 1.0	60 - 80	120 - 160	180 - 240

* Select low range rate for Light to Moderate Growth and upper range rate for heavy infestations. Light to Moderate Growth is defined as a treatment area where submersed plants have not reached the water surface ("topped out") and less than 65% of the bottom or water surface (in the case of floating plants) is covered with target plants. Heavy Infestations are areas where submersed vegetation growth has reached the water surface and/or bottom growth cover more than 65% of the treatment area. Do not apply more than 1.0 ppm copper.

UN 5H4/Y26/S/05
USA AA4364