



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

**9131.186**

**APPLICATIONS IN AIRCRAFT**

Application within passenger areas of aircraft is limited to Crack & Crevice treatment only. Apply in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, area between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor). Apply 10 to 20 bait spots per 100 ft<sup>2</sup> as described above. **DO NOT** apply bait to areas where food, utensils or food preparation surfaces may become contaminated. **DO NOT** apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food preparation and food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. During follow-up visits, inspect bait placements and reapply when previous applications are no longer visible and/or reinfestation occurs. **DO NOT** apply any bait in cockpit area.

**OUTDOOR USE**

Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and other areas adjacent to structures where cockroaches may find harborage.

**STORAGE AND DISPOSAL**

**DO NOT** contaminate water, food or feed by storage and disposal. **PESTICIDE STORAGE:** Store in a cool, dry place away from heat or open flame and inaccessible to children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site, according to label directions, or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Non-refillable container. **DO NOT** puncture or incinerate! **DO NOT** reuse or refill this container. Empty container by using the product according to label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONDITIONS OF SALE AND WARRANTY**

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS813

*Alpine and Crack & Crevice are registered trademarks of BASF.*  
© 2013 BASF Corporation. All rights reserved.  
NVA2013-05-442-0390 Based on: NVA2013-04-442-0240 Supersedes: 101115-30



# Alpine®

## Cockroach Gel Bait Rotation 1 Piston Can

**KILLS:** Cockroaches

**FOR USE IN AND AROUND:** Commercial, Institutional and Warehousing Establishments (including computer facilities, food/feed processing plants, hospitals, hotels, laboratories, motels, nursing homes, pet shops, restaurants, schools, supermarkets, warehouses and zoos), Residences and Transportation Equipment (aircraft, buses, boats/ships and trains)

**ACTIVE INGREDIENT:**

Dinotefuran, N-methyl-N'-nitro-N-([tetrahydro-3-furanyl)methyl]guanidine ..... 0.5%

**OTHER INGREDIENTS:** ..... 99.5%

**TOTAL:** ..... 100.0%

EPA Reg. No. 499-510

EPA Est. No. 7969-MO-1

### KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor for treatment advice.</li> <li><b>DO NOT</b> induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Have person sip a glass of water if able to swallow.</li> <li><b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-832-HELP for emergency medical treatment information.	

**NET CONTENTS:** 120 g

BASF Corporation  
26 Davis Drive, Research Triangle Park, NC 27709

81049912  
30514018



**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:** Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS - DO NOT** apply directly to water. **DO NOT** contaminate water by cleaning of equipment or disposal of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS -** Contents under pressure. **DO NOT** puncture or incinerate container. **DO NOT** use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. **DO NOT** use this product where a possibility of a shock hazard exists.

**DIRECTIONS FOR USE**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL.** Use strictly in accordance with Precautionary Statements and Directions and with applicable state and federal regulations. Apply bait only in areas inaccessible to children and pets.

**GENERAL INFORMATION**

**USE RESTRICTIONS**

- Keep out of sunlight or excess heat.
- DO NOT** apply bait to surfaces which may reach excessive temperatures. Examples include, but are not limited to: portions of stoves, ovens, grills, fume hoods, steam tables, toasters, fryers, dishwashers and hot water pipes.

**SPOT TREATMENT**

To apply gel, insert provided applicator straw into actuator. Apply gel in a 3 to 6 mm diameter spot (0.25 to 0.50 g). Approximately 10 spots per 100 ft<sup>2</sup> are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 spots per 100 ft<sup>2</sup> are recommended. Apply many spots in areas of roach traffic and suspected harborage. Numerous small application spots are preferable to fewer larger application spots. **DO NOT** treat food preparation surfaces. **DO NOT** apply gel to areas that have been recently sprayed with a repellent insecticide. **DO NOT** spray insecticide products over gel placements as this may make gel repellent and reduce its effectiveness. **DO NOT** place treatments in locations where routine cleaning might remove bait or transfer bait to food or food preparation surfaces. This product will stick to surfaces that are not dusty or greasy. Reapply if gel placements are no longer visible and/or reinfestation occurs. Use paper towel to remove unwanted bait placements and then discard in trash.

**CRACK & CREVICE® TREATMENT**

This product can be applied as spots or as a line along cracks and crevices. Gel bait should be applied directly into cracks and crevices where insects hide. Place the applicator straw directly into cracks and crevices and deposit gel in small spots or in a continuous bead. Bait should be in the void area and not on open or exposed surfaces.

**FOOD HANDLING ESTABLISHMENTS**

Application within food areas of food handling establishments is limited to cracks and crevices where insects hide. To apply gel, insert provided applicator straw into actuator. Apply gel in a 3 to 6 mm diameter bead (0.25 to 0.50 g). Approximately 10 bait placements per 100 ft<sup>2</sup> are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 bait placements per 100 ft<sup>2</sup> are recommended. Numerous small applications are preferable to fewer larger applications. Bait should not be used in open areas or on surfaces where contamination of food or food handling equipment may occur. Reapply gel if previous applications are no longer visible and/or reinfestation occurs.

0.25" overlap

4.75" (h)

7.125" (w)