

EXTERIOR PERIMETER/LOCALIZED INTERIOR (EP/LI)

TERMITES [SUBTERRANEAN (*Coptotermes*, *Reticulitermes*, *Heterotermes* and *Zootermopsis*), ARBOREAL]

This product can be used as a preventative or curative interior structural void treatment for subterranean termites when applied in conjunction with an Exterior Perimeter/Localized Interior (EP/LI) termiticide treatment with Termidor® SC Termiticide/Insecticide, Termidor 80WG Termiticide/Insecticide, or other Termidor product labeled for EP/LI application and approved by BASF Corporation. Targeted interior application(s) may be made to vulnerable areas such as voids associated with plumbing/utility lines penetrating floors, bath and/or shower voids, expansion joints and/or settlement cracks, wall voids and other voids of probable, potential, or known termite entry.

When used to treat known or suspected localized interior termite infestation(s) this product can be used in lieu of selected localized interior treatment(s) with Termidor SC, Termidor 80WG or other Termidor product approved by BASF Corporation. Targeted interior application(s) may be made to vulnerable areas such as voids associated with plumbing/utility lines penetrating floors, bath and/or shower voids, expansion joints and/or settlement cracks, wall voids and other voids of probable or potential termite entry. This application is only intended for localized areas of existing or potential termite activity and must not be applied to indoor surfaces for the purposes of general pest control. This product is not a substitute for soil applied termiticide treatment(s) beneath slabs or foundations.

NON-WOOD DESTROYING PEST TREATMENTS

CRAWLING PESTS – Ants (Excluding Fire, Harvester, Leaf Cutter and Pharaoh): Treat voids, where these pests enter, hide or harbor. Immediately wipe up any product on exposed surfaces.

FOOD/FEED HANDLING ESTABLISHMENTS

Applications are permitted in the non-food/feed areas of food/feed handling establishments as a void or exterior spot treatment. **DO NOT** apply to voids in any equipment or machinery used in the storage, processing or preparation of food.

For Wood Destroying Pests: Treat voids, from the exterior or interior, where these pests enter, hide or harbor. Immediately wipe up any product on an exposed surface. Food/feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Food/feed areas are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food. Serving areas where food is exposed and the facility is in operation are also considered food areas. Non-food/feed areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after packaging, canning or bottling).

STORAGE & DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool area away from heat or open flame.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: DO NOT puncture or incinerate! Empty container by using the product according to the label directions. **If empty:** Offer container for recycling, if available, or place in trash if allowed by state and local regulations. **If partly full:** Contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS813

Termidor and the  symbol are registered trademarks of BASF.

© 2014 BASF Corporation. All rights reserved.

NVA 2013-05-468-0469 67637762 30579852

Based on: NVA 2013-04-468-0332 Supersedes: 120820-11



KILLS: Termites* (including subterranean, drywood, dampwood and arboreal), Ants (including: *foraging* Carpenter; excluding: Fire, Harvester, Leaf Cutter and Pharaoh)

FOR USE IN AND AROUND STRUCTURES AND LIMITED OUTDOOR SPOT TREATMENTS: Apartments, Homes, Food/Feed Handling Establishments (non-food/feed areas), Restaurants, Hospitals and Nursing Homes (non-patient areas), Hotels, Motels, Hobby Greenhouses, Interiorspaces, Office Buildings, Schools**, Transportation Equipment (Buses, Cargo Trucks, Trailers, Trains), Warehouses and Other Commercial and Industrial Buildings

* Not a substitute for mechanical alteration, soil or foundation treatment.

** **DO NOT** apply to classrooms when in use.

ACTIVE INGREDIENT:

Fipronil [5-amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-4-(1,1-R,S)-(trifluoromethyl)sulfonyl)-1-H-pyrazole-3-carbonitrile] : 0.005%

OTHER INGREDIENTS: 99.995%

TOTAL: 100.000%

EPA Reg. No. 499-563

EPA Est. No. 7969-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

DO NOT apply within 15 ft of bodies of fresh water: lakes, reservoirs, rivers, permanent streams, marshes, natural ponds and commercial fishponds. A 15 ft buffer of uniform groundcover must exist between the application area and bodies of fresh water (uniform ground cover is defined as land which supports vegetation of > 2" throughout). **DO NOT** apply within 60 ft of estuarine bodies of water. Estuarine water bodies are brackish, tidal water such as bays, mouths of rivers, salt marshes and lagoons.

This product is toxic to birds, fish and aquatic invertebrates. **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Care must be taken to avoid runoff. **DO NOT** contaminate water by disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. **DO NOT** use or store near heat or open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a flammable propellant. Avoid drilling in areas near electrical wiring, plumbing, communication lines, etc. **DO NOT** apply directly into any electronic equipment such as radios, televisions, computers, etc. **DO NOT** apply where electrical short circuits might result, such as in wall outlets, conduits, motors, switches, etc. Product should only be used when temperature is above 60°F. If can temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

SHAKE WELL BEFORE USING

See side panel(s) for Directions for Use and Storage & Disposal

NET CONTENTS: 1 lb, 4 oz (20 oz)

BASF Corporation, 26 Davis Drive, Research Triangle Park, NC 27709



LICENSED

PERIOD 2014-2016 LIC. NO.

9131.229

PRODUCT INFORMATION

This product is a ready-to-use insecticide formulation. When dispensed, the formulation rapidly expands generating a dry foam with an expansion ratio of approximately 30:1, with 1 oz (weight) of product being dispensed in approximately 5 sec producing about 1 qt of foam. This product can be used to control insects where they are found or suspected; in nests, galleries, harborage and voids. This product can be applied in and around commercial and residential structures as well as structural and non-structural elements that are subject to attack by, or provide harborage to, insects. Applications can be made from the interior and/or exterior. Drilling of hole(s) may be required to access galleries or harborage. Treatment of insect harborage associated with trees, shrubs, utility poles, fences, bridges, landscape timbers, under slabs or other non-structural elements is permitted.

APPLICATION INSTRUCTIONS

Use only with BASF approved actuator. Remove the outer cap and snap the actuator into place. Remove the finger pad cover. After using, replace the finger pad cover. When the can is empty, remove the actuator from the can and use it on another can.

TREATMENT OF INSECT GALLERIES, HARBORAGES OR VOIDS: Use adequate foam to treat the known or suspected insect harborage. After applying, hold the injector tip in place for approximately 8 sec to allow the product within the injector tube to dispense into the treatment area.

Drilling hole(s) may be required to gain access to the known or suspected gallery, harborage or void. Drill hole(s) at 1 or more locations along the gallery, harborage or void to adequately treat. Use of a moisture meter may aid in determining the spread of a treatment. This product can be used as a localized treatment for the control of existing infestations of subterranean termites and other wood destroying insects as a supplemental treatment in a structural protection program. This treatment is intended for localized wood destroying insect infestations only. The purpose of such applications is to kill wood destroying insects which may be present in the treated channels at the time of treatment. Such applications are intended as supplemental treatments to, but not a substitute for, mechanical alteration, soil treatment, or foundation treatment. It should not be used as a stand-alone treatment for structural protection.

Reapplication interval: This product may be applied to previously treated sites if activity is found 30 days after previous application.

WOOD DESTROYING PEST TREATMENTS - INDOORS

TERMITES [SUBTERRANEAN (*Coptotermes*, *Reticulitermes*, and *Heterotermes*), ARBOREAL, DAMPWOOD (*Zootermopsis*), AND DRYWOOD]: Use in areas where termites are known or suspected. Apply product to termite galleries, channels, damaged wood, harborage between structural elements or within construction voids.

Locations for indoor treatment may include areas associated with unexposed wooden elements inside wall voids, in and around bath traps, shower voids, pipe chases, utility penetrations and other probable sites of termite entry or harborage.

Other Wood Destroying Pests (Powder Post Beetles, Old House Borer and Wharf Borer): Locations for treatment may include areas associated with exposed, non-sealed wooden elements in areas such as crawl spaces, attics, unexposed wooden elements inside walls, galleries or other harborage.

WOOD DESTROYING PEST TREATMENTS - OUTDOORS

Locations for outdoor treatments may include exterior wooden elements associated with bridges, decks, fencing, landscape timbers, wooden retaining walls, tree voids, siding, channels in damaged wood, in spaces between wooden elements of a structure, junctions between wood and foundations and voids associated with buildings. **DO NOT** apply this product in or on boats. **DO NOT** apply to areas of non-structural piers, bridges, or any other structures that may contact surface water bodies. **DO NOT** allow this product to contaminate or come into contact with surface waters through application or drift. Application to exposed subterranean termite tunnels (i.e. shelter tubes) may be made to outdoor residential and commercial areas. Break open a section of the shelter tube and apply directly over the exposed area. Apply a sufficient amount of foam to cover the exposed area and to a distance of approx. 2" in each direction over the shelter tube itself. Outdoor applications must be limited to small spot treatments only. **DO NOT** apply to any impervious surfaces. **DO NOT** make direct applications, nor any applications to the ground within the drip line of any trees or shrubs used for growing fruits, nuts, vegetables or other foods.

TERMITES AND CARPENTER ANTS HARBORING IN TREES, SHRUBS, STUMPS, UTILITY POLES, SLABS AND FENCES: Drill hole(s) in areas of suspected termite or ant activity. It may be necessary to drill multiple holes around the circumference of the tree, shrub, stump or utility pole and at varying heights to adequately treat the nest or gallery system. When treating below slabs, drill hole(s) through the slab where termites or carpenter ants are active, or suspected, and inject foam. For fences, treat exposed surfaces where termites or ants are active (foam must dissipate or be removed prior to leaving area) and/or drill wooden members where termites or ants are active, or suspected, and inject foam.

TREATMENT OF BASF APPROVED TERMITE MONITORS: For use only when toxicant containing bait is not in use. Remove monitoring cartridge if in station. Apply into void areas of station. After application, return monitoring cartridge or other components to the station. **FORAGING CARPENTER ANTS:** Inject foam into galleries, cavities, harborage or structural voids. Treat harborage or ant trails outdoors associated with trees, shrubs, decks, fences or other non-structural elements. Foam up to a 6" length of the trail. Foam must dissipate or be removed before the applicator leaves the area.