



LICENSED

PERIOD 2014-2016 LIC. NO. 9131.232

# Trinity<sup>®</sup> TR

## Total Release Fungicide

One Can Treats Up To 3,000 ft<sup>2</sup>  
FRAC Code: 3

**CONTROLS:** Alternaria, Botrytis, Cercospora, Cylindrocladium, Downy Mildew, Fusarium, Myrothecium, Powdery Mildew, Rhizoctonia  
**FOR USE IN:** Commercial Greenhouses (this product is to be used only in closed greenhouses)

|   |        |
|---|--------|
| <b>ACTIVE INGREDIENT:</b> Triticonazole ..... | 10.5%  |
| <b>OTHER INGREDIENTS:</b> .....               | 89.5%  |
| <b>TOTAL:</b> .....                           | 100.0% |

EPA Reg. No. 499-555

EPA Est. No. 7969-MO-1

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**


See inside booklet for Precautionary Statements, Directions for Use and Storage and Disposal.

**NET WEIGHT:** 3 oz

BASF Corporation  
26 Davis Drive, Research Triangle Park, NC 27709



NVA 2013-05-465-0464 81067870 30569319



5.5"

# SIDE A

**TO ACTIVATE CANS:** Start with can farthest away from exit door. Tilt can away from face and activate each can by pressing tab down and locking it. Aim spray away from face and set fogger in treatment area, as you move across the area until you have reached the exit door. Immediately leave the treatment area and close the door. The entire contents will release automatically.

## FOR USE IN GREENHOUSES ON:

**Bedding plants (such as):** begonias, garden mums, geraniums, marigolds, pansies and petunias

**Cut flowers (such as):** carnations, chrysanthemums, orchids and roses

**Flowering hanging baskets (such as):** fuchsia, geraniums, ivy, lantana and New Guinea impatiens

**Foliage (such as):** Boston fern, philodendron and schefflera

**Potted flowering plants (such as):** African violets, begonias, chrysanthemums, florist's azaleas, geraniums, hibiscus, kalanchoes, lilies and poinsettias

**Ornamentals (such as):** azalea, barberry, cotoneaster, euonymus, holly, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew

**Perennials (such as):** heuchera, monarda, rudbeckia and veronica

6

## PLANT SAFETY INFORMATION

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety; however, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, prior to a full scale application, run a small scale test and observe for plant damage and performance.

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool area away from heat or open flame.

**PESTICIDE DISPOSAL:** Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL: DO NOT** puncture or incinerate! **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.  
Federal regulations prohibit CFC propellants in aerosols.



7

## CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS813

*Trinity* is a registered trademark of BASF.

© 2014 BASF Corporation.

All rights reserved.

81067870 30569319

NVA 2013-05-465-0464

Based on: NVA 2013-04-465-0326

Supersedes: 120309-11

8

# Trinity® TR

## Total Release Fungicide

One Can Treats Up To 3,000 ft<sup>2</sup>  
FRAC Code: 3

**CONTROLS:** Alternaria, Botrytis, Cercospora, Cylindrocladium, Downy Mildew, Fusarium, Myrothecium, Powdery Mildew, Rhizoctonia  
**FOR USE IN:** Commercial Greenhouses (this product is to be used only in closed greenhouses)

**ACTIVE INGREDIENT:** Triconazole ..... 10.5%

**OTHER INGREDIENTS:** ..... 89.5%

**TOTAL:** ..... 100.0%

EPA Reg. No. 499-555

EPA Est. No. 7969-MO-1

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See inside booklet for Precautionary Statements, Directions for Use and Storage and Disposal.

**NET WEIGHT:** 3 oz

BASF Corporation  
26 Davis Drive, Research Triangle Park, NC 27709

NVA 2013-05-465-0464 81067870 30569319



4.4375"

4.4375"

4.4375"

4.5"

17.8125"

# SIDE B

## PRECAUTIONARY STATEMENTS

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**Applicators and other handlers must wear:** long-sleeved shirt, long pants, socks and shoes. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

## USER SAFETY RECOMMENDATIONS

### Users should:

- Wash hands thoroughly before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

### PHYSICAL OR CHEMICAL HAZARDS

**Flammable.** Contents under pressure. Keep away from heat, sparks, and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

2

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient  
Ingrediente Altamente Inflamable

## DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (above 65°F) for 24 hours (hrs) before application. Make sure spray is unobstructed, above units, by foliage or other physical objects in order to obtain maximum distribution of fog.

**Notice:** Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. **DO NOT** use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

3

## AGRICULTURAL USE REQUIREMENTS

**DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about PPE. The requirements in this box only apply to uses of this product that are covered by the WPS.

**DO NOT** enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hrs (with no ventilation). Early entry to treated areas is permissible after 4 hrs (per 40 CFR 170.112) to perform short-term activities, such as ventilation procedures, provided PPE is worn as specified below. Ventilation is prohibited during the first 4 hrs of treatment. You may ventilate the treated areas per 40 CFR 170.110(c)(3) after 4 hrs (i.e. 10 air exchanges are completed; or 4 hrs of ventilation using fans or other mechanical ventilating systems; or 4 hrs of ventilation using vents, windows or other passive ventilation). The REI is equivalent to completion of ventilation (as described above) or 12 hrs (with no ventilation) and no PPE is required after this time.

(continued)

4

## AGRICULTURAL USE REQUIREMENTS (continued)

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves, such as Barrier Laminate or Butyl Rubber, shoes plus socks.

**PREAPPLICATION DIRECTIONS:** Elevate the container so that the top of the can is above the top of plant canopy and clear a 6 ft area around the can. Shut off all exhaust fans and close all windows, doors and vents. **DO NOT** place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Apply when foliage is dry and temperature is between 60°F to 80°F. At lower or higher temperatures, crop injury may result. Prior to a full scale application, run a small scale test and observe for plant damage and performance.

**TOTAL RELEASE DOSAGE:** When using to control Cercospora or Fusarium, apply 2 cans per 3,000 ft<sup>2</sup>. When using to control all other listed diseases, apply 1 can per 3,000 ft<sup>2</sup>. Repeat applications can be made at 7 day intervals. Rotate to a different class of fungicide after every 3 consecutive applications to maintain good resistance management practices. Apply up to 3x per crop, except for pansies. For pansies, apply only 2x per crop.

Heavy disease pressure may necessitate repeat applications; however, it is not recommended to apply more than 2x per week.

5

4.5"

4.4375"

4.4375"

4.4375"