



LIQUA-TOX® II

Do Not Use in Homes or Other Residential Settings. Do Not Use Outdoors.

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water

Net Contents:
13.44 fl. oz. (397 ml)
8 - 1.68 fl. oz. (50 ml) pouches

ACTIVE INGREDIENT:
 Sodium Salt of Diphacinone (CAS #42721-99-3):..... 0.106%
 OTHER INGREDIENTS:..... 99.894%
 TOTAL 100.000%

Manufactured by:

 3699 Kinsman Blvd.
 Madison, WI 53704 U.S.A.
 www.belllabs.com

KEEP OUT OF REACH OF CHILDREN WARNING
 EPA REG. NO. 12455-61 EPA EST. NO. 12455-WI-1

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor immediately for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

APPLICATION DIRECTIONS:
RATS: Provide a minimum of 1 pint (16 fluid ounces) of LIQUA-TOX II diluted product in each dispenser (suitably-equipped bait station, chick fountain, or other suitable device). If infested area is large, or if rat population appears to be high, use dispensers at several locations. Space dispensers and refill them as needed to ensure that bait is exposed in all infested areas where it can be used without putting nontarget organisms at risk.
MICE: Provide 1/2-pint (8 fluid ounces) placements of LIQUA-TOX II diluted product in suitably-equipped bait stations, chick fountains, or other appropriate vessels. Place dispensers at intervals of 8 - 12 feet in all infested areas where bait can be used without putting nontarget organisms at risk.
FOLLOW-UP: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
WARNING: May be fatal if absorbed through the skin. Harmful if swallowed. Avoid breathing vapors. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Avoid exposure to this product during pregnancy.
 All handlers (including mixers and applicators) must wear coveralls over short sleeved shirt and short pants, chemical resistant footwear, socks, and water-proof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements
 Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

Environmental Hazards
 This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Only use indoors. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.
Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.
Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.
 010411/12-10

Do not sell this product in individual containers holding less than 13.44 fl. oz of bait concentrate.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

MIXING DIRECTIONS: Wearing waterproof gloves, thoroughly mix contents of one 1.68 fl. oz. pouch in 1 quart (32 fluid ounces) of water.

6337


 0 30835 40207 6

Inner pouch label



LIQUA-TOX® II

Do Not Use in Homes or Other Residential Settings. Do Not Use Outdoors.

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water

ACTIVE INGREDIENT:
 Sodium Salt of Diphacinone (CAS #42721-99-3):..... 0.106%
 OTHER INGREDIENTS:..... 99.894%
 TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN WARNING
 See back panels for First Aid and additional precautionary statements.
 EPA REG. NO. 12455-61 EPA EST. NO. 12455-WI-1

Net Contents: 1.68 fl. oz. (50 ml) pouch

Manufactured by:

 3699 Kinsman Blvd.
 Madison, WI 53704 U.S.A. • www.belllabs.com

TREATMENT FOR PET POISONING
 If animal eats bait, call veterinarian or 1-877-854-2494 at once.

NOTE TO PHYSICIAN OR VETERINARIAN
 Anticoagulant Sodium Salt of Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally.

2442-4

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS. It is illegal to sell this product unless it is accompanied by a complete set of accepted labeling.

INDIVIDUAL SALE IS PROHIBITED BY LAW

FIRST AID
 Have label with you when obtaining treatment advice.

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 - 20 minutes.
- Call a poison control center or doctor immediately for treatment advice.

If inhaled

- Move person to fresh air.
- If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

Prints at 100% on 11x17