



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2014-2016** LIC. NO.

**9150.102**



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2011-2013** LIC. NO.

**EFFIPRO**<sup>®</sup>  
Topical Solution for Dogs

**Virbac**



**EFFIPRO**<sup>®</sup>

Topical Solution for Dogs  
*Kills fleas, ticks and chewing lice*

ACTIVE INGREDIENT  
Fipronil ..... 9.6%  
OTHER INGREDIENTS ..... 90.4%  
TOTAL ..... 100.0%

**Only for dogs  
and puppies  
8 weeks old or  
older weighing**

1 applicator 0.023 fl oz (0.67 mL) Use only on dogs

up to **22.9** lbs

**EFFIPRO**<sup>®</sup> Topical Solution for Dogs

**Only for dogs and puppies  
8 weeks old or older weighing  
up to 22.9 lbs**



Virbac AH, INC., PO BOX 162059  
FORT WORTH, TX 76161, 1-800-338-3659

Made in France

EFFIPRO<sup>®</sup> is a registered trademark of Virbac S.A.

EPA Reg. No. 2382-185

EPA Est. No. 2382-FRA-1

1 applicator 0.023 fl oz (0.67 mL)

See enclosed insert for directions for use and storage and disposal.

<b>FIRST AID</b>	<p>IF SWALLOWED:</p> <ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Do not induce or force vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<p>Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Hotline number 1-800-338-6565 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.</p>	

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
READ ENTIRE LABEL BEFORE EACH USE  
**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.  
**HAZARDS TO DOMESTIC ANIMALS:** For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO<sup>®</sup> Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

1 applicator 0.023 fl oz (0.67 mL)

**EFFIPRO**<sup>®</sup> Topical Solution for Dogs  
FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER  
EFFIPRO<sup>®</sup> Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks and chewing lice on dogs 8 weeks old or older.  
**Only for dogs and puppies  
8 weeks old or older weighing  
up to 22.9 lbs**

Lot No.:

# EFFIPRO<sup>®</sup>

## Topical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER

For convenient, quick-acting, long-lasting, effective control of fleas, ticks and chewing lice.

- Easy and convenient application.
- Waterproof (remains effective after bathing and swimming).
- Kills newly emerged adult fleas prior to egg-laying.
- Kills fleas that may transmit bartonellosis.
- Kills fleas that may cause Flea Allergy Dermatitis (FAD) or flea-bite anemia.
- Kills all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks (that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis and anaplasmosis).
- Chewing lice infestations are rapidly eliminated.
- Can be used on breeding, pregnant and lactating bitches.

EFFIPRO<sup>®</sup> Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks and chewing lice. For easy and convenient application, EFFIPRO<sup>®</sup> Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz / 0.67 mL), medium dogs 23-44.9 lbs (0.045 fl oz / 1.34 mL), large dogs 45-88.9 lbs (0.091 fl oz / 2.68 mL), and extra large dogs 89-132 lbs (0.136 fl oz / 4.02 mL).

**ACTIVE INGREDIENT:**

Fipronil ..... 9.6%

**OTHER INGREDIENTS:** ..... 90.4%

**TOTAL:** ..... 100.0%

KEEP OUT OF REACH OF CHILDREN

### CAUTION

READ ENTIRE LABEL BEFORE EACH USE

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

■ **HAZARDS TO HUMANS**

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

■ **HAZARDS TO DOMESTIC ANIMALS**

**For external use only.** Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO<sup>®</sup> Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

FIRST AID	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>· Call a poison control center or doctor immediately for treatment advice.</li> <li>· Have person sip a glass of water if able to swallow.</li> <li>· Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>· Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>· Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>· Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>· Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>· Take off contaminated clothing.</li> <li>· Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>· Call a poison control center or doctor for treatment advice.</li> </ul>
<p><b>Have product container or label with you when calling a poison control center or doctor, or going for treatment.</b></p> <p><b>You may also contact the Hotline number 1-800-338-3659 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.</b></p>	


## ■ DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

For killing fleas, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (that may transmit Lyme disease) and chewing lice; apply to DOGS or PUPPIES (8 weeks old or older) as follows:

## ■ APPLICATION DIRECTIONS

1. Remove one applicator from packaging. Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
3. Part dog's hair between shoulder blades until skin is visible. Place applicator tip directly against exposed skin. Deposit entire contents by squeezing the applicator at a single site on dog's skin. Ensure that EFFIPRO® Topical Solution for Dogs is not applied superficially on dog's hair.



EFFIPRO® Topical Solution for Dogs is also approved for control of flea, tick and chewing lice infestations in breeding, pregnant and lactating bitches. Aids in the control of sarcoptic mange mite infestations. Elimination of mites may require multiple monthly applications.

## ■ FREQUENCY OF APPLICATION

Research has shown that flea, tick and chewing lice infestations can be completely controlled with monthly applications of EFFIPRO® Topical Solution for Dogs.

**Fleas:** EFFIPRO® Topical Solution for Dogs can kill adult fleas for up to three months. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely.

**Ticks:** EFFIPRO® Topical Solution for Dogs can kill ticks for a month or longer. Apply monthly where tick control is consistently needed.

**Chewing Lice:** EFFIPRO® Topical Solution for Dogs can kill chewing lice for a month or longer. Apply monthly where chewing lice control is consistently needed.

**Notes:** Wait at least 30 days before re-application of EFFIPRO® Topical Solution for Dogs. Avoid contact with treated area until dry.

EFFIPRO® Topical Solution for Dogs is effective after bathing, shampooing, water immersion, or sunlight exposure.

## ■ STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE:** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE/CONTAINER DISPOSAL: If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partially filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## ■ LIMITED WARRANTY AND DISCLAIMER

To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions. Buyer and user assume all risks of use and handling of this material when such use and handling are contrary to label instructions. To the extent consistent with applicable law, any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

**How supplied:** For easy and convenient application, EFFIPRO® Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz / 0.67 mL), medium dogs 23-44.9 lbs (0.045 fl oz / 1.34 mL), large dogs 45-88.9 lbs (0.091 fl oz / 2.68 mL), and extra large dogs 89-132 lbs (0.136 fl oz / 4.02 mL).

**Net Contents:** 1, 3, 6 or 36 single-dose applicator(s) per package. Each applicator contains 0.023 fl oz (0.67 mL), 0.045 fl oz (1.34 mL), 0.091 fl oz (2.68 mL) or 0.136 fl oz (4.02 mL) of solution.

EPA Reg. No. 2382-185

EPA Est. No. 2382-FRA-1

VIRBAC AH, INC.

PO BOX 162059

FORT WORTH, TX 76161

1-800-338-3659

Made in France

EFFIPRO® is a registered trademark of Virbac S.A.