


IT
SO
D)



EFFITIX
Topical Solution for Dogs
Kills and repels ticks that may transmit Lyme disease.
For use on dogs and puppies 8 weeks old or older weighing 11 to 22.9 lbs

3 applicators 0.034 fl oz (1.0 mL)

Virbac
1-800-338-3659
Virbac AH, Inc., PO BOX 162059
FORT WORTH, TX 76161
EFFITIX is a registered trademark of Virbac S.A.
EPA Est. No. 2382-FFA-1
Made in France

SEE INSIDE FLAP FOR DIRECTIONS FOR USE
Do not contaminate water, food, or feed by storage and disposal.
STORAGE AND DISPOSAL: Store unused product in original container only, out of reach of children and animals.
PESTICIDE/CONTAINER DISPOSAL: If empty: Nonrefillable. Do not reuse or refill this container. Offer for recycling, if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor, or going for treatment.
You may also contact the toll-free number 1-800-338-3659 for human or veterinary health concerns, emergency medical treatment information or pesticide incidents.

DO NOT USE ON CATS - IF INGESTED BY A CAT THAT ACTIVELY GROOMS A DOG, THIS PRODUCT MAY HAVE SERIOUS HARMFUL EFFECTS. IF THIS OCCURS, CONTACT YOUR VETERINARIAN IMMEDIATELY.

KEEP OUT OF REACH OF CHILDREN
repel and kill mosquitoes.
caused by fleas, ticks, and lice; repel against biting flies, and ingredients fipronil and permethrin, which control infestations.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS
Do not use on puppies under 8 weeks of age; individual sensitivities, while rare, may occur after using ANY pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of sensitivity occur and persist, contact a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs, or animals known to be sensitive to pesticide products.

ACTIVE INGREDIENTS
Fipronil 6.01%
Permethrin* 44.88%
OTHER INGREDIENTS 49.11%
TOTAL 100.00%

*cis/trans ratio: maximum 55% (±) cis and minimum 45% (±) trans




For use on dogs and puppies 8 weeks old or older weighing 11 to 22.9 lbs
3 applicators 0.034 fl oz (1.0 mL)

EFFITIX
Topical Solution for Dogs

5A2
EFFITIX
Topical Solution for Dogs
Kills and repels ticks that may transmit Lyme disease.
For use on dogs and puppies 8 weeks old or older weighing 11 to 22.9 lbs
3 applicators 0.034 fl oz (1.0 mL)

Virbac



EFFITIX
Topical Solution for Dogs

Repels fleas, ticks and mosquitoes.
Kills fleas, ticks, mosquitoes and lice.
Starts working on contact.

ACTIVE INGREDIENTS
Fipronil 6.01%
Permethrin* 44.88%
OTHER INGREDIENTS 49.11%
TOTAL 100.00%

*cis/trans ratio: maximum 55% (±) cis and minimum 45% (±) trans

For external use on dogs ONLY
DO NOT USE ON CATS
KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional precautionary statements.



LIFT HERE TO OPEN


For use on dogs and puppies 8 weeks old or older weighing 11 to 22.9 lbs

3 applicators 0.034 fl oz (1.0 mL)

Quick-acting, long-lasting. Waterproof.

11 to 22.9 lbs

83540201



EFFITIX
Topical solution for Dogs

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON CATS OR RABBITS. DO NOT USE ON OTHER ANIMALS.

DO NOT USE ON CATS.

FOR EXTERNAL USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 8 weeks of age. Do not split tubes between dogs. Do not use multiple tubes on one dog. Weight your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. Do not bathe your dog within the first 24 hours after the product has been applied.

If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product. Do not apply more often than once per month (every 30 days).

For use on DOGS and PUPPIES (8 weeks old or older). To repel and kill fleas, ticks, and mosquitoes; to kill lice and to aid in the control of mites; to repel and prevent blood-feeding by biting flies. Apply monthly according to directions.

APPLICATION DIRECTIONS


1. Remove one applicator from packaging. Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
3. Part dog's hair until skin is visible. Place applicator tip directly against exposed skin.
3a. For small dogs and puppies 8 weeks old or older weighing 11 to 22.9 lbs: Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a. Ensure that EFFITIX[®] Topical Solution for Dogs is not applied superficially on dog's hair.

1 **2** **3** **3a**

Do not get the product in your dog's eyes or mouth.

SEE PACKAGE INSERT FOR FREQUENCY OF APPLICATION

LIMITED WARRANTY AND DISCLAIMER
VIRBAC warrants this product only if it is used, stored and handled in accordance with the label instructions. The buyers and users are solely responsible for all risks of use and handling of this product when such use and handling are contrary to or differ from the label instructions. To the extent permitted by applicable law, any damages arising from a breach of this warranty shall be limited to direct damages only and shall not include any type of consequential damages.



EFFITIX[®]

Topical Solution for Dogs

FOR USE ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER

For convenient, quick-acting, long-lasting, effective control of fleas, ticks, mosquitoes, and lice.

- Easy and convenient application
- Stops existing infestations and prevents establishment of new infestations for fleas and ticks
- Starts working on contact
- Waterproof
- Prevents re-infestation for one month
- Remains effective even after bathing, water immersion, or exposure to rain or sunlight
- Kills newly emerged adult fleas prior to egg laying
- Kills fleas that may transmit the following diseases: bartonellosis, tularemia, and tapeworm infestations
- Kills fleas that may cause Flea Allergy Dermatitis (FAD) or flea-bite anemia
- Prevents blood-feeding by mosquitoes
- Kills and repels all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks (that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis, and anaplasmosis)
- Kills and repels mosquitoes
- Repels and prevents blood-feeding by biting flies
- Kills lice and aids in the control of sarcoptic mites
- Prevents and controls lice infestations

EFFITIX[®] Topical Solution for Dogs contains the active ingredients fipronil and permethrin, which control infestations caused by fleas, ticks, and lice; repel against biting flies, and repel and kill mosquitoes.

ACTIVE INGREDIENTS

Fipronil.....	6.01%
Permethrin*	44.88%
OTHER INGREDIENTS	49.11%
TOTAL	100.00%

*cis/trans ratio: maximum 55% (±) cis and minimum 45% (±) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

■ **HAZARDS TO HUMANS**

Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

■ **HAZARDS TO DOMESTIC ANIMALS**

FOR EXTERNAL USE ON DOGS ONLY.

Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of sensitivity occur and persist, contact a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs, or animals known to be sensitive to pesticide products.

DO NOT USE ON CATS - IF INGESTED BY A CAT THAT ACTIVELY GROOMS A RECENTLY TREATED DOG, THIS PRODUCT MAY HAVE SERIOUS HARMFUL EFFECTS. IF THIS OCCURS, CONTACT YOUR VETERINARIAN IMMEDIATELY.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <p>You may also contact the Hotline number 1-800-338-3659 for human or veterinary health concerns, emergency medical treatment information or pesticide incidents.</p>	

■ DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON CATS OR RABBITS. DO NOT USE ON OTHER ANIMALS.

■ DO NOT USE ON CATS.

■ **FOR EXTERNAL USE ON DOGS AND PUPPIES ONLY.** Do not use on puppies under 8 weeks of age. Do not split tubes between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. Do not bathe your dog within the first 24 hours after the product has been applied. If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product. Do not apply more often than once per month (every 30 days).

For use on DOGS and PUPPIES (8 weeks old or older). To repel and kill fleas, ticks, and mosquitoes; to kill lice and to aid in the control of sarcoptic mites; to repel and prevent blood-feeding by biting flies. Apply monthly according to directions.

■ APPLICATION DIRECTIONS

1. Remove one applicator from packaging. Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
3. Part dog's hair until skin is visible. Place applicator tip directly against exposed skin.
 - 3a. **For small dogs and puppies 8 weeks old or older weighing 5 to 10.9 lbs or weighing 11 to 22.9 lbs:** Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a.
 - 3b. **For medium dogs 23 to 44.9 lbs or large dogs 45 to 88.9 lbs:** Apply the product evenly to three spots on the dog's back, starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.
 - 3c. **For extra large dogs 89 to 132 lbs:** Apply the product evenly to four spots on the dog's back, starting between the shoulder blades and continuing on to the second, third, and fourth spots as shown in diagram 3c, squeezing the applicator until empty.

Ensure that EFFITX® Topical Solution for Dogs is not applied superficially on dog's hair.



■ FREQUENCY OF APPLICATION

Fleas, ticks, and (biting and chewing) lice infestations can be controlled with monthly applications of EFFITX® Topical Solution for Dogs. Biting flies and mosquitoes are repelled by EFFITX® Topical Solution for Dogs.

Fleas: EFFITX® Topical Solution for Dogs can start killing adult fleas within 6 hours and lasts for up to three months. Apply monthly if your dog has fleas that may cause flea allergy dermatitis (FAD), or if re-infestation is likely.

Ticks: EFFITX® Topical Solution for Dogs can kill ticks for at least a month. Apply monthly where tick control is consistently needed.

Lice: EFFITX® Topical Solution for Dogs can kill biting and chewing lice for up to a month. Apply monthly where lice control is consistently needed.

Mites: EFFITX® Topical Solution for Dogs aids in the control of sarcoptic mange.

Biting flies and Mosquitoes: When applied monthly, EFFITX® Topical Solution for Dogs repels biting flies and mosquitoes for up to 4 weeks (one month). Kills mosquitoes for up to four weeks (one month).

Notes: Wait at least 30 days before re-application of EFFITX® Topical Solution for Dogs. Avoid contact with treated area until dry.

■ STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

■ **STORAGE:** Store unused product in original container only, out of reach of children and animals.

■ **PESTICIDE/CONTAINER DISPOSAL:** If empty: Nonrefillable. Do not reuse or refill this container. Offer for recycling, if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

■ LIMITED WARRANTY AND DISCLAIMER

Virbac warrants this product only if it is used, stored and handled in accordance with the label instructions. The buyers and users are solely responsible for all risks of use and handling of this product when such use and handling are contrary to or differ from the label instructions. To the extent permitted by applicable law, any damages arising from a breach of this warranty shall be limited to direct damages only and shall not include any type of consequential damages.

How supplied: For easy and convenient application, EFFITX® Topical Solution for Dogs is available in sizes for puppy/toy dogs 8 weeks old or older and 5–10.9 lbs (0.017 fl oz/0.5 mL), small dogs 11–22.9 lbs (0.034 fl oz/1.0 mL), medium dogs 23–44.9 lbs (0.068 fl oz/2.0 mL), large dogs 45–88.9 lbs (0.135 fl oz/4.0 mL), and extra large dogs 89–132 lbs (0.203 fl oz/6.0 mL).

Net Contents: 1, 3, 6, or 36 single-dose applicator(s) per package containing 0.5 mL, 1 mL, 2 mL, 4 mL, or 6 mL/0.017 fl oz, 0.034 fl oz, 0.068 fl oz, 0.135 fl oz, or 0.203 fl oz of solution.

EPA Reg. No. 2382-187

EPA Est. No. 2382-FRA-1

Virbac AH, Inc.
PO BOX 162059
FORT WORTH, TX 76161
1-800-338-3659

Made in France

EFFITX is a registered trademark of Virbac S.A.