



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Side effects
Monitor your dog after application. Side effects may include signs of skin irritation such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or contact Virbac at 1-800-338-3659.

Have product contact center or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies, or pesticide incidents), you may call 1-800-338-3659, twenty-four (24) hours per day, seven (7) days per week.

IF SWALLOWED	IF IN EYES	IF ON SKIN	OR CLOTHING
<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to do so by a. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. 	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. 	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. 	<ul style="list-style-type: none"> • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

FIRST AID
Easy to apply, quick drying, non-greasy.

4/12/16
EPA Est. No. 2382-FRA-1
EPA Reg. No. 2382-189
83877701
60503
Virbac AH, Inc.
PO Box 162059
Fort Worth, TX 76161
1-800-338-3659
Made in France

SEE PACKAGE INSERT FOR PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

Topical Solution for Dogs
EFFIPRO® Plus

READ ENTIRE LABEL BEFORE EACH USE
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS
For external use on dogs ONLY. Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

possible temporary irritation may occur at the site where EFFIPRO® Plus Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following initial application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged dogs, or dogs known to be sensitive to pesticide products.

SEE PACKAGE INSERT FOR PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.



SM4

3

Applicators NET CONTENTS: 0.273 fl oz (8.04 mL), 3–0.091 fl oz (2.68 mL) applicators 45to88.9lbs

Kills all stages of the Deer tick that may transmit Lyme disease.

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OF AGE OR OLDER & WEIGHING



ACTIVE INGREDIENTS
Fipronil.....9.78%
Pyriproxyfen.....2.94%
OTHER INGREDIENTS.....87.28%
TOTAL.....100.00%

Kills fleas, ticks and lice.
Aids in the control of sarcoptic mites.
Waterproof.



KEEP OUT OF REACH OF CHILDREN

CAUTION
See Back Panel for First Aid and Additional Precautionary Statements



FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OF AGE OR OLDER & WEIGHING

3

Applicators NET CONTENTS: 0.273 fl oz (8.04 mL), 3–0.091 fl oz (2.68 mL) applicators 45to88.9lbs

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

83877701

45to88.9lbs

NET CONTENTS: 0.273 fl oz (8.04 mL), 3–0.091 fl oz (2.68 mL) applicators

Applicators

3

PAYS : VUS
CODE PRODUIT FINI : 307346
CODE ÉLÉMENT : 83877701
ÉLÉMENT : ETUI
LOGICIEL UTILISÉ : ILLUSTRATOR CC

CODE FAMILLE : 5M4
DIMENSIONS : 110MM X 29MM X 148MM
MATERIAU(X) / GRAMMAGE(S) : GZ 300G
PARTICULARITE(S) : A2220

COULEURS

REFLEX BLUE
+ QUADRI



STUDIO GRAPHIQUE
CREA

NOM DU PRODUIT :
EFFIPRO PLUS GN
X3

CORPS DU TEXTE : 6PT
VERNIS : OUI

COMMENTAIRE(S) : APLAT REFLEX BLUE POUR COMPOSTAGE
Attention : code élément présent 2 fois sur le fond et au dos



ESSAI

FICHER, FAIT PAR :
X.XX

VERSION LE :
v1-xx/xx/2016



MATRICE

FICHER, FAIT PAR :
X.XX

VERSION LE :
v1-xx/xx/2016



MAQUETTE - LANCEMENT

FICHER, FAIT PAR :
XX

CORRIGÉ PAR :
XX



MAQUETTE - MODIFICATION

VERSION LE :
v1-xx/xx/2016

VERSION LE :
v2-xx/xx/2016



PRODUCTION

FICHER, FAIT PAR :
VV / NC

VALIDATION PAR :
E.VIOLLET

LE :
16/06/2016

LE :
09/06/2016



Virbac

EFFIPRO[®] Plus

Topical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OF AGE OR OLDER WEIGHING AT LEAST 5 LBS.

For convenient, quick-acting, long-lasting, effective control of fleas, flea eggs, flea larvae, ticks, and chewing lice.

- Easy and convenient application
- Stops existing flea infestations by killing adult fleas, flea eggs, and flea larvae
- Prevents flea and tick reinfestation for up to 4 weeks on dogs and puppies
- Waterproof; remains effective after bathing and swimming
- Fleas do not have to bite to die
- Kills fleas that may transmit bartonellosis, tularemia and tapeworm
- Kill fleas that may cause flea allergy dermatitis (FAD) or flea-bite anemia
- Kills all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks including those that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis, and anaplasmosis
- Prevents all flea stages (adult fleas, flea eggs, flea pupae and flea larvae) on dogs and puppies
- With pyriproxyfen (insect growth regulator) to break flea life cycle
- Chewing lice infestations are rapidly eliminated
- Quick drying, non-greasy

EFFIPRO[®] Plus Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, and chewing lice on dogs or puppies 8 weeks old or older weighing at least 5 lbs.

ACTIVE INGREDIENTS

Fipronil 9.78%

Pyriproxyfen 2.94%

OTHER INGREDIENTS 87.28%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

■ HAZARDS TO HUMANS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

■ HAZARDS TO DOMESTIC ANIMALS

For external use on dogs ONLY.

Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Possible temporary irritation may occur at the site where EFFIPRO[®] Plus Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged dogs, or dogs known to be sensitive to pesticide products.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours.

If applied to a cat or ingested by a cat, contact your veterinarian immediately.

FIRST AID

IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies, or pesticide incidents), you may call 1-800-338-3659, twenty-four (24) hours per day, seven (7) days per week.

Side effects

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or contact Virbac at 1-800-338-3659.

■ DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

FOR EXTERNAL USE ON DOGS AND PUPPIES ONLY. For use ONLY on DOGS and PUPPIES 8 weeks of age or older, weighing at least 5 lbs. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. Do not bathe your dog within the first 24 hours after the product has been applied. If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product.


■ RESTRICTIONS: Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Do not allow children to apply product. DO NOT USE ON CATS, KITTENS, OR RABBITS. DO NOT USE ON OTHER ANIMALS. Do not allow your dog to ingest this product. Do not split tubes between dogs. Do not double-dose or apply more than one tube on dogs weighing more than 132 lbs. Do not use on pregnant or lactating dogs. Do not apply more often than once every 30 days. Do not allow contact with treated area until completely dry.

To kill fleas, flea eggs, flea larvae, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** that may transmit Lyme disease, and chewing lice; apply only to dogs or puppies as follows:

■ APPLICATION DIRECTIONS

1. Remove one applicator from packaging. Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
3. Part dog's hair between shoulder blades until skin is visible. Place applicator tip directly against exposed skin.
 - 3a. For use only on small dogs 8 weeks of age or older, weighing 5 to 22.9 lbs.** - Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a.
 - 3b. For use only on medium dogs weighing 23 to 44.9 lbs. or large dogs weighing 45 to 88.9 lbs.** - Apply the product evenly to three spots on the dog's back, starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.
 - 3c. For use only on extra-large dogs weighing 89 to 132 lbs.** - Apply the product evenly to four spots on the dog's back, starting between the shoulder blades and continuing on to the second, third and fourth spots as shown in diagram 3c, squeezing the applicator until empty.

Ensure that EFFIPRO® Plus Topical Solution for Dogs is not applied superficially on dog's hair.

**■ FREQUENCY OF APPLICATION**

Research has shown that flea, tick and chewing lice infestations can be controlled with monthly applications of EFFIPRO® Plus Topical Solution for Dogs.

Fleas: Kills adult fleas for up to three months. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely. Controls flea eggs for up to 12 weeks.

Ticks: Kills ticks for up to a month. Apply monthly where tick control is consistently needed.

Chewing Lice: Kills chewing lice for up to a month. Apply monthly where chewing lice control is consistently needed.

■ STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

■ PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

■ PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not refill or reuse this container. **If empty:** Place in trash or offer for recycling. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

■ LIMITED WARRANTY AND DISCLAIMER

To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions. Buyer and user assume all risks of use and handling of this material when such use and handling are contrary to label instructions. To the extent consistent with applicable law, any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

How supplied: For easy and convenient application, EFFIPRO® Plus Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks of age or older, weighing 5 to 22.9 lbs. (0.023 fl oz)/(0.67 mL), medium dogs weighing 23 to 44.9 lbs. (0.045 fl oz)/(1.34 mL), large dogs weighing 45 to 88.9 lbs. (0.091 fl oz)/(2.68 mL), and extra-large dogs weighing 89 to 132 lbs. (0.136 fl oz)/(4.02 mL).

EPA Reg. No. 2382-189

EPA Est. No. 2382-FRA-1

Virbac AH, Inc.
PO Box 162059
Fort Worth, TX 76161
1-800-338-3659

Made in France

EFFIPRO is a registered trademark of Virbac S.A.

Questions or comments? Call: 1-800-338-3659

4/12/16

	PAYS : VUS CODE PRODUIT FINI : 307344 CODE ÉLÉMENT : 83878101 ÉLÉMENT : ETIQUETTE LOGICIEL UTILISÉ : ILLUSTRATOR CC		CODE FAMILLE : 32C DIMENSIONS A PLAT : 105MM X 330MM DIMENSIONS PLIEE : 105MM X 28MM MATERIAU(X) / GRAMMAGE(S) : ELEMENTA OPAQUE 65G PARTICULARITE(S) : - ETIQUETTE DE 3 STICKERS OVALES COLLEE SUR LA NOTICE - DIMENSIONS ETIQUETTE : 95MM X 20MM		COULEURS RECTO : QUADRI VERSO : QUADRI STICKERS : PROCESS BLUE NOIR
STUDIO GRAPHIQUE CREA	NOM DU PRODUIT : EFFIPRO PLUS CHIENS CORPS DU TEXTE : 7,3 PT VERNIS : OUI		COMMENTAIRE(S) :		
 ESSAI FICHER, FAIT PAR : X.XX VERSION LE : v1-xx/xx/2016	 MATRICE FICHER, FAIT PAR : X.XX VERSION LE : v1-xx/xx/2016	 MAQUETTE - LANCEMENT FICHER, FAIT PAR : XX CORRIGÉ PAR : XX	 MAQUETTE - MODIFICATION VERSION LE : v1-xx/xx/2016 VERSION LE : v2-xx/xx/2016	 PRODUCTION FICHER, FAIT PAR : VV VALIDATION PAR : X.XX LE : 27/05/2016 LE : xx/xx/2016	