Virbac

EFFITIX® Plus
Topical Solution for Dogs

Kills and repels all stages of the Deer tick that may transmit Lyme disease.

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OF AGE OR OLDER & WEIGHING 45 to 88.9 lbs

3 Applicators NET CONTENTS: 0.405 fl oz (12.0 mL), 3–0.135 fl oz (4.0 mL) applicators

5M4

83878901

Virbac

EFFITIX® Plus
Topical Solution for Dogs

ACTIVE INGREDIENTS
Fipronil.....6.0%
Permethrin*.....44.8%
Pyriproxyfen.....1.8%
OTHER INGREDIENTS.....47.4%
TOTAL.....100.00%
*cis/trans ratio: maximum 55% (±) cis and minimum 45% (±) trans

Kills fleas, ticks, mosquitoes and lice.
Repels fleas, ticks, mosquitoes and biting flies.
Starts working on contact.
Waterproof.

KEEP OUT OF REACH OF CHILDREN

CAUTION
See Back Panel for First Aid and Additional Precautionary Statements

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OF AGE OR OLDER & WEIGHING 45 to 88.9 lbs

3 Applicators NET CONTENTS: 0.405 fl oz (12.0 mL), 3–0.135 fl oz (4.0 mL) applicators

EFFITIX® Plus
Topical Solution for Dogs

Virbac

45 to 88.9 lbs
Applicators NET CONTENTS: 0.405 fl oz (12.0 mL), 3–0.135 fl oz (4.0 mL) applicators
3

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EFFITIX® Plus
Topical Solution for Dogs

Applied topically on a monthly basis, EFFITIX® Plus Topical Solution for Dogs repels and kills fleas, ticks and mosquitoes, kills flea eggs, flea larvae, lice, aids in the control of sarcoptic mites, and repels and inhibits blood feeding by biting flies and mosquitoes.

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs ONLY. Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Individual sensitivities, while rare, may occur after using ANY pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of sensitivity occur and persist, contact a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating applications of water. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs, or dogs known to be sensitive to pesticide products.

SEE PACKAGE INSERT FOR PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

60526
83878901
EPA Reg. No. 2382-192
EPA Est. No. 2382-FRA-1
4/11/16

Made in France
Virbac AH, Inc.
PO Box 162059
Fort Worth, TX 76161
1-800-338-3659

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
9150.117

For indoor and outdoor dogs. Quick drying, non-greasy, odor free.

FIRST AID	
IF SWALLOWED	▪ Call a poison control center or doctor immediately for treatment advice. ▪ Have person sip a glass of water if able to swallow. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give anything by mouth to an unconscious person.
IF IN EYES	▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ▪ Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies, or pesticide incidents), you may call 1-800-338-3659, twenty-four (24) hours per day, seven (7) days per week.

Side effects
Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or contact Virbac at 1-800-338-3659.

DO NOT USE ON CATS - MAY BE FATAL
Keep cats away from treated dogs for 24 hours.
If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Virbac

STUDIO GRAPHIQUE CREA

PAYS : VUS
CODE PRODUIT FINI : 307351
CODE ÉLÉMENT : 83878901
ÉLÉMENT : ETUI
LOGICIEL UTILISÉ : ILLUSTRATOR CC

CODE FAMILLE : 5M4
DIMENSIONS : 110MM X 29MM X 148MM
MATERIAU(X) / GRAMMAGE(S) : GZ 300G
PARTICULARITE(S) : A2220

COULEURS

REFLEX BLUE

QUADRI

NOM DU PRODUIT :

EFFITIX PLUS
GN (L)
X3

VERNIS : OUI
CORPS DE TEXTE : 6 PTS

COMMENTAIRE(S) : APLAT REFLEX BLUE POUR IMPRESSION DATAMATRIX
Attention : code élément présent 2 fois sur patte fermeture et verso

ESSAI	MATRICE	MAQUETTE - LANCEMENT	MAQUETTE - MODIFICATION	PRODUCTION
FICHIER, FAIT PAR : x.xx	FICHIER, FAIT PAR : x.xx	FICHIER, FAIT PAR : x.xx	VERSION LE : v1-xx/xx/2016	FICHIER, FAIT PAR : NC
VERSION LE : v1-xx/xx/2016	VERSION LE : v1-xx/xx/2016	CORRIGÉ PAR : x.xx	VERSION LE : v2-xx/xx/2016	LE : 15/06/2016
				VALIDATION PAR : E.VIOLLET
				LE : 09/06/2016

Virbac

EFFITIX® Plus

Topical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OF AGE OR OLDER WEIGHING AT LEAST 5 LBS.

For convenient, quick-acting, long-lasting, effective control of fleas, flea eggs, flea pupae, flea larvae, ticks, mosquitoes, and lice.

- Easy and convenient application
- Stops existing infestations and prevents establishment of new infestations for fleas and ticks
- Starts working on contact
- Fleas do not have to bite to die
- Waterproof for up to four weeks
- Long-lasting flea, flea egg, flea pupae, flea larvae, tick and mosquito control for your pet
- Prevents reinfestation for one month
- Remains effective even after bathing, water immersion, or exposure to rain or sunlight
- Kills fleas that may transmit bartonellosis, tularemia, and tapeworm
- Kills fleas that may cause Flea Allergy Dermatitis (FAD) or flea-bite anemia
- Repels and inhibits blood-feeding by biting flies and mosquitoes
- Kills and repels all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis, and anaplasmosis
- Kills mosquitoes that may carry heartworm disease
- Kills lice and aids in the control of mites that may cause sarcoptic mange
- Prevents and controls lice infestations
- Quick drying, non-greasy

EFFITIX® Plus Topical Solution for Dogs contains the active ingredients fipronil, permethrin, and pyriproxyfen which control infestations caused by fleas, flea eggs, flea pupae, flea larvae, ticks and lice; repel against biting flies, and repel and kill mosquitoes.

ACTIVE INGREDIENTS

Fipronil	6.0%
Permethrin*	44.8%
Pyriproxyfen	1.8%
OTHER INGREDIENTS	47.4%
TOTAL	100.0%

*cis/trans ratio: maximum 55% (±) cis and minimum 45% (±) trans

DO NOT USE ON CATS MAY BE FATAL.
Keep cats away from treated dogs for 24 hours.
If applied to a cat or ingested by a cat, contact your veterinarian immediately.

KEEP OUT OF REACH OF CHILDREN

CAUTION
READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

■ HAZARDS TO HUMANS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

■ HAZARDS TO DOMESTIC ANIMALS

For external use on dogs ONLY.

Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Individual sensitivities, while rare, may occur after using ANY pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of sensitivity occur and persist, contact a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs, or dogs known to be sensitive to pesticide products.

FIRST AID	
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
Have product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies, or pesticide incidents), you may call 1-800-338-3659, twenty-four (24) hours per day, seven (7) days per week.	

Side effects

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or contact Virbac at 1-800-338-3659.

83879101

■ DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

FOR EXTERNAL USE ON DOGS AND PUPPIES ONLY. For use ONLY on DOGS and PUPPIES 8 weeks of age or older, weighing at least 5 lbs. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. Do not bathe your dog within the first 24 hours after the product has been applied. If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product.

■ **RESTRICTIONS:** Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Do not allow children to apply product. DO NOT USE ON CATS OR RABBITS. DO NOT USE ON OTHER ANIMALS. Do not allow your dog to ingest this product. Do not split tubes between dogs. Do not double-dose or apply more than one tube for dogs weighing more than 132 lbs. Do not apply more often than once every 30 days. Do not allow contact with treated area until completely dry.

To repel and kill fleas, ticks, and mosquitoes; to kill flea eggs, pupae and larvae, lice, and to aid in control of mites; to repel and prevent blood feeding by biting flies; apply only to dogs or puppies as follows:

■ APPLICATION DIRECTIONS

1. Remove one applicator from packaging. Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
3. Part dog's hair until skin is visible. Place applicator tip directly against exposed skin.

   3a. For use only on small dogs and puppies (8 weeks of age or older), weighing (5 to 10.9 lbs.) or weighing (11 to 22.9 lbs.) - Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a.

   3b. For use only on medium dogs weighing (23 to 44.9 lbs.) or large dogs weighing (45 to 88.9 lbs.) - Apply the product evenly to three spots on the dog's back, starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.

   3c. For use only on extra-large dogs weighing (89 to 132 lbs.) - Apply the product evenly to four spots on the dog's back, starting between the shoulder blades and continuing on to the second, third and fourth spots as shown in diagram 3c, squeezing the applicator until empty.

   Ensure that EFFITIX® Plus Topical Solution for Dogs is not applied superficially on dog's hair.



■ FREQUENCY OF APPLICATION

Fleas, flea eggs, flea pupae, flea larvae, ticks, and lice infestations can be controlled with monthly applications of EFFITIX® Plus Topical Solution for Dogs. Biting flies and mosquitoes are also repelled by EFFITIX® Plus Topical Solution for Dogs.

Fleas: EFFITIX® Plus Topical Solution for Dogs can start killing adult fleas within 6 hours and lasts for up to three months against adult fleas, flea eggs and flea larvae. Apply monthly if your dog has fleas that may cause flea allergy dermatitis (FAD), or if re-infestation is likely.

Ticks: EFFITIX® Plus Topical Solution for Dogs can kill ticks for at least a month. Apply monthly where tick control is consistently needed.

Lice: EFFITIX® Plus Topical Solution for Dogs can kill biting and chewing lice for up to a month. Apply monthly where lice control is consistently needed.

Mites: EFFITIX® Plus Topical Solution for Dogs aids in the control of mite infestations that may cause sarcoptic mange.

Biting flies and Mosquitoes: When applied monthly, EFFITIX® Plus Topical Solution for Dogs prevents blood feeding by and repels biting flies and mosquitoes for up to 4 weeks. Kills mosquitoes for up to four weeks.

Notes: Wait at least 30 days before re-application of EFFITIX® Plus Topical Solution for Dogs. Avoid contact with treated area until dry.

■ STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

■ **PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

■ **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not refill or reuse this container. **If empty:** Place in trash or offer for recycling. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

■ LIMITED WARRANTY AND DISCLAIMER

VIRBAC warrants this product only if it is used, stored and handled in accordance with the label instructions. The buyers and users are solely responsible for all risks of use and handling of this product when such use and handling are contrary to or differ from the label instructions. To the extent permitted by applicable law, any damages arising from a breach of this warranty shall be limited to direct damages only and shall not include any type of consequential damages.

How supplied: For easy and convenient application, EFFITIX® Plus Topical Solution for Dogs is available in sizes for toy dogs and puppies 8 weeks of age or older and weighing 5 to 10.9 lbs. (0.017 oz.)/(0.5 mL), small dogs weighing 11 to 22.9 lbs. (0.034 fl. oz.)/(1.0 mL), medium dogs weighing 23-44.9 lbs. (0.068 fl. oz.)/(2.0 mL), large dogs weighing 45-88.9 lbs. (0.135 fl. oz.)/(4.0 mL), and extra-large dogs weighing 89-132 lbs. (0.203 fl. oz.)/(6.0 mL).

Net Contents: 1 (3, 6 or 36) single-dose applicator(s) per package containing 0.5 mL, 1mL, 2mL, 4mL or 6mL / 0.017 fl. oz., 0.034 fl. oz., 0.068 fl. oz., 0.135 fl. oz., 0.203 fl. oz..

EPA Reg. No. 2382-192
EPA Est. No. 2382-FRA-1

Virbac AH, Inc.
PO Box 162059
Fort Worth, TX 76161
1-800-338-3659

Made in France

EFFITIX is a registered trademark of Virbac S.A.

Questions or comments? Call: 1-800-338-3659

4/11/16

Virbac

STUDIO GRAPHIQUE CREA

NOM DU PRODUIT :

EFFITIX PLUS
CHIENS

PAYS : VUS
CODE PRODUIT FINI : 307348 / 307349 / 307350 / 307351 / 307352
CODE ÉLÉMENT (MAÎTRE) : 83879101
CODE ÉLÉMENT (DUPLICAT) : /
ÉLÉMENT : NOTICE
LOGICIEL UTILISÉ : ILLUSTRATOR CC

CORPS DE TEXTE : 7,2 PTS

CODE FAMILLE : 32C
DIMENSIONS A PLAT : 105MM X 330MM
DIMENSIONS PLIEE : 105MM X 28MM
MATERIAU(X) / GRAMMAGE(S) : ELEMENTA OPAQUE 65G
PARTICULARITE(S) :
- ETIQUETTE DE 3 STICKERS OVALES COLLEE SUR LA NOTICE
- DIMENSIONS ETIQUETTE : 95MM X 20MM

COULEURS

RECTO

QUADRI
(NOIR + JAUNE + MAGENTA)

STICKERS :
NOIR + JAUNE 7409

VERSO

QUADRI
(NOIR + MAGENTA)

COMMENTAIRE(S) :

ESSAI	MATRICE	MAQUETTE - LANCEMENT	MAQUETTE - MODIFICATION	PRODUCTION
FICHIER, FAIT PAR : x.xx	FICHIER, FAIT PAR : x.xx	FICHIER, FAIT PAR : x.xx	VERSION LE : v1-xx/xx/2016	FICHIER, FAIT PAR : NC / LE : 27/05/2016
VERSION LE : v1-xx/xx/2016	VERSION LE : v1-xx/xx/2016	CORRIGÉ PAR : x.xx	VERSION LE : v2-xx/xx/2016	VALIDATION PAR : x.xx / LE : xx/xx/2016