



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

9150.99

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old or older weighing
45 to 88.9 lbs
6 applicators 0.091 fl oz (2.68 mL)

Virbac

EFFIPRO
Topical Solution for Dogs

Kills fleas, ticks, mosquitoes and chewing lice

For convenient, quick-acting, long-lasting, effective control of fleas, ticks, mosquitoes and chewing lice

Waterproof

Only for dogs and puppies 8 weeks old or older weighing
45 to 88.9 lbs
6 applicators 0.091 fl oz (2.68 mL)

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old or older weighing
45 to 88.9 lbs

ACTIVE INGREDIENT
Fipronil 9.6%
OTHER INGREDIENTS 90.4%
TOTAL 100.0%

Use only on dogs.

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional precautionary statements.


6
applicators 0.091 fl oz (2.68 mL)



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2014-2016** LIC. NO.



LIFT HERE TO OPEN

EFFIPRO[®]

Topical Solution for Dogs

Only for dogs and puppies 8 weeks old or older weighing

45 to 88.9 lbs

6 applicators 0.091 fl oz (2.68 mL)





Topical Solution for Dogs

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

For killing fleas, all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks (that may transmit Lyme disease), mosquitoes and chewing lice; apply to DOGS or PUPPIES (8 weeks old or older) as follows:

APPLICATION DIRECTIONS

1. Remove one applicator from packaging.
Hold applicator upright and remove cap.

2. Invert cap and place other end back onto applicator tip.
Push cap down to break seal. Remove cap prior to treatment application.



3. Part dog's hair between shoulder blades until skin is visible. Place applicator tip directly against exposed skin.
Deposit entire contents by squeezing the applicator at a single site on dog's skin.
Ensure that EFFIPRO® Topical Solution for Dogs is not applied superficially on dog's hair.

LIMITED WARRANTY AND DISCLAIMER

To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions. Buyer and user assume all risks of use and handling of this material when such use and handling are contrary to label instructions. To the extent consistent with applicable law, any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.



FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER

EFFIPRO® Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, mosquitoes and chewing lice on dogs 8 weeks old or older weighing 45 to 88.9 lbs.

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
HAZARDS TO HUMANS

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO® Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store unused product in original container only, out of reach of children and animals.

PESTICIDE/CONTAINER DISPOSAL: If empty: Nonrefillable container.

Do not reuse or refill this container. Offer for recycling, if available.

If partially filled: Call your local solid waste agency for disposal instructions.

Never place unused product down any indoor or outdoor drain.

See package insert for frequency of application.



Virbac AH, INC., PO BOX 162059, FORT WORTH, TX 76161
1-800-338-3659

ACTIVE INGREDIENT

Fipronil 9.6%
OTHER INGREDIENTS 90.4%
TOTAL 100.0%

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<p>Have product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <p>You may also contact the Hotline number 1-800-338-3659 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.</p>	

Made in France

EFFIPRO® is a registered trademark of Virbac S.A.

EPA Reg. No. 2382-185

EPA Est. No. 2382-FRA-1



Lot No.: