

CENTER | BACK

KEMTEK

pool & spa care™

Power 99 3" Chlorinating Tablets

CHLORINATING SANITIZER AND ALGAEICIDE



Kills Algae & Bacteria




UV Protected



For Floaters & Feeders



Slow Dissolving



Salt System Compatible



LICENSED

PERIOD 2012-2014 LIC. NO.



LICENSED

PERIOD 2015-2017 LIC. NO.

9163.51



chlorinate

1/2 Lb.
tablets

KEEP OUT OF REACH OF CHILDREN
DANGER

See back panel for other precautions

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione...99.0%

OTHER INGREDIENTS.....1.0%

TOTAL.....100.0%

(90% Available Chlorine)

NET WT 35 LBS (560 OZ)

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. IF SWALLOWED: Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

MAINTAINING YOUR POOL IS AS EASY AS



balance

chlorinate

shock

EAR |

⚠️ NOTICE
⚠️ AVISO

Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liquid.

Los niños pueden caer dentro de el balde y ahogarse.

Mantenga a los niños alejados de los baldes aunque solo contengan un poco de liquido.

CENTER | FRONT

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

KEM-TEK POOL & SPA CARE POWER 99 3" CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders.

1. Remove everything from feeder and rinse thoroughly with fresh water. Never mix KEM-TEK POOL & SPA CARE POWER 99 3" CHLORINATING TABLETS with any other sticks, tablets or any other chemicals. 2. Fill the feeder with tablets. 3. Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm. 4. Check the pH of the pool water daily, adding KEM-TEK POOL & SPA CARE pH MINUS or KEM-TEK POOL & SPA CARE pH PLUS or equivalent products as necessary to maintain pH in 7.2–7.6 range. 5. If the pool is not stabilized with KEM-TEK POOL & SPA CARE STABILIZER CONDITIONER or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on KEM-TEK POOL & SPA CARE STABILIZER CONDITIONER or equivalent product for exact instructions.

POOL STARTUP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super-chlorination (shocking) is necessary. Super-chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0–1.5 ppm. A liquid or granular chlorinating agent, including KEM-TEK POOL & SPA CARE CHLORINATING LIQUID, KEM-TEK POOL & SPA CARE SHOCK QUICK 10, KEM-TEK POOL & SPA CARE SHOCK QUICK 15, KEM-TEK POOL & SPA CARE SUPER SHOCK QUICK 20 or KEM-TEK POOL & SPA CARE ALL-IN-ONE CHLORINATING GRANULES which will dissolve rapidly, must be used for super-chlorination. Consult the labels on KEM-TEK POOL & SPA CARE CHLORINATING LIQUID, KEM-TEK POOL & SPA CARE SHOCK QUICK 10, KEM-TEK POOL & SPA CARE SHOCK QUICK 15, KEM-TEK POOL & SPA CARE SUPER SHOCK QUICK 20 or KEM-TEK POOL & SPA CARE ALL-IN-ONE CHLORINATING GRANULES for super-chlorination instructions. Do not use the pool during super-chlorination until the chlorine residual is less than 30 ppm.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

NOTE: Do not allow direct contact of this product on the following pool surfaces:
vinyl, metallic, fiberglass, painted or colored plaster.
Product will bleach color out.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash collection or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS:

Hazards to humans and domestic animals

DANGER: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F to 480°F WITH LIBERATION OF HARMFUL GASES.

IN CASE OF FIRE, if possible isolate container in open air or well-ventilated area. Flood with large volume of water.

IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reseal container.

EAR |



EPA Reg. No. 7616-18 EPA Est. No. 7616-CA-1
Free Pool Care Advice 1-800-SOS-POOL. www.kem-tek.com

MANUFACTURED BY: KIK POOL ADDITIVES INC., 5160 E. AIRPORT DRIVE, ONTARIO, CA 91761-7824

KEM-TEK POOL & SPA CARE POWER 99 3" CHLORINATING TABLETS

7616-18

LABEL FOR 50 LBS AND ABOVE

(Expanded Environmental Hazards language as per EPA stamped label)

KEMTEK
pool & spa care™

Power 99™
3" Chlorinating Tablets
CHLORINATING SANITIZER AND ALGAEICIDE



1/2 lb. tablets



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9163.51



Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liquid.

Los niños pueden caer dentro de el balde y ahogarse.

Mantenga a los niños alejados de los baldes aunque solo contengan un poco de liquido.

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for other precautions

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione..99.0%

OTHER INGREDIENTS.....1.0%

TOTAL.....100.0%

(90% Available Chlorine)

NET WT 50 LBS (800 OZ)

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. IF SWALLOWED: Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

MAINTAINING YOUR POOL IS AS EASY AS



DO
NOI
PLAC
GRAPH
IN
THI
ARE

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

KEM-TEK POOL & SPA CARE POWER 99 3" CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders.

1. Remove everything from feeder and rinse thoroughly with fresh water. Never mix KEM-TEK POOL & SPA CARE POWER 99 3" CHLORINATING TABLETS with any other sticks, tablets or any other chemicals. 2. Fill the feeder with tablets. 3. Adjust the feed rate so as to maintain a chlorine residual of 1.0-1.5 ppm. 4. Check the pH of the pool water daily, adding KEM-TEK POOL & SPA CARE pH MINUS or KEM-TEK POOL & SPA CARE pH PLUS or equivalent products as necessary to maintain pH in 7.2-7.6 range. 5. If the pool is not stabilized with KEM-TEK POOL & SPA CARE STABILIZER CONDITIONER or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on KEM-TEK POOL & SPA CARE STABILIZER CONDITIONER or equivalent product for exact instructions.

POOL STARTUP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super-chlorination (shocking) is necessary. Super-chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0-1.5 ppm. A liquid or granular chlorinating agent, including KEM-TEK POOL & SPA CARE CHLORINATING LIQUID, KEM-TEK POOL & SPA CARE SHOCK QUICK 10, KEM-TEK POOL & SPA CARE SHOCK QUICK 15, KEM-TEK POOL & SPA CARE SUPER SHOCK QUICK 20 or KEM-TEK POOL & SPA CARE ALL-IN-ONE CHLORINATING GRANULES which will dissolve rapidly, must be used for super-chlorination. Consult the labels on KEM-TEK POOL & SPA CARE CHLORINATING LIQUID, KEM-TEK POOL & SPA CARE SHOCK QUICK 10, KEM-TEK POOL & SPA CARE SHOCK QUICK 15, KEM-TEK POOL & SPA CARE SUPER SHOCK QUICK 20 or KEM-TEK POOL & SPA CARE ALL-IN-ONE CHLORINATING GRANULES for super-chlorination instructions. Do not use the pool during super-chlorination until the chlorine residual is less than 3.0 ppm.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

NOTE: Do not allow direct contact of this product on the following pool surfaces:
vinyl, metallic, fiberglass, painted or colored plaster.
Product will bleach color out.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash collection or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS:

Hazards to humans and domestic animals

DANGER: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F to 480°F WITH LIBERATION OF HARMFUL GASES. **IN CASE OF FIRE,** if possible isolate container in open air or well-ventilated area. Flood with large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION,** do not reseal container.

EPA Reg. No. 7616-18 EPA Est. No. 7616-CA-1
Free Pool Care Advice 1-800-SOS-POOL. www.kem-lek.com
MANUFACTURED BY: KIK POOL ADDITIVES INC., 5160 E. AIRPORT DRIVE, ONTARIO, CA 91761-7824



LIMIT