Step 2

AQUA GUARD™

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. 9163.83

3" CHLORINATING TABLETS

• For Control of Algae & Bacteria • Stabilized • Slow Dissolving • For Floaters & Feeders

FREE POOL CARE ADVICE
1-800-SOS-POOL

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

ACTIVE INGREDIENT:	
Trichloro-s-triazinetrione	95.0%
OTHER INGREDIENTS	5.0%
TOTAL	100.0%

(85.0% Available Chlorine)

NET WT 50 LBS (800 OZ) 22.68 kg

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements

CHLORINATE
5-Step Pool Care System
PART # 116609

17" 2" x 8.5"

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

AQUA GUARD™ 3" CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders.

1. Remove everything from feeder and rinse thoroughly with fresh water. Never mix AQUA GUARD™ 3" CHLORINATING TABLETS with any other sticks, tablets or any other chemicals.
2. Fill the feeder with tablets.
3. Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm.
4. Check the pH of the pool water daily, adding, Sodium Bisulfate (dry pool acid) or Sodium Carbonate (soda ash) and/or AQUA GUARD™ pH DOWN or AQUA GUARD™ pH UP or equivalent products as necessary to maintain pH in 7.2–7.6 range.
5. If the pool is not stabilized with AQUA GUARD™ STABILIZER CONDITIONER or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on AQUA GUARD™ STABILIZER CONDITIONER or equivalent product for exact instructions.

POOL STARTUP AND HEAVY BATHER LOAD:

At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super-chlorination (shocking) is necessary. Super-chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0–1.5 ppm. A liquid or granular chlorinating agent, including AQUA GUARD™ SHOCK QUICK, AQUA GUARD™ SUPER SHOCK QUICK or AQUA GUARD™ ALL-IN-ONE CHLORINATING GRANULES, which will dissolve rapidly, must be used for super-chlorination. Consult the labels on AQUA GUARD™ SHOCK QUICK, AQUA GUARD™ SUPER SHOCK QUICK or AQUA GUARD™ ALL-IN-ONE CHLORINATING GRANULES for super-chlorination instructions. Do not use pool during super-chlorination until the chlorine residual is less than 3.0 ppm.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.

Free Pool Care Advice 1-800-SOS-POOL.

EPA Reg. No. 7616-76 EPA Est. No. 7616-CA-1

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARD:

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE OR EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND TOXIC HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F to 480°F WITH LIBERATION OF HARMFUL GASES.

IN CASE OF FIRE, if possible isolate container in open air or well ventilated area. Flood with large volume of water.

IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reseal container.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep product in tightly closed container when not in use. Store in cool, dry, well-ventilated area away from heat or open flame or in case of decomposition, isolate container in open area if possible, and flood with large amounts of water.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash collection or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

© 2013

MANUFACTURED BY: KIK POOL ADDITIVES INC., 5160 E. AIRPORT DRIVE, ONTARIO, CA 91761-7824
DISTRIBUTED BY: HD SUPPLY FACILITIES MAINTENANCE, LTD. SAN DIEGO, CA 92131
TO REORDER: PART # 116609 1-800-431-3000
HDSUPPLYSOLUTIONS.COM

UPC # 041596036127
FOR POSITION ONLY
X 125% 00000 X

⚠ NOTICE
⚠ AVISO

Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liquid.

Los niños pueden caer dentro de el balde y ahogarse.

Mantenga a los niños alejados de los baldes aunque solo contengan un poco de liquido.