

Step

2

CHLORINATE
5-Step Pool Care System

PART # 000000

AQUA GUARD™



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. 9163.89

POWER 99™ 3" CHLORINATING TABLETS

INDIVIDUALLY WRAPPED

- For Control of Algae & Bacteria
- Stabilized • Slow Dissolving
- For Floaters & Feeders

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione.....	99.0%
OTHER INGREDIENTS	1.0%
TOTAL	100.0%


(90% Available Chlorine)

NET WT 50 LBS (800 OZ) 22.68 kg



KEEP OUT OF
REACH OF CHILDREN
DANGER

See back panel for additional precautionary statements



ACTIVE INGREDIENT:

Trichloro-s-triazinetriene.....99.0%
OTHER INGREDIENTS 1.0%
TOTAL 100.0%
(90% Available Chlorine)

AQUA GUARD™ POWER 99 3" CHLORINATING TABLETS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

AQUA GUARD™ POWER 99 3" CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders. **1.** Remove everything from feeder and rinse thoroughly with fresh water. Never mix AQUA GUARD™ POWER 99 3" CHLORINATING TABLETS with any other sticks, tablets or any other chemicals. **2.** Fill the feeder with tablets. **3.** Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm. **4.** Check the pH of the pool water daily, adding, AQUA GUARD™ pH DOWN or AQUA GUARD™ pH UP or equivalent products as necessary to maintain pH in 7.2–7.6 range. **5.** If the pool is not stabilized with AQUA GUARD™ STABILIZER CONDITIONER or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on AQUA GUARD™ STABILIZER CONDITIONER or equivalent product for exact instructions.

POOL STARTUP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super-chlorination (shocking) is necessary. Super-chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0–1.5 ppm. A liquid or granular chlorinating agent, including AQUA GUARD™ SHOCK QUICK, AQUA GUARD™ SUPER SHOCK QUICK or AQUA GUARD™ ALL-IN-ONE CHLORINATING GRANULES, which will dissolve rapidly, must be used for super-chlorination. Consult the labels on AQUA GUARD™ SHOCK QUICK, AQUA GUARD™ SUPER SHOCK QUICK or AQUA GUARD™ ALL-IN-ONE CHLORINATING GRANULES for super-chlorination instructions. Do not use pool during super-chlorination until the chlorine residual is less than 3.0 ppm.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.

EPA Reg. No. 7616-18 EPA Est. No. 7616-CA-1

MANUFACTURED BY: KIK POOL ADDITIVES INC., 5160 E. AIRPORT DRIVE, ONTARIO, CA 91761-7824 DISTRIBUTED BY: HD SUPPLY FACILITIES MAINTENANCE, LTD., SAN DIEGO, CA 92131

KEEP OUT OF
REACH OF CHILDREN
DANGER

NET WT 50 LBS (800 OZ) 22.68 kg

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F to 480°F WITH LIBERATION OF HARMFUL GASES. IN CASE OF FIRE, if possible isolate container in open air or well ventilated area. Flood with large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION,** do not reseal container.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash collection or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

LABEL FOR
AQUA GUARD SUPER SHOCK QUICK (7616-78)
CO-PACK PACKAGING

Note: This label may sometimes be included with the sale of Aqua Guard Power 99 3'' Chlorinating Tablets (7616-18) and has already been submitted for registration.

⚠ **NOTICE**

⚠ **AVISO**



Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liquid.

Los niños pueden caer dentro de el balde y ahogarse.

Mantenga a los niños alejados de los baldes aunque solo contengan un poco de liquido.

FREE POOL CARE ADVICE
1-800-SOS-POOL

© 2013



UPC # 000000000000
FOR POSITION ONLY



TO REORDER: AQUA GUARD™ POWER 99 3" CHLORINATING TABLETS WITH 2 FREE BAGS OF AQUA GUARD™ SUPER SHOCK QUICK POUCHES INCLUDED.
PART # 000000 1-800-431-3000
HDSUPPLYSOLUTIONS.COM

Step **3**
SHOCK
5-Step Pool Care System
PART # 116647

AQUA GUARD™

SUPER SHOCK QUICK

TREATS 24,000 Gallons of Water**
SWIMMING POOL WATER DISINFECTANT

- Quick Chlorine Boost
- Controls Algae & Bacteria*

- Reduces Chemical Needs
- Swim After Use†

ACTIVE INGREDIENT:
Trichloro-s-triazinetriene..... 67.0%
OTHER INGREDIENTS..... 33.0%
TOTAL100.0%
(60.3% Available Chlorine)

FREE POOL CARE ADVICE
1-800-SOS-POOL
NET WT 1 LB (16 OZ) 454 g

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for other precautions

ACTIVE INGREDIENT:
Trichloro-s-triazinetriene..... 67.0%
OTHER INGREDIENTS..... 33.0%
TOTAL100.0%
(60.3% Available Chlorine)

AQUA GUARD™ SUPER SHOCK QUICK

THE AQUA GUARD™ SUPER SHOCK QUICK Advantages:

This patented blend of ingredients works fast allowing swimmers back into the pool in just 15 minutes†. This is a premium grade shock product, so it takes only 1 lb of AQUA GUARD™ SUPER SHOCK QUICK to treat 12,000 to 24,000 gallons of pool water. AQUA GUARD™ SUPER SHOCK QUICK can be added directly into the water without pre-dissolving and it is ideal for all types of swimming pools. It destroys swimmer wastes and other impurities that cause cloudy water. AQUA GUARD™ SUPER SHOCK QUICK dissolves faster than ordinary shock products without leaving residue. It does not increase the pH of the pool water or contain calcium that causes scale build-up.

DO NOT PRE-DISSOLVE IN CONTAINER (i.e. bucket) BEFORE APPLYING.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DAILY USE: Regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine.

NOTE: 2 1/4 ounces of this compound per 10,000 gallons of pool water will increase an existing chlorine level by 1.0 ppm (1/8 rounded measuring cup = 1 oz.).

****WEEKLY USE:**

1. Check the pH of the pool water daily, adding sodium bisulfate (AQUA GUARD™ pH DOWN) or soda ash (AQUA GUARD™ pH UP) or equivalent products as necessary to maintain pH in the 7.2-7.6 range. 2. AQUA GUARD™ SUPER SHOCK QUICK is made up of fine particles that dissolve almost instantly when applied to water. Use the entire bag for each application. For best results, pour a steady stream of AQUA GUARD™ SUPER SHOCK QUICK into the deep end of the pool or pour into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water. 3. Operate the pump system 4-8 hours (minimum) after applying AQUA GUARD™ SUPER SHOCK QUICK. 4. Use 1 lb of AQUA GUARD™ SUPER SHOCK QUICK to treat 24,000 gallons of pool water every week for best results.

SUPER CHLORINATION: Whenever the pool water loses its sparkle, turns green, or the chlorine residual falls rapidly after regular chlorination, super chlorinate the pool. During the summer months, super chlorinate the pool with 1 lb per 10,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

* During Super-Chlorination

† Pool may be used in 15 minutes after adding this product only when chlorine level is at or below 3 ppm.

EPA Reg. No. 7616-78 EPA Est. No. 7616-CA-1

MANUFACTURED BY: KIK POOL ADDITIVES INC., 5160 E. AIRPORT DRIVE, ONTARIO, CA 91761-7824 DISTRIBUTED BY: HD SUPPLY FACILITIES MAINTENANCE, LTD., SAN DIEGO, CA 92131

KEEP OUT OF REACH OF CHILDREN
DANGER

See back panel for other precautions
Contains: 2 x 1 LB (16 OZ) 454 g Pouches
NET WT 2 LBS (32 OZ) 907 g

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

DANGER: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARD:

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 40° F TO 40° F WITH THE LIBERATION OF HARMFUL GASES. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion. **IN CASE OF FIRE,** if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION:** do not reseal container.

STORAGE AND DISPOSAL:

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash collection or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

ADDITIONAL SIZE

Step

2

CHLORINATE
5-Step Pool Care System
PART # 502074

AQUA  GUARD™

POWER 99 3" CHLORINATING TABLETS

INDIVIDUALLY WRAPPED

- *For Control of Algae & Bacteria* • *Stabilized*
- *Slow Dissolving* • *For Floaters & Feeders*

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

ACTIVE INGREDIENT:
 Trichloro-s-triazinetrione..... 99.0%
OTHER INGREDIENTS1.0%
TOTAL100.0%
 (90% Available Chlorine)

NET WT 21 LBS (336 OZ) 9.52 kg

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See back panel for additional precautionary statements

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

AQUA GUARD™ POWER 99 3" CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders. **1.** Remove everything from feeder and rinse thoroughly with fresh water. Never mix AQUA GUARD™ POWER 99 3" CHLORINATING TABLETS with any other sticks, tablets or any other chemicals. **2.** Fill the feeder with tablets. **3.** Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm. **4.** Check the pH of the pool water daily, adding, AQUA GUARD™ pH DOWN or AQUA GUARD™ pH UP or equivalent products as necessary to maintain pH in 7.2–7.6 range. **5.** If the pool is not stabilized with AQUA GUARD™ STABILIZER CONDITIONER or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on AQUA GUARD™ STABILIZER CONDITIONER or equivalent product for exact instructions.

POOL STARTUP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super-chlorination (shocking) is necessary. Super-chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0–1.5 ppm. A liquid or granular chlorinating agent, including AQUA GUARD™ SHOCK QUICK, AQUA GUARD™ SUPER SHOCK QUICK or AQUA GUARD™ ALL-IN-ONE CHLORINATING GRANULES, which will dissolve rapidly, must be used for super-chlorination. Consult the labels on AQUA GUARD™ SHOCK QUICK, AQUA GUARD™ SUPER SHOCK QUICK or AQUA GUARD™ ALL-IN-ONE CHLORINATING GRANULES for super-chlorination instructions. Do not use pool during super-chlorination until the chlorine residual is less than 3.0 ppm.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash collection or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F to 480°F WITH LIBERATION OF HARMFUL GASES. **IN CASE OF FIRE,** if possible isolate container in open air or well ventilated area. Flood with large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION,** do not reseal container.

EPA Reg. No. 7616-18 EPA Est. No. 7616-CA-1
FREE POOL CARE ADVICE 1-800-SOS-POOL

© 2014

MANUFACTURED BY: KIK POOL ADDITIVES INC.,
5160 E. AIRPORT DRIVE, ONTARIO, CA 91761-7824
DISTRIBUTED BY: HD SUPPLY FACILITIES
MAINTENANCE, LTD., SAN DIEGO, CA 92131
TO REORDER: AQUA GUARD™ POWER 99
3" CHLORINATING TABLETS. PART # 502074
1-800-431-3000 HDSUPPLYSOLUTIONS.COM



LABEL FOR
AQUA GUARD SUPER SHOCK QUICK (7616-78)
CO-PACK PACKAGING

Note: This label may sometimes be included with the sale of Aqua Guard Power 99 3'' Chlorinating Tablets (7616-18) and has already been submitted for registration.



STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. **9163.79**



**FREE BAG
SUPER SHOCK
INCLUDED**

AQUA GUARD™

SUPER SHOCK QUICK

TREATS 24,000 Gallons of Water**

**KEEP OUT OF REACH OF CHILDREN
DANGER**

ACTIVE INGREDIENT:
Trichloro-s-triazinetrione67.0%
OTHER INGREDIENTS.....33.0%
TOTAL.....100.0%
(60.3% Available Chlorine)

NET WT 1 LB (16 OZ) 0.45 kg

AQUA GUARD™ SUPER SHOCK QUICK Advantages: This patented blend of ingredients works fast allowing swimmers back into the pool in just 15 minutes†. This is a premium grade shock product, so it takes only 1 lb of AQUA GUARD™ SUPER SHOCK QUICK to treat 12,000 to 24,000 gallons of pool water. AQUA GUARD™ SUPER SHOCK QUICK can be added directly into the water without pre-dissolving and it is ideal for all types of swimming pools. It destroys swimmer wastes and other impurities that cause cloudy water. AQUA GUARD™ SUPER SHOCK QUICK dissolves faster than ordinary shock products without leaving residue. It does not increase the pH of the pool water or contain calcium that causes scale build-up.

DO NOT PRE-DISSOLVE IN CONTAINER (ie. bucket) BEFORE APPLYING.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DAILY USE: Regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine.

NOTE: 2 1/4 ounces of this compound per 10,000 gallons of pool water will increase an existing chlorine level by 1.0 ppm (1/8 rounded measuring cup = 1 oz.).

****WEEKLY USE:**

1. Check the pH of the pool water daily, adding sodium bisulfate (AQUA GUARD™ pH DOWN) or soda ash (AQUA GUARD™ pH UP) or equivalent products as necessary to maintain pH in the 7.2-7.6 range. 2. AQUA GUARD™ SUPER SHOCK QUICK is made up of fine particles that dissolve almost instantly when applied to water. Use the entire bag for each application. For best results, pour a steady stream of AQUA GUARD™ SUPER SHOCK QUICK into the deep end of the pool or pour into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water. 3. Operate the pump system 4-8 hours (minimum) after applying AQUA GUARD™ SUPER SHOCK QUICK. 4. Use 1 lb of AQUA GUARD™ SUPER SHOCK QUICK to treat 24,000 gallons of pool water every week for best results.

SUPER CHLORINATION: Whenever the pool water loses its sparkle, turns green, or the chlorine residual falls rapidly after regular chlorination, super chlorinate the pool. During the summer months, super chlorinate the pool with 1 lb per 10,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

***During Super-Chlorination**
† Pool may be used in 15 minutes after adding this product only when chlorine level is at or below 3 ppm.



ST GASES. (GASES. DECOMPO) dry utensils. Do not add this produ reaction leading to fire or explosio with the generation of heat, liber; possible, isolate container in open **OR DECOMPOSITION:** do not rese

STORAGE AND I
STORAGE: Keep product in tightly heat or open flame. In case of deci of water. **CONTAINER HAND** Place in trash collector waste agency for outdoor drain.



EPA R
MANUFAC
5160 E. All
DISTRIBU
MAINTENU
TO REATI
HDSUPPL

**FREE BAG
SUPER SHOCK
INCLUDED**

GUARD™



FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals

DANGER: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARD:

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH THE LIBERATION OF HARMFUL GASES. Mix only with water. Use clean,

dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion. **IN CASE OF FIRE,** if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION:** do not reseal container.

STORAGE AND DISPOSAL:

STORAGE: Keep product in tightly closed container when not in use. Store in cool, dry well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:**

Place in trash collection or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 7616-78 EPA Est. No. 7616-CA-1

MANUFACTURED BY: KIK POOL ADDITIVES INC.,
5160 E. AIRPORT DRIVE, ONTARIO, CA 91761-7824

DISTRIBUTED BY: HD SUPPLY FACILITIES
MAINTENANCE, LTD., SAN DIEGO, CA 92131

TO REORDER: PART # 116647 1-800-431-3000
HDSUPPLYSOLUTIONS.COM



to existing chlorine level by 1.0 ppm (1/8 rounded

down) pH DOWN) or soda ash (AQUA GUARD™ pH e. 2. AQUA GUARD™ SUPER SHOCK QUICK is after. Use the entire bag for each application. For SHOCK into the deep end of the pool or pour into vortically if the wind is present while applying) mp system 4-8 hours (minimum) after of AQUA GUARD™ SUPER SHOCK ast results.

es its sparkle, turns green, rination, super chlorinate rinate the pool with 1 lb 14 days. Do not use the ped to 3 ppm.

1 minutes after adding when chlorine level is ppm.

OPEN HERE



ED!

SPECIAL OFFER!

FREE POUCHE!

SHOCK QUICK!