



DISC.

LICENSED 9165.451

LICENSED

LICENSED

LICENSED

PERIOD **2005-2007** LIC. NO.

PERIOD **2008-2010** LIC. NO.

PERIOD **2011-2013** LIC. NO.

PERIOD **2014-2016** LIC. NO.

9165.451

NEW!

ORTHO®

MOSQUITO B GON™

TREE, SHRUB AND LAWN SPRAY

Ready Spray®

Kills listed insects for up to 4 weeks

Active Ingredient

Permethrin*.....2.50%

Other Ingredients.....97.50%

100.00%

* Cis, trans ratio: Min. 35% (+/-) cis and max 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN


CAUTION See back panel booklet for additional
precautionary statements.

NET 32 FL OZ (1 QT) 946 mL

FOR USE ON RESIDENTAL LAWNS,
GARDENS, PATIOS AND
HOME PICNIC AREAS



000060925000



Pes.

Period *2005-2007* No. *9165.451*
DEPT. OF AGRICULTURE
HAWAII
LICENSED

FIRST AID

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF INHALED

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-800-225-2883.

ORTHO MOSQUITO B GON™
TREE, SHRUB AND LAWN SPRAY

*OPEN
Resealable Label
for Directions &
Precautions*

Contains Permethrin, a long lasting insecticide that provides contact and residual control for up to 4 weeks of many hard-to-kill sucking and chewing insects.

PRODUCT FACTS

KILLS INSECTS

Lawn pests: Brown dog ticks, chinch bugs and fleas.
Tree, shrub, rose and flower pests: Bagworms, fall cankerworms, inchworms, leafminers and other listed pests.
Nuisance pests (outdoors): Cluster flies and other listed pests.

WHERE TO USE

On lawns, trees and shrubs, roses and flowers and outside surfaces of buildings.



Questions, Comments or Medical Information?

Call 1-800-225-2883



www.ortho.com

Manufactured for
The ORTHO Group
P.O. Box 1749
Columbus, OH 43216
Form LB05282V000
EPA Reg. No. 1021-1758-239
EPA Est. 239-IA-31, 58996-MO-1A
Superscript is first letter of lot number
Made in USA



80% SIZE
12-digit UPC
(non-suppressed)
For Position Only

0 71549 03020 ?

042302

1025

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product helps eliminate the most annoying and troublesome outdoor insects. You can help protect your property and health by destroying the insects listed on this label. Do not spray animals.



People and pets should not be allowed in treated areas until spray has dried.

- Apply insecticide when insects first appear and repeat as necessary but not more frequently than every 3 days.

This product kills most troublesome outdoor insects, which destroy lawns, gardens, and are an annoyance on patios and at picnics.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place, preferably a locked storage area. Store above freezing. Do not store diluted spray. Store with container tightly closed. Keep pesticide in original container; do not transfer to food or drink container. Avoid contamination of food, feed, and domestic water supplies.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

USE ON ROSES AND FLOWERS

Ageratum, aster, azalea, begonia, coleus, common ninebark and snowberry, exacum, gladiolus, gold bells, hypoestes, ivy, lilac, marigold, mock-orange, nannyberry, orchid, pansy, pea shrub, petunia, poinsettia, rhododendron, rose, snapdragon, zinnia

Pests: Bagworms, fall cankerworms and inchworms.

How to Use: Apply as a thorough spray, wetting the plants to the dripping point. Try to hit underside of leaves and penetrate dense foliage. Spray in the later afternoon or evening, when the temperature ranges from 50 to 75°F and when there is little or no wind. Spray at the first sign of insects. Repeat as necessary; use intervals of 4-8 days.

HOW TO USE THE Ready-Spray® SYSTEM

CONNECT	<ol style="list-style-type: none"> 1. Shake well before using. 2. Connect sprayer to hose. 3. Turn on water.
SPRAY	<ol style="list-style-type: none"> 1. To begin spraying, point nozzle in the direction you want to spray. 2. Bend small yellow plastic tab back and turn knob clockwise to ON position. 3. Spray evenly over measured area.
FINISH	<ol style="list-style-type: none"> 1. To stop spraying, turn knob counter-clockwise to OFF position. 2. Turn off water. 3. Relieve water pressure by bending yellow plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position. 4. Disconnect sprayer from hose.

Barrier Spray for Nuisance Pests: Such as mosquitoes, cluster flies, flying moths, gnats and house flies.

General Directions: Use 32 fl oz. to treat 1,900 linear feet with a 6-inch spray band.

Other Outside Areas

Pests: Mosquitoes, cluster flies, flying moths, gnats and house flies.

How to Use: For use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, under patio furniture, in garages and other places where these insects alight or congregate. Repeat as necessary.

Outside Surfaces of Buildings

Pests: Ants, clover mites, crickets, earwigs, millipedes, sowbugs (pillbugs).

How to Use: To help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, picnic areas, garages, refuse piles, and other areas where these pests congregate or have been seen. Repeat as needed to maintain effectiveness.

USE ON LAWNS

Bent, Bermuda, bluegrass, dichondra, fescue, Irish moss, Merion and St. Augustine

Pests: Brown dog ticks, chinch bugs and fleas.

How to Use: Thoroughly wet down grass a few hours before applying. Home lawns should be no taller than 3 inches at time of application. Slightly more water may be used as long as the amount of product per area is as listed below. For heavy infestations, repeat application after 2 weeks.

For listed insects 32 fl oz. treats 5,300 sq. ft.

USE ON TREES AND SHRUBS

Arizona cypress, azalea, birch, non-bearing citrus, conifers, elm, English ivy, euonymus, weeping fig, fir, honeysuckle, lilac, mock-orange, oak, palm, philodendron, pine, poinsettia, tulip, poplar, rhododendron, taxus

Pests: Bagworms, fall cankerworms and inchworms.

How to Use: Apply as a thorough spray, wetting leaves and branches to the dripping point. Try to penetrate dense foliage. Spray in the late afternoon or evening, when the temperature ranges from 50 to 75°F and when there is little or no wind. Spray at the first sign of insects. Repeat as necessary; use intervals of 4-8 days.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.



Questions, Comments or Medical Information?

Call 1-800-225-2883



www.ortho.com

© 2002, The ORTHO Group. World rights reserved. EPA Reg. No. 1021-1758-239
Manufactured for EPA Est. 239-1A-31, 58996-MO-1A
The ORTHO Group Superscript is first letter of lot number
P.O. Box 1749, Columbus, OH 43216 Made in USA
Form LB05282V000

PRESS TO RESEAL