



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

9165.485
Disc.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.


**BASIC
SOLUTIONS™**

BY
ORTHO®

Weed & Grass Killer

Concentrate

- Kills Tough Weeds, Roots and All!
- Makes up to 10 Gallons!



Patios



Sidewalks

Active Ingredient
 Glyphosate, isopropylamine salt..... 18.0%
 Other Ingredients..... 82.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel booklet for additional
 precautionary statements.

NET 32 FL OZ (1 QT) 946 mL



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2009-2011** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2006-2008** LIC. NO.

LICENSED
 HAWAII
 DEPT. OF AGRICULTURE
 Period *2009-2011* No. *9165.485*

- Do not mow for 7 days before and after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.
- Mix in starting fertilizer and other amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

Stump Treatment: Stumps can be treated to prevent regrowth. For best results, treat when vegetation is actively growing and within 5 minutes of being cut down.

- cut the stump close to the soil surface
- drive 4-5 nail holes into the stump
- flood the stump with undiluted product

This treatment will control or suppress many types of woody brush and trees, such as alder, blue gum, eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

RE-SEEDING AND REPLANTING IN SPRAYED AREAS

Ornamentals and Flowers: May be re-seeded or replanted the next day.

Vegetables: To plant listed vegetables, wait 3 days after spraying, before seeding. For tomato transplants, wait 30 days after spraying. Beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, Swiss chard, chicory, collards, corn, Crenshaw melon, cucumber, eggplant, endive, garlic, honeydew melon, honeyball melon, horseradish, Jerusalem artichoke, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, Persian melon, potato, pumpkin, radish, rhubarb, rutabaga, spinach, summer squash, sweet potato, tomatillo, tomato*, turnip, watercress, watermelon, winter squash, yams.

***Note:** Tomatoes planted from seed only. Wait 30 days for rooted transplants.

Small Fruits and Berries: The following listed crops may be planted (by seed, rooted cutting, or transplant) 7 days after spraying BASIC SOLUTIONS™ Weed & Grass Killer. For unlisted small fruit and berries, wait 30 days after spraying. Blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry, and strawberry.

Fruits and Tree Nuts or Grapevines: If BASIC SOLUTIONS™ Weed & Grass Killer is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

3

BASIC
SOLUTIONS™

BY
ORTHO®

OPEN
Resealable Label
for Directions &
Precautions

Weed & Grass Killer

Concentrate

BASIC SOLUTIONS™ Weed & Grass Killer Concentrate will kill almost all annual and perennial weeds, grasses, and other unwanted plants and is formulated to handle tough weeds and brush.

PRODUCT FACTS Treats up to 3,000 sq ft

KILLS ALL TYPES OF WEEDS & GRASSES

WHERE TO USE

- On patios, walkways or driveways
- Around flowers, shrubs or trees
- Along fences
- In large areas
- For lawn replacement
- For garden preparation

AMOUNT TO USE For best results
6 fl oz (12 Tbs) per gallon of water

PRESS TO RESEAL

Manufactured for **The ORTHO Group**

P.O. Box 190, Marysville, OH 43040

Form LB000000000

EPA Reg. No. 71995-6-239

EPA Est. 239-IA-31, 58996-MO-1A

Superscript is first letter of

lot number

Made in USA



80% SIZE
12-digit UPC
(non-suppressed)
For Position Only

0 71549 06360 3

1020

062003 B&W

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS, OBSERVING ALL PRECAUTIONS.

WHEN TO USE

Use any time weeds and brush are actively growing. Apply only when air is calm. BASIC SOLUTIONS™ Weed & Grass Killer works best in warm, sunny weather with daytime temperatures above 60° F. Reapply if it rains within 6 hours after application. If hard-to-control weeds are not killed within 4 weeks, reapply.

HOW TO USE

IMPORTANT: BASIC SOLUTIONS™ Weed & Grass Killer is an all-purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water. Spray when air is calm. Spray to evenly wet the weed.

To apply this product, use:

- Ortho® Dial 'N Spray®
- Plastic, aluminum, or stainless steel tank sprayer
- Other hose-end sprayer recommended for weed killers

MIXING INSTRUCTIONS

Tank Sprayer

Use 6 fl oz (12 Tbs) Weed & Grass Killer in 1 gallon of water. Spray to evenly wet.
For lawn renovation, covers 300 sq ft (30 ft X 10 ft).

Ortho® Dial 'N Spray®

Add 6 oz (12 Tbs) Weed & Grass Killer to sprayer jar.
DO NOT ADD WATER.

Set dial to 6 oz and spray to evenly wet the weed.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 tablespoons

For easy-to-kill weeds, such as seedlings, use 3 oz (6 Tbs) to 1 gallon of water.

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. After very thorough cleaning, sprayer may be used to apply other products.

1

WEEDS AND GRASSES CONTROLLED INCLUDE:

Bahiagrass, barnyardgrass, Bermudagrass, Canada thistle, chickweed, common ragweed, crabgrass, dandelion, Fescues, field bindweed, field sandbur, foxtail, Johnsongrass, Kentucky bluegrass, Lambsquarter, orchardgrass, perennial ryegrass, quackgrass, redclover, shepherdspurse, smooth brome grass, sowthistle, white clover and yellow nutsedge.

For Tough Weed Control

Use on green, actively growing parts of unwanted plants. If plants are taller than 5 feet, cut back and spray re-growth. Brush sprayed in the fall may not be controlled until the following season.

Tough Weeds Include: Alder, ash aspen, blackberry, French broom, Scotch broom, buckwheat, ceanothus, chamise, cherry, coyote brush dewberry, elderberry, elm, eucalyptus, hazel, hawthorn, honeysuckle, kudzu, locust, maple, oak, persimmon, poison ivy, poison oak, poplar, raspberry, sage, sagebrush, salmonberry, sassafras, sumac, sweetgum, thimbleberry, tree tobacco, trumpet creeper, willow, wildrose (multiflora)

FOR BEST RESULTS

Kudzu Vine: Control is most effective in mid to late summer when the vine is mature and actively growing. Use BASIC SOLUTIONS™ Weed & Grass Killer any time plants are actively growing. If kudzu has covered trees and shrubs, cut off the stems and remove them. Spot treat when re-sprouting of kudzu vine occurs.

Wild Blackberry: Use BASIC SOLUTIONS™ Weed & Grass Killer any time plants are actively growing. Dead canes should be cut down and removed. Repeat treatments, especially in the fall, are often required to kill the deep roots.

Poison Ivy and Poison Oak: For best results, treat any time plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply if new growth reappears. Handle dead plants with rubber gloves, since they may still cause skin irritation. Dispose of plants and rubber gloves in tightly sealed garbage bags. If you come in contact with poison ivy or poison oak, wash as soon as possible with rubbing alcohol or a solution of baking soda and water.

For Lawn Renovation:

- Use BASIC SOLUTIONS™ Weed & Grass Killer to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using.

2

STORAGE AND DISPOSAL



STORAGE: Store this product only in its original container and in a secured storage area. Protect container from freezing.

DISPOSAL: Securely wrap partially filled or empty container in several layers of newspaper and discard in trash. Do not reuse container. **SPILL OR LEAK:** In case of spill or leak, soak up spill with paper towels and discard in trash.

PRECAUTIONARY STATEMENTS



HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May cause eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.



People and pets may re-enter treated areas after spray has dried.

FIRST AID



IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

In case of an emergency with this product, call 1-800-225-2883.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.



Questions, Comments or Medical Information?

Call 1-800-225-2883  www.ortho.com/basics

PRESS TO RESEAL

© 2003, Licensed by The ORTHO Group. World rights reserved.

Manufactured for **The ORTHO Group**

P.O. Box 190, Marysville, OH 43040

Form LB00000000

EPA Reg. No. 71995-6-239

EPA Est. 239-1A-31, 58996-MO-1A

Superscript is first letter of lot number

Made in USA