


# Use On Vegetables, Fruits Flowers & Shrubs



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2005-2007** LIC. NO.



**DISC.**



Department of Agriculture  
STATE OF HAWAII

Department of Agriculture  
STATE OF HAWAII

**LICENSED**

**LICENSED**

PERIOD **2014-2016** LIC. NO. PERIOD **2011-2013** LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2008-2010** LIC. NO.

9165.511

# ORTHO<sup>®</sup>

**BUGGON<sup>®</sup>**

# MAX<sup>®</sup>

## GARDEN & LANDSCAPE INSECT KILLER

ANT



APHID



# Kills 100+ Insects

CATERPILLAR



BEETLE



### ACTIVE INGREDIENT

Esfenvalerate.....0.0033%  
Other Ingredients\*...99.9967%

\*Contains petroleum distillate

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** SEE BACK PANEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET 1 GAL / 3.78 L

OUTDOOR  
USE ONLY



LF00000000X

BUG-B-GON®

ORTHO®

MAX®

GARDEN INSECT DUST

USE ON VEGETABLES, FRUITS, FLOWERS &amp; SHRUBS

## QUICK CONNECT® SPRAYER

Remove sprayer. Pull cord **ALL THE WAY OUT.**

Insert red plug into spout (on cap) until it clicks.



Flip up spout. Open nozzle at end of sprayer.

Ortho Bug-B-Gon® MAX® controls more than 100 garden and nuisance pests without harming roses, flowers or shrubs. Reapply as directed for a more beautiful garden.


## PRODUCT FACTS

KILLS BUGS	Garden Pests: Aphids, beetles, caterpillars, whiteflies and other garden pests.
	Nuisance Pests (outdoors): Ants, cockroaches, spiders, ticks (including ticks that transmit Lyme disease) and other nuisance pests.
WHERE TO USE	On roses, flowers, shrubs, vegetables and fruits. Outdoor surface of buildings, porches and patios.



Questions, Comments or Medical Information?  
Call 1-800-225-2883  [www.ortho.com](http://www.ortho.com)

Specially formulated for residential use.



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## FOR BEST RESULTS

SHAKE WELL BEFORE USE

## HOW TO APPLY

Adjust spray nozzle to give a fine spray. When done, flip down spout to close. **NO NEED TO DISCONNECT TRIGGER SPRAYER** Close nozzle on trigger sprayer. Snap sprayer back in place.

**Garden Pests:** Hold sprayer about 12 inches from plant. Thoroughly cover all plant surfaces until slightly wet, but not to the point of runoff.

## WHEN TO APPLY

Apply as necessary to maintain control, waiting at least 7 days between each application.

## GARDEN INSECTS CONTROLLED

**On Ornamental Plants Including: Roses, Flowers, Shrubs and Small Trees**

Aphid, armyworm, balsam woolly adelgid, buckhorn aphid, cabbage looper, cucumber beetle (adults—spotted & striped), cutworm, European pine sawfly, fall webworm, flea beetle, grasshopper, gypsy moth, imported cabbageworm, Japanese beetle, leafhopper, looper, Northern pine weevil, pine chafer, pine coreid bug, red pine sawfly, redheaded pine sawfly, saltmarsh caterpillar, spittlebugs, tent caterpillar, and whitefly.

**On Listed Vegetables and Melons**

Alfalfa caterpillar, alfalfa looper, aphid, armyworm, artichoke plume moth, beet armyworm, buckhorn aphid, cabbage looper, carrot weevil, celery looper, chinch bug, Colorado potato beetle, corn earworm, corn rootworm (adults), cowpea curculio, cucumber beetle (adults – spotted & striped), cutworm, diamondback moth, European corn borer, fleabeetle, grasshopper, green cloverworm, imported cabbageworm, leafhopper, looper, lygus bug, Mexican bean beetle, painted lady caterpillar, pea aphid, pea weevil, pepper weevil, pickleworm, potato leafhopper, potato psyllid, potato tuberworm, rindworm, saltmarsh caterpillar, sap beetle, Southwestern corn borer, squash bug, squash vine borer, stalk borer, stinkbug, tarnished plant bug, tobacco hornworm, tomato fruitworm, tomato hornworm, tomato pinworm, vegetable leafminer, velvetbean caterpillar, Western bean cutworm, and whitefly.

**On Listed Berries and Small Fruit & Nut Trees**

Apple aphid, black cherry aphid, codling moth, leafrollers, leafhoppers, green fruit worm, plant bugs, oblique banded leafroller, variegated leafroller, tentiform leafminer, San Jose scale (on fruit only), tufted apple budmoth, plum curculio, Oriental fruit moth, apple maggot, red-banded leafroller, lesser appleworm, rosey apple aphid, periodical cicada, pear psylla, pear slug, navel orangeworm, peach twig borer, filbert worm, peach tree borer, lesser peach tree borer, cherry fruit fly, American plum borer, pecan weevil, hickory shuckworm, pecan nut casebearer, pecan aphids, pecan spittlebug, pecan stem phylloxera, pecan leaf phylloxera, walnut aphid and walnut husk fly.

Manufactured for The ORTHO Group  
P.O. BOX 190  
Marysville, OH 43040  
Form LBXXXXXXXXXX

EPA Reg. No. 1021-1582-239  
EPA Est. 239-1A-31, 58996-MO-1A  
Superscript is first letter  
of lot number  
Made in USA

VEGETABLES	DAYS TO WAIT TO HARVEST
Artichoke	7
Broccoli	3
Cabbage	3
Carrots	7
Cauliflower	3
Collards	7
Cucumbers	3
Dry Beans	21
Dry Peas	21
Eggplant	7
Green Peas	3
Peppers	7
Potatoes	7
Pumpkin	3
Radishes	7
Snap Beans	3
Squash	3
Sweet Corn	1
Tomatoes	1

BERRIES & MELONS	DAYS TO WAIT TO HARVEST
Caneberries (blackberries, loganberries, red raspberries & black raspberries)	21
Elderberries	21
Gooseberries	21
Melons	3

SMALL FRUIT & NUT TREES (Such as container grown, dwarf or young trees)	DAYS TO WAIT TO HARVEST
Almond	21
Apple	21
Apricot	14
Cherries	14
Filberts	21
Nectarines	14
Peaches	14
Pecans	21
Pears	28
Plums	14
Prunes	14
Walnuts	21

### NUISANCE PESTS CONTROLLED

Ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, pillbugs, spiders, and ticks that transmit Lyme disease.

### HOW TO APPLY

**NUISANCE PESTS:** Apply directly to listed pests in outdoor areas.  
**OUTDOOR SURFACES:** Spray buildings, porches, patios, garages, and other areas where bugs have been seen or are found. Do not spray near fishponds or other bodies of water.

### WHEN TO APPLY

Apply as necessary to maintain control, waiting at least 7 days between each application.



People and pets may enter treated area after spray has dried.

Avoid contamination of food or feedstuffs.

## STORAGE AND DISPOSAL



**STORAGE:** Store in a cool dry place. Keep container closed.

**DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS



### HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION:

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

#### FIRST AID

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. Emergency Information call 1-800-225-2883.

## ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and other wildlife. For terrestrial uses: do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.

Do not contaminate water when disposing of equipment washwaters.

Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.



Questions, Comments or Medical Information?

Call 1-800-225-2883



[www.ortho.com](http://www.ortho.com)

**NOTICE:** Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

### The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

©2005, Licensed by **The ORTHO Group**.

World rights reserved

P.O. BOX 190

Marysville, OH 43040

Form LBXXXXXXXX

EPA Reg. No. 1021-1582-239

EPA Est. 239-1A-3, 58996-MO-1A

Superscript is first letter

of lot number

**Made in USA**