ORTHO®

HOME DEFENSE® MAX™

NO TOUCH BAIT PASTE PACKS

PAQUETES DE CEBO EN PASTA SIN CONTACTO

- GUARANTEED* TO KILL MICE!
- JUST PLACE AND WAIT
  MICE WILL EAT THROUGH THE WRAPPER

SIMPLE
NO TOUCH
NO MESS
EASY TO USE

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel booklet for additional precautionary statements.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION
Consulte el folleto en el panel posterior para conocer los avisos de precaución adicionales.

Active Ingredient
Difethialone 0.0025%
Inert Ingredients... 99.9975%
Total 100.0000%

12 Ready to Use Packets
Net Weight: 2.5 oz (12 x 6g packs)

DISC.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO.

9165.545

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2008-2010 LIC. NO.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2011-2013 LIC. NO.

ORTHO®

HOME DEFENSE® MAX™

NO TOUCH BAIT PASTE PACKS

Tear Here
Resealable Bag

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
Form LBXXXXXXXXX
EPA Reg. No. 7173-285-239
EPA Est. 7173-WI-1
Made in France
ACC 050208



Selección de las áreas de tratamiento: Determine las áreas donde sea más probable que los ratones encuentren y coman el cebo. En general, estos lugares son: a lo largo de paredes, junto a aberturas carcomidas, en esquinas y lugares encubiertos, entre pisos o paredes o en lugares donde se hayan visto roedores o donde se observen signos de su presencia. Elimine la mayor cantidad de alimento alternativo posible.

INSTRUCCIONES PARA LA APLICACION

LIMPIEZA	Elimine las posibles fuentes de alimento para los roedores. Almacene el alimento en recipientes cerrados y limpie los sobrantes de comida.
SELECCION DE LAS AREAS PARA LA APLICACION	Concéntrese en las áreas donde se registra actividad de roedores, generalmente a lo largo de paredes, entre pisos y paredes, dentro de alacenas, debajo de muebles, en sótanos, áticos o garajes. Asegúrese de colocar el cebo lejos del alcance de niños y mascotas.
COLOCACION DE LOS PAQUETES	Coloque dos paquetes por lugar; generalmente, los bloques deben estar separados de 2.4 a 3.7 m (8 a 12 pies). En los lugares con una gran actividad de ratones, es posible que sean necesarios hasta cuatro paquetes.
ELIMINACION	Mantenga un suministro constante de cebo fresco para 15 días o hasta que se detenga la actividad de los roedores. Una vez que éstos sean eliminados, utilice guantes para recoger y eliminar todos los animales muertos visibles y el cebo restante.
PREVENCION	Para evitar una nueva plaga, reduzca al máximo las fuentes de alimento y agua para roedores.

ORTHO®

HOME DEFENSE® MAX™

NO TOUCH BAIT PASTE PACKS

SIMPLE, EASY TO USE

OPEN
Resealable Label for Directions & Precautions
Español ver página 4



Eliminate rodent food sources – store food in sealed containers.

Place out of reach of children and pets. Select tight spaces where rodents are suspected – under appliances, in cabinets, garage or attic.

Mice will eat through the wrapper.

For more information on Ortho® Home Defense Max®, visit www.ortho.com or call 1-800-225-2883.

WARRANTY: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured for **The ORTHO Group**
P.O. Box 190 Marysville, OH 43040
Form LBXXXXXXXXX

*Satisfaction guaranteed or your money back. If for any reason you are not satisfied with this product, mail us proof of purchase to obtain full refund of your purchase.

CONTAINS Bitrex®

BITREX is a trademark of Johnson Matthey Plc., London, England

EPA Reg. No. 7173-285-239
EPA Est. 7173-WI-1

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice.

IF SWALLOWED Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN OR VETERINARIAN Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K_1 by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. **LEA ESTA ETIQUETA** y siga todas las instrucciones y las precauciones de uso.

IMPORTANTE: No exponga a niños, mascotas u otros animales que no sean objeto de eliminación a los raticidas. Método de prevención de accidentes:

1. Cuando no utilice el producto, almacénelo en un lugar fuera del alcance de niños y mascotas.
2. Coloque el cebo en lugares fuera del alcance de niños, mascotas, animales domésticos y animales silvestres que no sean objeto de eliminación, o utilice estaciones de cebado resistentes a la manipulación. Estas estaciones deben resistir el ataque de perros o la manipulación de niños de menos de seis años de edad y deben utilizarse de manera que los niños no puedan acceder a las cámaras de alimentación y obtener el cebo. Si al alzar las estaciones el cebo se puede mover, las unidades deben asegurarse o de lo contrario inmovilizarse. En áreas abiertas a ganado a pie, mapaches, osos u otros animales potencialmente destructivos o en áreas proclives al vandalismo, se necesitan estaciones de cebado aún más sólidas.
3. Elimine el envase del producto, junto con el cebo no utilizado, no consumido o deteriorado, según se especifica en esta etiqueta.

RESTRICCIONES DE USO: Este producto puede utilizarse únicamente para controlar ratones domésticos. No lo coloque cerca o en el interior de aberturas de conductos de ventilación. No contamine agua, alimentos, forraje, equipamiento para el manejo de alimentos o forraje o equipamiento para el manejo de leche o carne. No esparza el cebo. **No utilice este producto en áreas accesibles para niños, mascotas, animales domésticos o animales silvestres que no sean objeto de eliminación. No utilice este producto en exteriores.** Este producto sólo puede utilizarse en el interior de casas y construcciones comerciales, industriales y agropecuarias.

SI ENTRA EN CONTACTO CON LOS OJOS Mantenga los ojos abiertos y enjuague lentamente con agua y con cuidado, durante 15 a 20 minutos. Si usa lentes de contacto, retírelos después de los primeros 5 minutos y luego continúe enjuagando los ojos. Consulte a un médico o a un centro de control de envenenamientos para obtener asesoramiento sobre el tratamiento.

SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Consulte a un médico o a un centro de control de envenenamientos para obtener asesoramiento sobre el tratamiento.

ADVERTENCIA PARA EL MEDICO O EL VETERINARIO Contiene difetialone, que es una sustancia anticoagulante. Si una persona o un perro ingiere el producto, muestra síntomas obvios de envenenamiento (hemorragia) o presenta un tiempo de protrombina bajo, se le debe administrar vitamina K_1 por vía oral o intramuscular. Controle el tiempo de protrombina cada 3 días, hasta que los valores sean normales.

PELIGRO DE CONTAMINACION: Este producto es tóxico para los peces y los animales silvestres. Las aves y los mamíferos predadores o carroñeros pueden resultar envenenados si se alimentan de animales que han ingerido el cebo. No lo aplique directamente en el agua, en áreas donde hay agua superficial o en áreas entre mareas por debajo de la marca de marea alta promedio.

ALMACENAMIENTO Y ELIMINACION

Este recipiente no es reutilizable. **Almacenamiento:** Almacene el producto en el envase original, en un lugar fresco y seco, inaccesible para niños y mascotas. **Eliminación: Si el envase está vacío:** no lo vuelva a llenar o usar. Colóquelo en la basura o, de ser viable, ofrézcalo para reciclaje. **Si el envase está parcialmente lleno:** Llame a su agencia de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

This is a nonrefillable container. **Storage:** Store in original container in a cool, dry place inaccessible to children and pets. **Disposal: If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL** and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may only be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait. **Do not use this product in areas accessible to children, pets, domestic animals or nontarget wildlife. Do not use this product outdoors.** This product may only be used inside of homes and agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

CLEAN UP	Eliminate possible rodent food sources. Store food in sealed containers and sweep up food spills.
SELECT AREAS FOR PLACEMENT	Focus on areas where rodents have been active - generally along walls, between floors or wall, inside cabinets, under appliances, in basements, attics or garages. Be sure to place out of reach of children and pets.
PLACE PACKS	Apply two packs per placement, usually spaced 8 to 12 feet apart. Four packs may be needed at points of very high mouse activity.
DISPOSE	Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. When rodents are eliminated, wear gloves to collect and dispose of all visible dead animals and remaining bait.
PREVENT	To prevent another infestation, limit sources of rodent food and water as much as possible.

ORTHO®

HOME DEFENSE® MAX™

PAQUETES DE CEBO EN PASTA SIN CONTACTO

PRECAUCIONES
Peligroso para humanos y animales domésticos

PRECAUCION: Mantenga el producto alejado de niños, animales domésticos y mascotas. En caso de ser ingerido o entrar en contacto con la piel, puede ser perjudicial para la salud, ya que reduce la capacidad de coagulación de la sangre y provoca hemorragias. Evite el contacto con la piel, los ojos o la ropa. Después de colocar el producto y antes de fumar o ingerir alimentos, lávese los brazos, las manos y la cara con agua y jabón.

PRIMEROS AUXILIOS

En caso de recibir asesoramiento sobre el tratamiento, recuerde llevar esta etiqueta con usted.

SI SE INGIERE	Consulte a un médico o a un centro de control de envenenamientos inmediatamente para obtener asesoramiento sobre el tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un médico o un centro de control de envenenamientos. No administre nada por boca a una persona que haya perdido el conocimiento.

(continúa)

ORTHO®

HOME DEFENSE® MAX™

NO TOUCH BAIT PASTE PACKS

PELIGRO DE CONTAMINACION: Este producto es tóxico para los peces y los animales silvestres. Las aves y los mamíferos predadores o carroñeros pueden resultar envenenados si se alimentan de animales que han ingerido el cebo. No lo aplique directamente en el agua, en áreas donde hay agua superficial o en áreas entre mareas por debajo de la marca de marea alta promedio.

GARANTIA: Conforme a los límites de la ley aplicable, el comprador asume toda responsabilidad por la seguridad y el uso que no concuerden con las instrucciones.

* Satisfacción garantizada o le devolvemos su dinero. Si por algún motivo no está satisfecho con este producto, envíenos por correo el comprobante de compra para recibir el reembolso total del precio de compra.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PRESS TO RESEAL PRESIONE PARA VOLVER A CERRAR

Questions, Comments or Medical Information
Preguntas, Comentarios o Información Médica
1-800-225-2883 www.ortho.com

© 2008 Licensed by The ORTHO Group. World rights reserved.

Manufactured for **The ORTHO Group**
P.O. Box 190 Marysville, OH 43040
Form LBXXXXXXXXX

EPA Reg. No. 7173-285-239
EPA Est. 7173-WI-1

Front

ORTHO®

HOME DEFENSE® MAX™

NO TOUCH BAIT PASTE PACKS KILLS MICE!

Back

KEEP OUT OF REACH OF CHILDREN, PETS AND NONTARGET ANIMALS

CAUTION See carton for complete directions and precautions. It is illegal to sell these bait packs individually.

Net Weight: 0.2 ounces (6 grams)

Active Ingredient

Difethialone	0.0025%
Inert Ingredients	99.9975%
Total	100.0000%

©2008 Licensed by The ORTHO Group. World rights reserved.

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43040

Form LBXXXXXXXXX
EPA Reg. No. 7173-285-239
EPA Est. 81629-FRA-1