

# ORTHO<sup>®</sup>

## HOME DEFENSE MAX<sup>®</sup> REFILLABLE BAIT STATION

Estación de cebo sin contacto

THIS BAIT STATION IS RESISTANT  
TO TAMPERING BY CHILDREN.  
USE INDOORS ONLY.

**KILLS HOUSE MICE  
GUARANTEED!\***

Easy Slide  
Bait Tray



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2011-2013 LIC. NO.



Department of Agriculture  
STATE OF HAWAII


**LICENSED**

PERIOD 2014-2016 LIC. NO.

**9163.602**



**CHILD  
RESISTANT**



**8** Individually Wrapped  
Bait Block Refills

**KEEP OUT OF REACH OF CHILDREN  
CAUTION** See back panel for additional  
precautionary statements.

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS  
PRECAUCION** Consulte el panel interior para  
precauciones adicionales.

Net Weight: 1 bait station  
containing 0.42 oz (12g) bait  
and 7— 0.42 oz (12g) bait block refills

ACTIVE INGREDIENT:  
CHLOROPHACINONE . . . . . 0.005%  
OTHER INGREDIENTS . . . . . 99.995%  
TOTAL . . . . . 100.000%

SIGNAL WORD type is 18 point.

KEEP OUT OF REACH OF CHILDREN type is 12 point.

STORAGE & DISPOSAL type is 12 point.

No type is smaller than 6 point.

SUPPLIED FIERY PRINTS ARE NOT AN ACCURATE REPRESENTATION OF FINAL COLOR. REFER TO PANTONE SOLID COATED CHIPS FOR FINAL COLOR TARGET.		SEPARATOR / PRINT APPROVAL BY CLIE			
	<b>ORTHO REDESIGN_No-Touch w/ouse Trap</b>	<b>C</b>	<b>M</b>	<b>Y</b>	<b>K</b>
	File OrthoHDmax_8pk_MouseBaltSta_r6.ai	Date	03May12		
	Job No SCO 202	Artist	KM		
	Version M1	Design Dir	C Sanders		
Contact V DiPalma / K MacDonald	Process	Flexo			
App(s) Adobe CS5	Output	100%			
CLIENT IS RESPONSIBLE FOR PROOFREADING ALL COPY BEFORE EXECUTION OF JOB. THE DESIGN FIRM MAKES EVERY REASONABLE EFFORT TO ENSURE ERROR-FREE SUBMISSION OF COPY, BUT WILL BE LIMITED IN LIABILITY TO THE CORRECTION OF ANY ERRORS IN COPY. CLIENT'S LEGAL DEPARTMENT CONFIRMS THAT ALL LEGAL REQUIREMENTS HAVE BEEN MET. COLOR SEPARATORS, PRE-PRESS SERVICE BUREAUS AND/OR PRINTERS ARE RESPONSIBLE FOR CHECKING FINAL MECHANICAL DRAWINGS FOR TOLERANCES, REGISTRATION, ACCURACY IN MEASUREMENTS, AND CONSTRUCTION DETAILS BEFORE PLATES OR CYLINDERS ARE MADE. COLOR PROOFS AND ANY CHANGES MADE TO ACCOMMODATE PRODUCTION REQUIREMENTS MUST BE SUBMITTED TO CLIENT FOR APPROVAL. PANTONES is a registered trademark of Pantone, Inc.		 		08Feb1:	
THIS FILE HAS NOT BEEN SUBMITTED THROUGH THE MANDATORY CBX QUALITY ASSURANCE PROCESS AT THE CLIENT'S REQUEST. CBX WILL NOT BE HELD LIABLE FOR ANY ERRORS IN ARTWORK, INCLUDING MANDATORY TECHNICAL COPY, CODE NUMBERS, UPC NUMBERS, EPA NUMBERS, PRODUCT CODES AND TYPOGRAPHIC ERRORS AND ANY ADDITIONAL CODES AND REFERENCE NUMBERS. CLIENT ASSUMES ALL RESPONSIBILITY FOR PROOFREADING, REVIEWING AND CORRECTING FINAL ARTWORK BEFORE RELEASE AND/OR SUBMISSION TO STATE AND REGULATORY AGENCIES AND PRINT VENDORS.		<b>MATCH COLORS</b>   		15Mar1	
				04Apr1:	
				19Apr1:	
				26Apr1:	
				03May1	



# HOME DEFENSE MAX<sup>®</sup> REFILLABLE BAIT STATION

Estación de cebo sin contacto

## KILLS HOUSE MICE GUARANTEED!\*



### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL** and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**USE RESTRICTIONS:** This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label.

**DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.** This product may only be used to control house mice inside homes. For use in non-food/non-feed areas. Do not contaminate human or pet food preparation items or areas. Do not place near or inside ventilation duct openings.

#### Selection of Treatment Areas:

Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

#### APPLICATION DIRECTIONS:

1. Clean up: Eliminate possible rodent food sources. Store food in sealed containers and sweep up food spills.
2. Select Areas for Placement: Focus on areas where rodents have been active - generally along walls, between floors or wall, inside cabinets, under appliances, in basements, attics or garages. Be sure to place out of reach of pets.
3. Bait Station: Remove bait station from package and place station in horizontal or vertical position against wall with both entrances exposed. When using multiple bait stations, space them 8 to 12 feet apart.
4. Dispose: Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. See refill instructions on how to refill bait station. When rodents are eliminated, wear waterproof gloves to collect and dispose of all visible dead animals and remaining bait.
5. Prevent: To prevent another infestation, limit sources of rodent food and water as much as possible.

### PRECAUTIONARY STATEMENTS

#### Hazard to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Keep away from children, domestic animals and pets. Wear waterproof gloves when handling bait or dead rodents. Wash arms, hands and face with soap and water after handling bait or bait station.

#### FIRST AID

Have this label with you when obtaining treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call an ambulance then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor immediately for treatment advice. **Treatment for Pet Poisoning:** If animal eats bait, call veterinarian at once.

**Note to Physician or Veterinarian:** Contains the anticoagulant chlorophacinone. If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K1 by intramuscular or oral administration.

#### ENVIRONMENTAL HAZARDS:


This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait.

### STORAGE AND DISPOSAL

**Pesticide storage:** Store only in original container in a cool, dry place inaccessible to children and pets. **Disposal:** Nonrefillable container. Do not reuse or refill this container except as described in the directions for use. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **Warranty:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.


### REFILL INSTRUCTIONS:

Step 1




While pushing both buttons down, pull out tray.

Step 2




Press wrapped bait block firmly into tray making sure peg goes through the center of the bait block. Mice will eat through wrapper.

Step 3



Slide tray into station until you hear a click.

Step 4



Place station in horizontal or vertical position against wall with both entrances exposed, in areas that are NOT accessible to pets.

Questions or Comments  
call 1-800-225-2883  
www.ortho.com  
Preguntas o comentarios

©2012 The ORTHO GROUP  
Sold by The ORTHO Group  
P.O. BOX 190, Marysville, OH 43040  
EPA Reg. No. 7173-293-239  
EPA Est. No. 7173-WI-1, 085652-OH-1W  
Superscript is the first letter of lot number.

**Warranty:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

\***Ortho Guarantee:** If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain full refund of your purchase price.



BG1868

**Ortho® Home Defense Max® REFILLABLE BAIT STATION**

**THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN.  
USE INDOORS ONLY IN AREAS INACCESSIBLE TO PETS.**

**DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH BAIT STATION**

**This bait station can only be refilled with the bait blocks sold with this station.**

**CAUTION: See outer package label for precautionary statements, first aid information and directions for use.**

Active Ingredient: Chlorophacinone . . . 0.005%  
Other Ingredients . . . . . 99.995%  
Total . . . . . 100.000%

EPA Reg. No. 7173-293-239  
EPA Est. No. 7173-WI-1<sup>L</sup>, 085652-OH-1<sup>W</sup>  
Superscript is first letter of lot number.

Sold by The Ortho Group  
P.O. Box 190, Marysville, OH 43040  
Net Weight: 0.42 oz (12 g) LB2691

Active Ingredient:  
Chlorophacinone.....0.005%  
Other Ingredients.....99.995%  

---

Total.....100%

EPA Reg. No. 7173-293-239  
EPA Est. No. 7173-WI-1<sup>L</sup>,  
085652-OH-1<sup>W</sup>  
Superscript is first letter of lot number.

Sold by  
The Ortho Group  
P.O. Box 190  
Marysville, OH 43040

Net Weight: 0.42 oz (12 g) BG1877  
©2012 The ORTHO Group. World rights reserved.



# HOME DEFENSE MAX<sup>®</sup> REFILLABLE BAIT STATION

**THIS BAIT STATION IS RESISTANT TO  
TAMPERING BY CHILDREN.  
USE INDOORS ONLY IN AREAS  
INACCESSIBLE TO PETS.**

**DO NOT ALLOW CHILDREN OR PETS TO  
PLAY WITH BAIT STATION**  
This bait station can only be refilled with  
the bait blocks sold with this station.  
**CAUTION: See outer package label for  
precautionary statements,  
first aid information and directions for use.**

# ORTHO®

## HOME DEFENSE MAX® REFILLABLE BAIT STATION

Estación de cebo sin contacto

THIS BAIT STATION IS RESISTANT  
TO TAMPERING BY CHILDREN.  
USE INDOORS ONLY.

### KILLS HOUSE MICE GUARANTEED!\*



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2011-2013 LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2014-2016 LIC. NO.

**9165.602**

**6** Individually Wrapped  
Bait Block Refills

Net Weight/Peso Neto: 2.52 ounces  
1 bait station containing .42 oz (12 g) bait  
and 5 0.42 oz (12 g) bait block refills

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

MANITENER FUERA DEL ALCANCE DE LOS NIÑOS  
**PRECAUCIÓN**

ACTIVE INGREDIENT:  
CHLOROPHACINONE . . . 0.005%  
OTHER INGREDIENTS . . . 99.995%  
TOTAL . . . . . 100.000%

\*As shown by picture on package, consistent with "Use Restrictions" and "Directions for Use"

APR 25 2011

Pesticides Branch

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**USE RESTRICTIONS:** This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label.

**DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.** This product may only be used to control house mice inside homes. For use in non-food/non-feed areas. Do not contaminate human or pet food preparation items or areas. Do not place near or inside ventilation duct openings.

### Selection of Treatment Areas:

Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

## PRECAUTIONARY STATEMENTS

### Hazard to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Keep away from children, domestic animals and pets. Wear waterproof gloves when handling bait or dead rodents. Wash arms, hands and face with soap and water after handling bait or bait station.

### FIRST AID

Have this label with you when obtaining treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call an ambulance then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor immediately for treatment advice. **Treatment for Pet Poisoning:** If animal eats bait, call veterinarian at once.

**Note to Physician or Veterinarian:** Contains the anticoagulant chlorophacinone. If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration.

### ENVIRONMENTAL HAZARDS:

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait.

## STORAGE AND DISPOSAL

**Pesticide storage:** Store only in original container in a cool, dry place inaccessible to children and pets.

**Disposal:** Nonrefillable container. Do not reuse or refill this container except as described in the


directions for use. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Warranty:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.




### APPLICATION DIRECTIONS:

1. Clean up: Eliminate possible rodent food sources. Store food in sealed containers and sweep up food spills.
2. Select Areas for Placement: Focus on areas where rodents have been active - generally along walls, between floors or wall, inside cabinets, under appliances, in basements, attics or garages. Be sure to place out of reach of pets.
3. Bait Station: Remove bait station from package and place station in horizontal or vertical position against wall with both entrances exposed. When using multiple bait stations, space them 8 to 12 feet apart.
4. Dispose: Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. See refill instructions on how to refill bait station. When rodents are eliminated, wear waterproof gloves to collect and dispose of all visible dead animals and remaining bait.
5. Prevent: To prevent another infestation, limit sources of rodent food and water as much as possible.




Easy Slide  
Bait Tray


## REFILL INSTRUCTIONS:




**Step 1**  
While pushing both buttons down, pull out tray.



**Step 2**  
Press wrapped bait block firmly into tray making sure peg goes through the center of the bait block. Mice will eat through wrapper.



**Step 3**  
Slide tray into station until you hear a click.



**Step 4**  
Place station in horizontal or vertical position against wall with both entrances exposed, in areas that are NOT accessible to pets.

**Warranty:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

\*Ortho Guaranteed: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain full refund of your purchase price.

### Questions or Comments

call 1-800-225-2883    
[www.ortho.com](http://www.ortho.com)

*Preguntas o comentarios*

© 2011 The ORTHO GROUP  
Sold by The ORTHO Group  
P.O. BOX 190,  
Marysville, OH 43040

EPA Reg. No. 7173-293-239  
EPA Est. No. 7173-WI-1<sup>1</sup>,  
84064-1A-001<sup>1</sup>, 085652-OH-1<sup>W</sup>  
Superscript is the first lot number.  
MS1001

