LICENSED
HAWAII
DEPT. OF AGRICULTURE
Rev.
Period 2005-2007 No. 9182.76

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2008-2010 LIC. NO.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO.
9182.76

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2011-2013 LIC. NO.

Mice will chew through the Wrapper!

For Indoor & Outdoor Use

6 PLACE PACKS

House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die. Mice cease feeding after consuming a toxic dose. This product kills anticoagulant resistant house mice.

Real-Kill®

Mouse Killer
Place Packs

Mice will chew through the Wrapper!

Real-Kill®

Mouse Killer

Place Packs

For Indoor & Outdoor Use

Active Ingredient:
Bromethalin 0.01%
Other Ingredients 99.9%

KEEP OUT OF REACH OF CHILDREN
CAUTION
May be harmful if swallowed
See Back Panel for additional precautions.

CONTAINS Bitrex®

CONTAINS 6 - 0.75 oz Place Packs
Total Net Wt 4.5 oz (127 g)

Real-Kill®

Mouse Killer
Place Packs

Mice will chew through the Wrapper!

Real-Kill® Mouse Killer

Place Packs

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOP READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: DO NOT EXPOSE CHILDREN, PETS OR OTHER NON-TARGET ANIMALS TO RODENTICIDES. TO HELP TO PREVENT ACCIDENTS:

1. *Store product not in use in a location out of reach of children and pets.*
2. *Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals or in areas prone to vandalism.*
3. *Dispose of product container, and unused, spoiled and unconsumed bait as specified on this label.*

Use Restrictions: For control of house mice, in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Do not use this product in sewers. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Selection of Treatment Areas: Determine areas where mice will most likely find and consume the bait. Generally, these areas are along the walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed. Remove as much food accessible to mice as possible.

Application Directions: This product does not contain an anticoagulant rodenticide. Generally, mice will consume a lethal dose in a single feeding with death occurring one or more days later. Apply one place pack per location. Space placements 8 to 12 feet apart in areas where mice are active.

Baiting Strategy: Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect the placements and replenish bait at sites where there is evidence of heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all of the mice a chance to feed on the bait. Baiting should continue until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed. Collect and properly dispose of all dead mice and leftover bait.

DO NOT OPEN PLACE PACKS. MICE WILL CHEW THROUGH THE WRAPPER.

STORAGE AND DISPOSAL

Storage: Store only in original container in a cool, dry place inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION. May be harmful if swallowed. Keep away from humans, domestic animals and pets. Wash thoroughly with soap and water after handling this bait.

FIRST AID

Have label with you when seeking treatment advice.

If swallowed

- Call a Poison Control Center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a Poison Control Center or doctor.

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a Poison Control Center or doctor for treatment advice.

NOTE TO PHYSICIAN

This product is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

Environmental Hazards

This product is toxic to mammals and birds. Do not apply this product directly to water. Dogs and other predatory and scavenging mammals might be poisoned if they feed upon animals that have eaten this bait.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

†Bitrex is a registered trademark of Macfarlan Smith, Ltd., Scotland.

Questions or Comments?
Call 1-800-897-8524.

MADE IN THE USA for Realex Group,
Division of United Industries Corporation,
PO Box 142642, St. Louis, MO, 63114-0642.
EPA Reg No. 8845-125-478
EPA Est. Nos. 67517-MO-1(J), 74291-MO-1(AH), 9688-MO-1(U), 75793-MO-1(AJ).
Circled letter is first letter in lot number.
15-8198 ©2003 UIC

FPO UPC
place here and verify readability
0 71121 10055 9

DO NOT OPEN PLACE PACKS. MICE WILL CHEW THROUGH THE WRAPPER.

Real-Kill® Mouse Killer

Place Packs

CONTAINS Bitrex® †

STOP READ ENTIRE LABEL ON THE OUTER PACKAGE BEFORE USING THIS PRODUCT. IT IS ILLEGAL TO SELL THESE PLACE PACKS INDIVIDUALLY.

Active Ingredient:
Bromethalin 0.01%
Other Ingredients 99.99%

Net Wt 0.75 oz (21.2 g)

CAUTION: KEEP OUT OF REACH OF CHILDREN

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments?
Call 1-800-897-8524.

†Bitrex is a registered trademark of Macfarlan Smith, Ltd., Scotland.

MADE IN THE **USA** for Realex, Division of United Industries Corp., PO Box 142642, St. Louis, MO, 63114-0642
EPA Reg. No. 8845-125-478
EPA Est. Nos. 67517-MO-1(I), 74291-MO-1(AH), 9688-MO-1(I), 75793-MO-1(A).
Circled letter is first letter of lot number.
11-7277 ©2003 UIC