

FUELSAVER™ 40 LT Antimicrobial **DISC.**

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wear a long-sleeve shirt, long pants, shoes, socks and chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Nonrefillable Container: Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Notice: Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

NET CONTENTS: XXXX gallons
NET WT: XXX lb / XXX kg
LOT NO:

Active Ingredient(s):

4-(2-nitrobutyl) morpholine 36.5% by wt

4,4-(2-ethyl-2-nitrotrimethylene) dimorpholine 2.3% by wt

Inert Ingredients: 61.2% by wt

Total 100%

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eyes open and rinse slowly and gently with water for 30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
IF ON SKIN:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment.

HOT LINE NUMBER

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect (989)636-4400. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

E.P.A. Registration No. 464-674

E.P.A. Est. 5901-IA-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR USE IN HYDROCARBON PRESERVATION

To control the growth of problem microorganisms associated with the fuel.

In General Use: Add FUELSAVER 40 LT Antimicrobial to storage tanks or fuel tanks for control of microbial growth in diesel oil, fuel oil, gasoline, or kerosene. Treatment may be performed by slug dosage or by intermittent metering to attain the proper concentration of FUELSAVER 40 LT Antimicrobial.

For Storage Above Water: Add 2.2 gallons of FUELSAVER 40 LT Antimicrobial to each 1000 gallons of water in the bulk storage system to achieve a concentration of approximately 2200 ppm. To facilitate mixing, dissolve each gallon of FUELSAVER 40 LT Antimicrobial in 100 gallons of water and add this solution directly to the water phase in the tank with minimal agitation.

For Storage In Tanks Without Intentional Water:: Add 0.28-2.2 gallons of FUELSAVER 40 LT Antimicrobial directly to each 1000 gallons of hydrocarbon in the system to obtain a concentration of approximately 280-2200 ppm.

In A Fuel-Treatment Pre-Mix: FUELSAVER 40 LT Antimicrobial may be mixed with other fuel additive for addition to fuel. The end user must add sufficient FUELSAVER 40 LT Antimicrobial to the pre-mix to provide 280-2200 ppm of FUELSAVER 40 LT Antimicrobial in the treated fuel.

Produced for:



THE DOW CHEMICAL COMPANY

Midland, Michigan 48674 U.S.A.

(989) 636-4400

© TM Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow



LICENSED



LICENSED

DISC.

PERIOD 2011-2013 LIC. NO. PERIOD 2014-2016 LIC. NO.

9197.308