

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

DANGER

CORROSIVE • Causes irreversible eye damage • May be fatal if inhaled or swallowed • Causes skin irritation • Harmful if absorbed through the skin. • Do Not Get In Eyes, on Skin, or on Clothing • Do not breathe dust. • When loading or handling wear protective eyewear (goggles or face shield), long-sleeved shirt and long pants, socks, shoes, chemically resistant gloves and a NIOSH approved respirator • Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals • Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet • Remove and wash contaminated clothing separately from other laundry before reuse.

Personal protective equipment

Applicators and other handlers must wear:
- Coveralls, over long-sleeved shirt and long pants
- socks and chemical resistant footwear
- Goggles or face shields
- Chemical-resistant gloves (such as barrier laminate, butyl nitrile/neoprene rubber, PVC or viton)

Engineering Controls

When handlers use feeder devices the handler requirements may be reduced or modified to long-sleeve shirt, long pants, shoes, socks, gloves and safety glasses with side shields.

User Safety Instructions

Follow manufacturers' instructions for cleaning & maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Procedures

Users must wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Application Restrictions

Do not apply this product directly in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Environmental Hazards

This pesticide is toxic to fish and aquatic organisms. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.
Pesticide Storage To maintain product quality, store at temperatures below 35 °C. Keep canister (jar) closed and in original packaging until ready to use in feeder device.

Pesticide Disposal Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill canisters. Completely empty canisters by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mix tank. Rinse canister three times, then offer for recycling if available, or dispose of canisters in a sanitary landfill or by other procedures approved by state and local authorities. If feeder device is contaminated and cannot be reused, dispose of it in the manner required for canisters.

AQUCAR™ DB 100 Water Treatment Microbiocide with Smart Release® Technology

FOR INDUSTRIAL USE

Active Ingredient(s):

2,2-Dibromo-3-nitrilopropionamide 97.6%

Inert Ingredient(s): 2.4%

Total 100.0%

FIRST AID

IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 30 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15–20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call an emergency responder or an ambulance, then give artificial respiration, preferably mouth-to-mouth.• Call a poison control center or doctor for further treatment advice.

Have product container or label with you when calling a poison control center or doctor or going for treatment.

HOT LINE NUMBER

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect 989-636-4400.

NOTE TO PHYSICIAN

Maintain adequate ventilation and oxygenation of the patient. Material may cause severe pulmonary edema. For persons receiving significant exposure to this material, consider chest x-ray and keep under observation for 48 – 72 hr. For delayed onset of pulmonary edema. Humidified oxygen, intermittent positive pressure breathing, assisted respiration/CPAP and steroid therapy should be considered in treatment. Physical exertion may potentiate exposure effects during the first 24 -72 hours. May cause respiratory sensitization or asthma-like symptoms. Bronchodilators, expectorants and antitussives may be of help. Treat bronchospasm with inhaled beta2 agonist and oral or parenteral corticosteroids. Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

Produced For – When produced by a contract manufacturer

E.P.A. Registration No. 464-389

E.P.A. Est. 5905-IA-01



The Dow Chemical Company

Midland, Michigan 48674
(989) 636-4400

© TM Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

NET WT: 12 lbs - (6- 2-lb canisters)
LOT:

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

NOTE: PRODUCT MUST BE ADDED SEPARATELY TO THE SYSTEM. DO NOT MIX WITH OTHER ADDITIVES, IN ORDER TO AVOID DECOMPOSITION OF THE ACTIVE INGREDIENT DUE TO THE HIGH pH OF MANY ADDITIVE FORMULATIONS.

INDUSTRIAL OR COMMERCIAL COOLING WATER SYSTEMS

Not intended for use in once-through cooling systems. For control of microbial growth in industrial or commercial cooling water systems the product may be used with the appropriate feeder to provide up to four weeks of control. Place canister(s) in side stream feeder device. Canisters may be stacked in feeder device to achieve desired dosing level. Use product in canisters to continuously dose system. Add 1-24 ppm per day of product to the water in the system depending on the severity of contamination. Badly fouled systems must be cleaned before treatment is begun.

AIR-WASHER SYSTEMS

NOTE: For use only in industrial air-washer systems that maintain effective mist eliminating components.

For control of microbial growth in air washer systems the product may be used with the appropriate feeder to provide up to four weeks of control.

Place canister(s) in side stream feeder device. Canisters may be stacked in feeder device to achieve desired dosing level. Use product in canisters to continuously dose system. Add 4-24 ppm per day of product to the water in the system depending on the severity of contamination. Badly fouled systems must be cleaned before treatment is begun.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9197.351



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

Notice: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Smart release®
Technology

EPS.01 9/3/2013•RA4942