



ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₈)	0.154%
dimethyl benzyl ammonium chloride	0.154%
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	99.692%
dimethyl ethylbenzyl ammonium chloride	100.000%
OTHER INGREDIENTS	
TOTAL	

Keep Out of Reach of Children
CAUTION

See side panel for additional Precautionary Statements.

EPA Reg. No. 1130-15-1677
EPA Est. 1130-IL-1

For product information call: 1.866.781.8787

Net Contents:
2.5 US gal/9.46 L

61121501

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A novel way to effectively clean, deodorize and sanitize against odor-causing organisms and disinfect hard, nonporous surfaces. Easy to use: no mixing or diluting.

- Effective in 30 seconds against: Herpes Simplex Virus Type 2 (causative agent of genital herpes), HIV-1 (AIDS Virus) and Influenza Strain A2/HK Virus (representative of the common Flu virus) in the presence of a 5% organic soil load.
- Effective in 3 minutes against: Avian Influenza A Virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Pandemic 2009 H1N1 Influenza A Virus*, Polio 1 Virus, Pseudomonas aeruginosa, Rhinovirus (associated with common colds), Rotavirus Strain WA, Salmonella enterica and Staphylococcus aureus in the presence of a 5% organic soil load; and Methicillin-resistant Staphylococcus aureus (MRSA).
- Effective in 5 minutes against: Acinetobacter baumannii, Aspergillus niger, Candida albicans, Escherichia coli O157:H7, Vancomycin-resistant Enterococcus faecalis (VRE) and Trichophyton mentagrophytes in the presence of a 5% organic soil load.
- Effective in 6 minutes against: Mycobacterium bovis BCG (Tuberculosis) in the presence of a 5% organic soil load.

This product is for use in: Medical Facilities (such as dental offices, hospitals, ophthalmic/optometric facilities, out-patient surgical centers), Commercial establishments, residential and lodging structures, health clubs, spas, prisons, and other facilities.

Use this product to clean, deodorize and disinfect such items as: dental chairs/ countertops/instruments/implements/OR surfaces, laboratory equipment/surfaces, operating room lights/tables, countertops, bathtubs, bathroom fixtures, shower stalls, sinks, diaper changing stations, floors and exercise equipment/benches/mats. Use this product on all hard, non-porous environmental surfaces/articles including: Chrome, Formica® Brand, glass, painted surfaces, plastics (such as polycarbonate, polyvinylchloride, polypropylene and polystyrene), Plexiglas®, glazed porcelain and stainless steel.

This product has demonstrated effectiveness against Influenza Strain A2/HK virus* and Avian Influenza A Virus* and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called "swine flu").

General Cleaning, Pre-cleaning and Deodorizing: Prior to disinfection, pre-clean all surfaces with this product making sure to remove all gross filth and heavy soil. Apply solution to surface and allow surface to remain wet for 30 seconds prior to wiping with a paper towel or clean towel/sponge.

To Disinfect Hard, Non-porous, Surfaces/Articles: To Disinfect *Acinetobacter baumannii*, *Aspergillus niger*, Avian Influenza A Virus, *Candida albicans*, *Escherichia coli* O157:H7, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Virus Type 2, HIV-1 (AIDS Virus), Influenza Strain A2/HK Virus, *Mycobacterium bovis* BCG, Pandemic 2009 H1N1 Influenza A Virus*, Polio 1 Virus, *Pseudomonas aeruginosa*, Rhinovirus, Rotavirus Strain WA, *Salmonella enterica*, *Staphylococcus aureus*, Methicillin-resistant *Staphylococcus aureus* (MRSA), *Trichophyton mentagrophytes* and Vancomycin-resistant *Enterococcus faecalis* (VRE): Using this product as is (do not dilute), apply solution to thoroughly wet the pre-cleaned surfaces. Allow to remain wet for 6 minutes prior to wiping or allow surfaces to air dry. For disinfection of Avian Influenza A, use this product only for surfaces that are not conducive to treatment by immersion or excess liquid.

Note: Disinfected food contact surfaces must be rinsed with potable water after cleaning and/or disinfection and before reuse. After disinfection, critical and semi-critical devices must undergo appropriate terminal sterilization/high-level disinfection.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Special Instructions for Cleaning and Decontamination Against HBV, HCV and HIV-1 (AIDS Virus) for Surfaces or Objects Soiled with Blood or Body Fluids

Kills HBV, HCV and HIV-1 (AIDS Virus) on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids in 30 seconds at room temperature (20-25°C) in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HBV, HCV and the human immunodeficiency virus Type 1 (HIV-1) associated with AIDS.

Personal Protection: When using the germicidal solution, wear disposable latex gloves, protective gown, face mask and/or eye covering, as appropriate, when handling HBV, HCV and HIV-1 infected blood or body fluids. **Cleaning Procedure:** All blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the germicidal solution. **Contact Time:** Thoroughly wet surface. Allow to remain wet 30 seconds, let air dry. Use a 6-minute contact time for disinfection against all of the organisms claimed. **Disposal of Infectious Materials:** Dispose of used solution in accordance with local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container in a cool, well-ventilated, locked area inaccessible to children and persons unfamiliar with its use.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Nonrefillable container: do not reuse or refill this container. Promptly clean container after emptying. Triple rinse (or equivalent) the plastic container after emptying. Triple rinse as follows: Empty the remaining contents into application equipment and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap; shake for 10 seconds. Follow pesticide disposal instructions for rinsate. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer the container for recycling or reconditioning or puncture and dispose of in a sanitary landfill; or incineration, if allowed by state and local authorities. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors and contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1.800.328.0026 for emergency medical treatment information.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.



ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₈)	0.154%
dimethyl benzyl ammonium chloride	0.154%
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	99.692%
dimethyl ethylbenzyl ammonium chloride	100.000%
OTHER INGREDIENTS	
TOTAL	

Keep Out of Reach of Children
CAUTION

See side panel for additional Precautionary Statements.

EPA Reg. No. 1130-15-1677
EPA Est. 1130-IL-1

For product information call: 1.866.781.8787

Net Contents:
2.5 US gal/9.46 L

61121501




CDC9066
748140/8501/0410
S5A2.5-40090G-0910



Corrugated
Recycles

THIS
SIDE UP

DO NOT
REMOVE
PLASTIC
CONTAINER
FROM CARTON



Manufactured for:
Ecolab Inc • 370 Wabasha Street N • St Paul MN 55102-1390 USA
© 2010 Ecolab USA Inc • All rights reserved
Made in United States



0 00 25469 61501 5



4G/Y16/S/06
USA/HEDWIN
BALTIMORE, MD. 21211