



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9203.367



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

**ECOLAB**<sup>®</sup>



**23 TB**

# Disinfectant & Deodorizer



**10136**

Net Contents: 2 L/0.53 U.S. gal

**ACTIVE INGREDIENTS:**

o-phenylphenol .....	3.55%
o-benzyl-p-chlorophenol .....	5.32%
p-tert-amyphenol .....	1.81%
<b>OTHER INGREDIENTS:</b> .....	<b>89.32%</b>
<b>TOTAL</b> .....	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN  
DANGER PELIGRO**

*See side panel for Precautionary  
Statements and First Aid.*

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive: Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles, safety glasses or face shield, protective clothing and chemical resistant gloves when handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

## PERSONAL PROTECTIVE EQUIPMENT (PPE):

Handlers must wear long-sleeved shirt and long pants, shoes plus socks, goggles or face shields, and chemical resistant gloves (such as barrier laminate or butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton at 14 mils). Users must remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and put on clean clothing. Follow manufacturers' instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables use detergent and hot water. Keep and wash PPE separately from other laundry.

## FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If the person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. **FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026. FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store unmixed concentrate in a cool, dark, dry place in the original container. Always replace cover. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill. EPA Reg. No. 303-223-1677 EPA Est. No. 1677-IL-2(J), 1677-TX-1(D), 1677-GA-1(M), 1677-IL-1(W), 1677-MN-1(P), 1677-CA-1(S), 1677-GA-2(R), 1677-WV-1(V), 303-IN-1(L). The superscript refers to the first letter of the date code.

© 2010 Ecolab Inc. Made in U.S.A.  
All Rights Reserved 702671/5403/0510



Department of Agriculture  
STATE OF HAWAII

FILE NAME	DIELINE # / SIZE	CONTAINER COLOR	COLORS (#)	NOTES
702671/54	7 X 4.5		PMS 2612	<b>LICENSED</b>  PERIOD 2009-2011 LIC. NO.
PACKAGING SUBSTRATE (LABEL TYPE)			BLACK	
APPLIED LABEL				

**23 TB Disinfectant & Deodorizer**

**PSEUDOMONACIDAL • STAPHYLOCIDAL • VIRUCIDAL\* • FUNGICIDAL**

*23 TB Disinfectant & Deodorizer* is a multi-purpose germicidal detergent tested by the AOC Use-dilution Method in the presence of 5% organic bioload (Fetal Bovine Serum). *23 TB Disinfectant & Deodorizer*'s formula disinfects, cleans and deodorizes in one labor-saving step. *23 TB Disinfectant & Deodorizer*'s is effective against \*Norwalk Virus at a dilution of 2 oz per gallon of water when the treated surface is allowed to remain wet for 10 minutes. *23 TB Disinfectant & Deodorizer* is effective when diluted at 1 oz per gallon of water against the following pathogenic organisms:

- |   |                                    |                                   |
|---|------------------------------------|-----------------------------------|
| <i>Pseudomonas aeruginosa</i>                                   | <i>Shigella flexneri</i>           | <i>Salmonella typhi</i>           |
| <i>Salmonella enterica</i>                                      | <i>Streptococcus pyogenes</i>      | <i>Salmonella typhimurium</i>     |
| <i>Staphylococcus aureus</i>                                    | <i>Enterococcus faecalis</i>       | <i>Serratia marcescens</i>        |
| <i>Pseudomonas cepacia</i>                                      | <i>Proteus vulgaris</i>            | <i>Escherichia coli</i>           |
| <i>Proteus mirabilis</i>  | <i>Klebsiella pneumoniae</i>       | <i>Providencia rettgeri</i> HL-92 |
| <i>Enterobacter cloacae</i>                                     | <i>Enterobacter aerogenes</i>      |                                   |
| <i>Candida albicans</i>   | <i>Trichophyton mentagrophytes</i> |                                   |
| <i>Pseudomonas maltophilia</i> (antibiotic resistant) HL-131    |                                    |                                   |
| <i>Enterococcus faecalis</i> (vancomycin resistant) ATCC 51299  |                                    |                                   |
| <i>Staphylococcus aureus</i> (methicillin resistant) ATCC 29213 |                                    |                                   |
| <i>Staphylococcus aureus</i> (vancomycin resistant) 523K        |                                    |                                   |
| <i>Staphylococcus epidermidis</i> (antibiotic resistant) HL-123 |                                    |                                   |
| *Influenza Type A Virus (H3N2)                                  | *HIV-1 (AIDS Virus)                | *Newcastle Disease Virus          |
| *Rubella Virus (German measles)                                 | *Vaccinia Virus                    | *Adenovirus Type 2                |
| *Herpes Simplex Virus Type 1                                    | *Human Coronavirus                 | *Influenza A virus                |

Kills Pandemic 2009 H1N1 Influenza A virus.  
This product is effective against \*Feline Calicivirus (surrogate for Norovirus) at 2 oz per gallon of water when the treated surface is allowed to remain wet for 10 minutes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL PRECAUTIONS**

Do not apply this product in a way that will contact other persons. Only protected handlers may be in the area during application. Following application as a low-pressure or high-pressure spray, do not enter or allow others to enter until sprays have dried.

**FOR DISINFECTING**

**USES:** For use in hospitals and nursing homes, schools and colleges, medical and dental offices. For use on washable hard, nonporous surfaces such as floors, walls, finished woodwork, chairs, countertops, sinks, garbage cans, cabinets, examining tables and surfaces made of plastic, metal, stainless steel, glazed ceramic, glazed enameled surfaces, glazed porcelain, sealed stone and other hard, nonporous surfaces.

**APPLICATION:** Use 1 ounce of *23 TB Disinfectant & Deodorizer* per gallon of water for a minimum contact time of 10 minutes in a single application. Use 2 ounces per gallon of water for Feline Calicivirus (surrogate for Norovirus). For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. *23 TB Disinfectant & Deodorizer* is a multi-purpose germicidal detergent and can be applied with a mop, sponge or cloth; or by soaking. The use solution is used once and discarded. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished.

*23 TB Disinfectant & Deodorizer* is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

**\*KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for the transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS**

**PERSONAL PROTECTION:** Disposable latex or vinyl gloves, gowns, face masks, and eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

**CLEANING PROCEDURE:** Blood/body fluids must be thoroughly cleaned from surfaces and objects before application of *23 TB Disinfectant & Deodorizer*. This cleaning may be accomplished with any cleaning solution, including this product.

**CONTACT TIME:** 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For service or additional information, call 1-800-35-CLEAN (352-5326).



Ecolab Inc.  
370 Wabasha Street N.  
St. Paul, MN 55102-1390 U.S.A.

© 2010 Ecolab Inc. Made in U.S.A. 702673/5403/0510  
All Rights Reserved

FILE NAME	DIELINE # / SIZE	CONTAINER COLOR	COLORS (#)	NOTES
702673/54	7" x 4.5"	N/A	BLACK	XXXX
PACKAGING SUBSTRATE (LABEL TYPE)				
APPLIED LABEL				