

**ENVERROS SANIMASTER PHENOLIC**

A synthetic detergent with broad spectrum kill of microorganisms both gram positive and negative. For cleaning and disinfecting. Non-flammable and non-volatile in use dilutions. For use on electrically conductive floors. Dilutes clear (1:128) in hot, cold, soft or hard water. Contains biodegradable detergent. Dilute as directed using standard measuring cup or jug pump. Do not mix with other cleaners. Proven effective for hospital use by the following tests:

A.O.A.C. (Use Dilution)  
The following tests run in conformance with A.O.A.C. Fifteenth Edition and all tests in presence of A.O.A.C., 1000 ppm hardness and 5% organic soil.

Test Method	Dilution	Test Method	Dilution
Staphylococcus aureus #6538	1:128	Salmonella choleraesuis #10708	1:128
Pseudomonas aeruginosa #15442	1:128	HIV-1 (AIDS VIRUS)*	1:128
The following tests dilute clear at (1:128) in hot, cold, soft or hard water of up to 500 ppm water hardness			
Test Method	Dilution	Test Method	Dilution
Salmonella typhosa #6539	1:128	Trichophyton Interdigitale #640	1:128
Staphylococcus aureus #14154	1:128	A.O.A.C (Tuberculochemical Test)	1:128
Streptococcus hemolyticus #9342	1:128	Mycobacterium Tuberculosis BCG	1:128
Diplococcus pneumonia #6303	1:128	Adapt (Virucidal Test) <sup>H</sup> Influenza Type A2,	1:128
Escherichia coli #11229	1:128	Taiwan Strain-Asian Flu	1:128
Proteus vulgaris #8427	1:128	Herpes Simplex WI-38	1:128
Streptococcus faecalis #8043	1:128		

- GENERAL USE DIRECTIONS:**
- Recommended for use on precleaned, hard, non-porous inanimate surfaces.
  - To disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, bird cages, kennels, and garbage cans. Apply a solution of 1 ounce EnVerros SaniMaster Phenolic per gallon water (dil. 1:128). Apply with cloth, sponge, mop or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. All surfaces must be rinsed with clean water and allowed to dry before reuse.
  - For combs, brushes, razors, scissors, instruments, and rubber goods. All articles must be precleaned to remove heavy soil and gross filth. Clean and rinse the lumens of hollow instruments before filling with solution. Wipe articles clean and soak for 10 minutes by immersion in a solution containing 1 ounce of EnVerros SaniMaster Phenolic per gallon water (dil. 1:128). Rinse all articles with clean water.
  - To disinfect fabrics such as sheets, linens, aprons and uniforms, first preclean to remove gross filth and heavy soil, then soak for 10 minutes in a solution containing 1 ounce of EnVerros SaniMaster Phenolic per gallon water (dil. 1:128). Rinse in clean water and allow to dry.
  - Fresh solution should be prepared daily or when used solution becomes visibly dirty.

**STORAGE AND DISPOSAL**  
\*Do not contaminate water, food or feed by storage or disposal.  
**PESTICIDE STORAGE:** Store in cool dry place. Do not transfer to another container.  
**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.  
**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or offer for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by the other procedures approved by state and local authorities.  
Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.  
**General:** Consult Federal, State or local disposal authorities for approved alternative procedures.

Distributed By:  
Ecolab Inc.  
370 Wabasha Street N., St. Paul, MN 55102

EPA REG. NO. 66171-2-1677  
EPA Est. No. 66171-TN-001

© 2011 Ecolab Inc. Made in U.S.A. 703996/5402/0111  
All Rights Reserved



**EnVerros**

# SaniMaster Phenolic®

Staphylocidal/Pseudomonacidal/Bactericidal/Fungicidal/Tuberculochemical/  
Virucidal\* At 1:128 Dilution in Soft or Hard Water  
For Hospital and Institutional Use.

**ACTIVE INGREDIENTS:**

ortho-Phenylphenol.....	5.5%
ortho-Benzyl-para-Chlorophenol.....	3.0%
para-Tertiary-Amylphenol.....	2.0%
<b>INERT INGREDIENTS:</b> .....	<b>89.5%</b>

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

NET CONTENTS:  
1 U.S. GALLON (3.8 L)

See side panel for additional  
First Aid and precautionary statements.

**DIRECTIONS FOR USE:**  
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Recommended for disinfecting and deodorizing all precleaned hard surfaces such as floors, walls, tile, stainless steel, aluminum, chrome, vinyl and glass surfaces. Suitable for use in Operating Rooms, Intensive Care, Emergency Areas, Patient Rooms and Restrooms.

- Hospital Use Instructions:**
- Recommended for use on precleaned, hard, nonporous, inanimate surfaces.
  - To disinfect and deodorize floors, walls and other similar hard surfaces, use 1 ounce EnVerros SaniMaster Phenolic per gallon of water (dil 1:128). Apply with cloth, sponge, mop or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes at 20°C.
- SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**
- PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.
  - CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surface and objects before application of EnVerros SaniMaster Phenolic.
  - CONTACT TIME:** Leave surface wet for 10 minutes with 1 oz. per gallon use solution.
  - DISPOSAL OF INFECTIOUS MATERIAL:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.
- EnVerros SaniMaster Phenolic is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. EnVerros SaniMaster Phenolic may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.
- For all spray applications:** Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers must be in area during application. Following application as a low-pressure or high-pressure spray, do not enter or allow others to enter the treated area until sprays have dried.
- For pour, pump, mop, and wipe applications:** Do not apply this product in a way that will contact other persons. Only protected handlers may be in the area during application.

**PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals:**  
**DANGER:** Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing (long-sleeve shirt and long pants, socks plus shoes and chemical resistant gloves such as water proof gloves). Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**  
Applicators and other handlers must wear: Long-sleeved shirt and long pants. Socks and chemical resistant shoes. Goggles or face shield, and Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton selection Category C). In addition, applicators and other handlers exposed to the fog during fogging applications, and until the fog has dissipated, and the enclosed area has been thoroughly ventilated activities must wear a full-face NIOSH-approved respirator that uses, N,R,P or series airpurifying filter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATION STATEMENTS**  
Users should wash hands before eating, drinking, chewing gum, using tobacco, or using toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash outside of gloves before removing. As soon as possible, wash thoroughly.

**FIRST AID: IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow\*. Do not induce vomiting unless told to do so by the poison control center or doctor. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-328-0026 for emergency medical treatment information. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

