

ECOLAB®

Manual Bar Glass Sanitizer

10269

Net Contents: 0.25 oz/7.1 g

Active Ingredient:

Trichloroelamine.....18.7%

Inert Ingredients:.....81.3%

Total:.....100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER:

See Precautions On Back Panel

Sanitizer for use on Bar, Restaurant Glassware, Utensils and Food Contact Surfaces.

For Use on: Tabletops, Countertops, Sinks, Splashbacks, Trays, sealed Floors and Food Preparation Equipment.

Surface composition may be: Stainless Steel, Glass, Fiberglass, Formica, Glazed Porcelain, Glazed Ceramic Tile or other Hard Nonporous Surfaces.

Provides 100 PPM Available Chlorine

EPA Reg No. 65169-1-1677

EPA Est. No.: 62840-MN-1



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

9203.412



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.

PELIGRO: SI USTED NO PUEDE LEER EL INGLÉS, PIDA AYUDA Y PREGUNTE SOBRE EL CONTENIDO Y LAS INSTRUCCIONES DE USO ANTES DE EMPLEAR ESTE PRODUCTO.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes skin damage and irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles, protective clothing, and protective gloves. Avoid breathing dust. Immediately wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This chemical is toxic to aquatic organisms.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Remove from exposure to fresh air immediately. If breathing problems occur, call a doctor or Poison Control Center.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL 1-651-222-5352 (IN USA).

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Food Contact Sanitizing

Mobile items: Remove heavy soil by prescrape, preflush or presoak. Wash surfaces with a detergent or compatible cleaner, then rinse with potable water. In sanitizing tank, mix contents of pouch in 3 gallons of water. This provides 100 ppm available chlorine for an 8 hr. shift. Use test strips to assure required chlorine levels. Immerse glassware, silverware, dishes, and other mobile food contact items for at least 2 minutes or contact time specified by governing sanitary code. Place sanitized items on a rack or drainboard to air dry. Do not rinse or wipe with a towel.

Immobile Items: Remove heavy soil by prescrape, preflush or presoak. Wash surfaces with a detergent or compatible cleaner, then rinse with potable water. In sanitizing tank, mix contents of pouch in 3 gallons of water. This provides 100 ppm available chlorine for an 8 hr. shift. Use test strips to assure required chlorine levels. Saturate hard, nonporous immobile surfaces (counters, tables, food preparation equipment, trays sinks) with a mop, sponge, cloth or spray for at least 2 minutes or contact time specified by governing sanitary code. Allow surfaces to air dry. Do not rinse or wipe with a towel. Prepare a fresh sanitizing solution at least daily or more often if the solution becomes diluted or soiled. For mechanical operations, do not reuse the sanitizing solutions.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in cool, dry area away from direct sunlight and persons unfamiliar with its use.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

Distributed By:

ECOLAB®

Ecolab Inc.
370 Wabasha Street N.
St. Paul, MN 55102-1390 U.S.A.

© 2010 Ecolab Inc. Made in U.S.A.
All Rights Reserved 710971/5401/0510