



LICENSED

PERIOD 2011-2013 LIC. NO.

52257

Net Weight: 100 lb/45.4 kg

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DAIRY, BEVERAGE AND FOOD PROCESSING PLANTS:

Remove gross food particles and soil by a pre-flush or pre-scrape and, when necessary, presoak the surface(s) to be sanitized. Clean utensils and equipment thoroughly with an appropriate detergent and rinse with potable water. Before use, sanitize these items with a 50 to 100 ppm available chlorine (0.5 oz. to 1 oz. product per 44 gallons water) solution of Trichlor-O-Cide 5600 for a two minute exposure period. Use immersion, spray or circulation techniques as appropriate to the equipment. Allow to drain thoroughly and air dry. Note: DO NOT SOAK OVERNIGHT.

NOTE: FOR MECHANICAL OPERATIONS prepared use solution may not be reused for sanitizing but may be reused for other purposes such as cleaning.

FOR MANUAL OPERATIONS fresh sanitizing solutions should be prepared at least daily or more often if the solution becomes diluted or soiled.

FOOD SHELL EGG SANITIZATION

Only clean, whole eggs can be used for sanitizing. Dirty, cooked, or punctured eggs cannot be used. Thoroughly mix 0.5 to 1 oz. of this product with 44 gallons of warm water to provide a 50 to 100 ppm available chlorine solution. The sanitizer temperature should not exceed 130 deg F. Spray the warm sanitizer so that the eggs are thoroughly wetted. Allow the eggs to dry before casing or breaking. Do not apply a potable water rinse. The solution should not be reused to sanitize eggs.

STORAGE & DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Product should be stored in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty the liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in trash. Offer box for recycling, if available, or discard in trash.



LICENSED

PERIOD 2014-2016 LIC. NO.

9203.432

TRICHLOR-O-CIDE 5600

Sanitizer

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetrione dihydrate.....99.0%

OTHER INGREDIENTS:.....1.0%

TOTAL:.....100.0%

Available Chlorine: 55.5%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor, or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

EPA Reg. No. 1677-225
EPA Est. No. 1677-IL-2 (J), 69470-WV-2 (C).
Superscript refers to first letter of date code.

K

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026. FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA). Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

EMERGENCY HANDLING

In case of contamination or decomposition do not reseal container. If possible, isolate container in open, well-ventilated area. Flood with a large volume of water. Dispose of contaminated material in an approved landfill area.

