

DISC.

ECOLAB®

WCS 656

ITEM CODE: **84438**  
Net Weight: 50 lb/22.7 kg

**ACTIVE INGREDIENT:**

Sodium dichloro-s-triazinetrione dihydrate.....99%  
**INERT INGREDIENTS:**.....1%  
**TOTAL:**.....100%

Provides 56% available chlorine

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID**

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
**If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.  
**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.  
**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA,  
CALL: 1-800-328-0026.**

**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE,  
CALL: 1-651-222-5352 (IN THE USA).**

Distributed by:  
Ecolab Inc., Water Care Services  
370 Wabasha Street N.  
St. Paul, Minnesota 55102-1390 U.S.A.

© 2005 Ecolab Inc. Made in U.S.A. 711208/2700/1005  
All Rights Reserved

**PRECAUTIONARY STATEMENTS**

**DANGER. HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**Corrosive.** Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARD** - This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARD - STRONG OXIDIZING AGENT.** Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 460°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases.

NEVER add water to product. Always add product to large quantities of water. Use clean, dry utensils. DO NOT add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion.

**IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self-contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction.

**IN CASE OF CONTAMINATION OR DECOMPOSITION:** DO NOT reseal container. Follow disposal instructions on label.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR CONTROL OF BACTERIA, FUNGI AND ALGAE IN RECIRCULATING WATER SYSTEMS**

**FOR RECIRCULATING WATER SYSTEMS**

This product is intended for use in the following sites: Air Washer Water Systems, Commercial/Industrial Water Cooling Systems and Evaporative Condenser Water Systems.

This product may be added to the system by direct placement into the water at a point where the product will be uniformly mixed with water. The frequency of feeding and duration of the treatment will depend on the severity of the contamination. Badly fouled systems must be cleaned before treatment begins.

**INTERMITTENT OR SLUG METHOD**

**Initial Dose:** When the system is noticeably fouled, add this product at the rate of 0.15 to 0.75 pounds per 1000 gallons (18 to 90 grams per 1000 liters) in the system to achieve 0.5-10 mg/L total available chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

**Subsequent Dose:** When microbial control is evident, add this product at the rate of 0.03 to 0.15 pounds per 1000 gallons (3.6 to 18 grams per 1000 liters) in the system to achieve 0.5-1 mg/L total available chlorine, as measured by a suitable test kit. Repeat periodically as needed to maintain control.

**CONTINUOUS FEED METHOD**

**Initial Dose:** When the system is noticeably fouled, add this product at the rate of 0.15 to 0.75 pounds per 1000 gallons (18 to 90 grams per 1000 liters) in the system to achieve 0.5-10 mg/L total available chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

**Subsequent Dose:** When microbial control is evident, add this product at the rate of 0.03 to 0.15 pounds per 1000 gallons (3.6 to 18 grams per day per 1000 liters) in the system to maintain 0.5-1 mg/L total available chlorine, as measured by a suitable test kit.

**STORAGE AND DISPOSAL:**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Keep container tightly closed.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 935-68-1677  
EPA Est. No. 4875-NJ-1



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2011-2013** LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2014-2016** LIC. NO.

**9203.434**



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2008-2010** LIC. NO.