

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if inhaled. Do not breathe spray mist. Harmful if swallowed or absorbed through skin. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

EnVerros SaniMaster 4 saves time, labor, and cost. It is specially formulated to be non-dulling to floor finishes and requires no rinsing. EnVerros SaniMaster 4 is for use on non-food contact surfaces in hospitals, nursing homes, schools and colleges, veterinary clinics, animal life science laboratories, and hotels. EnVerros SaniMaster 4 is a broad-spectrum germicidal cleaner and deodorant that is effective at 1:128 (1 ounce per gallon) dilution in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic blood serum.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical and semi-critical medical device surfaces.

GENERAL CLEANING

Apply EnVerros Sanimaster 4 to soiled area with a mop, cloth, sponge, hand pump trigger spray or low pressure coarse sprayer. This product can be diluted at 1 ounce per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary.

MILDEWICIDAL ACTIVITY: At a 1:128 dilution in 400 ppm hard water (calculated as CaCO₃) and 5% organic blood serum, EnVerros SaniMaster 4 will kill *Aspergillus niger* when applied to hard, non-porous surfaces. Allow surface to remain wet for 10 minutes and let air dry. Repeat when mildew growth returns.

FUNGICIDAL ACTIVITY: At the 1 ounce per gallon dilution, or equivalent dilution, this product is fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes* (ATCC 9533) (Athlete's Foot Fungus) and *Candida albicans* (ATCC 10231). Apply solution with a cloth, sponge or hand pump trigger sprayer to hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard non-porous surfaces commonly contacted by bare feet. Allow the surface to remain wet for 10 minutes, for *Candida albicans* allow surface to remain wet for 5 minutes, then remove excess liquid. Diluted product must be applied daily or more frequently with heavy facility use.

DISINFECTION: To disinfect inanimate, hard non-porous surfaces add 1 ounce of this product per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For sprayer applications, spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh use-solution daily or more often if the use-solution becomes visibly dirty, or diluted. All surfaces that come in contact with food must be rinsed with potable water. Do not use on utensils, glasses and dishes.

DEODORIZATION: To deodorize, apply this product as indicated under the heading DISINFECTION.

Veterinary Practice/Animal Care/Animal Laboratory Disinfection: For cleaning and disinfecting hard non-porous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surface with a use-solution of 1 ounce of EnVerros SaniMaster 4 per gallon of water (or equivalent dilution) for 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

Sold by:
Ecolab Inc.
370 Wabasha Street N., St. Paul, MN 55102

© 2010 Ecolab Inc. Made in U.S.A. 703351/5404/1210
All Rights Reserved



One Step Disinfectant, Germicidal Cleaner and Deodorant
Staphylocidal/Pseudomonacidal/Salmonellacidal/Fungicidal/*Virucidal

ACTIVE INGREDIENTS

Didecyl dimethyl ammonium chloride. 6.288%

n-Alkyl (50% C14, 40% C12, 10% C16) dimethyl
benzyl ammonium chloride. 4.192%

INERT INGREDIENTS. 89.520%

TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

YOU MAY CONTACT 1-800-328-0026 FOR EMERGENCY MEDICAL TREATMENT INFORMATION.

NET CONTENTS: 5 U.S. GALLON (18.9 L)



*VIRUCIDAL ACTIVITY:

*Virucidal in 5 minutes against: Hepatitis C Virus (HCV), SARS Associated Coronavirus, Herpes simplex Virus Type 1, Herpes simplex Virus Type 2, Influenza Virus Type A2 , Pseudorabies Virus, Respiratory Syncytial Virus (RSV), Vaccinia Virus, Rotavirus, Bovine Viral Diarrhea Virus and Avian Influenza Virus H9N2.

*Virucidal in 3 minutes against: Hepatitis B Virus (HBV)

*Virucidal in 30 seconds against: Human Immunodeficiency Virus, Type 1.

*KILLS HIV-1, HCV and HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (associate with AIDS), Hepatitis C Virus (HCV) and Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: HIV-1 is inactivated after a 30 second contact time. HBV is inactivated after a three minute contact time. HCV is inactivated after five minute contact time. Use either a 5 or 10 minute contact time for other organisms, as stated on the label.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

NON-ACID TOILET BOWL DISINFECTANT DIRECTIONS: Remove gross filth prior to disinfection.

FROM CONCENTRATE: Add 1 ounce per gallon to the toilet bowl and mix. Brush thoroughly over exposed surfaces and under the rim. Allow to stand for 10 minutes and flush.

FROM USE SOLUTION: Empty toilet bowl or urinal and apply a 1 ounce per gallon use solution to exposed surfaces. Brush or swab thoroughly under the rim with a cloth, mop, sponge, or sprayer. Allow to stand for ten (10) minutes, then flush.

BACTERICIDAL ACTIVITY:

Bactericidal in 10 minutes against: *Pseudomonas aeruginosa* ATCC 15442, *Staphylococcus aureus* ATCC 6538, *Salmonella (choleraesuis) enterica* ATCC 10708 and *Enterobacter aerogenes* ATCC 13048.

Bactericidal in 5 minutes against: *Escherichia coli* O157:H7 ATCC 43895, *Enterococcus faecium* ATCC 6569, *Escherichia coli* ATCC 8739, *Salmonella (typhimurium) enterica* ATCC 14028, *Proteus mirabilis* GBL 34 Clinical Isolate, *Proteus vulgaris* ATCC 33420, *Salmonella (typhi) enterica* ATCC 6539, *Serratia marcescens* ATCC GBL-NC 76 Industry Isolate, *Shigella flexneri* ATCC 12022, *Streptococcus pyogenes* ATCC 19615, *Shigella sonnei* ATCC 9290, *Staphylococcus epidermidis* ATCC 14990, *Yersinia enterocolitica* ATCC 23715, *Salmonella (enteritidis) enterica* ATCC 13076, *Listeria monocytogenes* ATCC 984, *Klebsiella pneumoniae* ATCC 13883, *Salmonella (pullorum) enterica* ATCC 9120.

ANTIBIOTIC RESISTANT BACTERIA: Vancomycin resistant *Enterococcus faecium* (VRE), Multi-Drug resistant (MDR) *Acinetobacter baumannii* (ATCC 19606), Vancomycin Intermediate Resistant *Staphylococcus aureus* (VISA) (ATCC 700699), Extended Spectrum Beta-Lactamase (ESBL) *Escherichia coli* (ATCC BAA-196), Antibiotic resistant *Staphylococcus epidermidis*, Antibiotic resistant *Escherichia coli*, Antibiotic resistant *Enterococcus faecium*, Antibiotic resistant *Klebsiella pneumoniae*, Methicillin resistant *Staphylococcus aureus* (MRSA) ATCC 33591, *Oxacillin resistant Streptococcus pneumoniae* ATCC 35088.

Kills Pandemic 2009 H1N1 Influenza A virus.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Store in a dry place no lower in temperature than 50° F or higher than 120° F.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse this container. Triple rinse or equivalent. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

EPA REG. NO. 1839-215-1677

EPA Est. 303-IN-1 (L), 1677-IL-2 (J), 1677-MN-1 (P), 1677-CA-1 (S), 1677-TX-1 (D), 1677-GA-1 (M), 1677-CA-2 (R), 1677-WV-1 (V).

Superscript refers to first letter of date code.



LICENSED

PERIOD **2015-2017** LIC. NO.

9203.441



LICENSED

PERIOD **2012-2014** LIC. NO.