

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Keep Out of Reach of Children. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Foaming DrainSan for use in:

- Restaurants and bars, fast food operations and food storage areas
- Supermarkets, convenience stores, retail and wholesale establishments
- Food establishments
- Restrooms

This product contains no phosphorous.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF SMALL FLIES IN DRAINS: For control of small flies: *Drosophila* spp. and the Phoridae family. Spray or pour solution of 3 ounces per 5 gallons of water (or equivalent use dilution) (450 ppm active quat) into drain during time of lowest level of drain use. Add 14 ounces of solution daily to each drain to maintain fly control. Apply around the edge of the drain and coat all sides of inside of drain.

FOAMING SANITIZER FOR FLOOR DRAINS

Foam carries active into the drain pipes.

Concentrated liquid foamer for effective sanitizing. This product utilizes a unique foaming surfactant system which is synergistically formulated to give you long lasting foam for contact on all surfaces.

May be used in all types of foaming equipment that can deliver a dilution of 1:256 product to water.

It is widely accepted that it is easier to maintain drains than to unstop clogged ones.

No additional foam booster required.

Apply foam to all surfaces of the drain.

For Floor Drains and Trough Drainage Systems.

The foam generated from this product is an effective non-food contact sanitizer as evaluated using the Method for Efficacy of Sanitizers recommended for Inanimate Non-Food Contact Surfaces, at 390 ppm, 2 ounces per 4 gallons of water solution or (equivalent use solution) in the presence of 50% organic soil with a contact time of 5 minutes against the following: *Enterobacter aerogenes*, *Listeria monocytogenes*, *Staphylococcus aureus*

FLOOR DRAIN AND DRAINAGE SYSTEMS FOAMING SANITIZER: At 1 ounce per 2 gallons (or equivalent) (390 ppm) this product is an effective drain foaming sanitizer. Thoroughly preclean drain with brush applicator prior to sanitization. Sanitization will occur only on precleaned surfaces of the drain. Using a foam generator or similar device, shoot foam into drain or drainage opening/trough. Set equipment according to manufacturers' instructions to deliver proper dilution of 1:256. Hold foaming nozzle/wand to drain or drainage opening/trough. Foam for at least 10 seconds or longer depending upon length of drain pipe to sanitize. Check with foam equipment manufacturer for exact time to fill length of drain pipe requiring sanitizing. Foam will completely fill pipe and push water through the (J) trap or other such catch device. Allow the drain to sit for a minimum of 5 minutes before use. Drain can then be returned to service with or without rinsing. It is recommended that a small amount of water be flushed down the drain to refill the (J) trap. Repeat use at least weekly or as may be needed to control (listed) organism growth. Do not mix other foam additives to the sanitizing solution.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL non-refillable sealed container:

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.



LICENSED

PERIOD 2012-2014 LIC. NO.

Distributed by:
Ecolab Inc.
370 Wabasha Street N.
St. Paul, MN 55102-1390, USA
Customer Service: (800) 529-5458



LICENSED

PERIOD 2015-2017 LIC. NO.

9203.468

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

See side panel for additional precautionary and first aid statements.


0.53 US gal (2 L)



Foaming DrainSan

Foam Drain Sanitizer For Food Processing Facilities, Restaurant, Food Handling and Process Areas

ACTIVE INGREDIENTS:	
Octyl decyl dimethyl ammonium chloride	3.0%
Didecyl dimethyl ammonium chloride	1.5%
Diocetyl dimethyl ammonium chloride	1.5%
Alkyl (C ₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	4.0%
INERT INGREDIENTS	90.0%
TOTAL	100.0%



EPA REG. NO. : 10324-159-1677
EPA EST. NO.: 5389-NC-1(G)

Superscript refers to first letter of the date code.