

# BACK PANEL

# FRONT PANEL



LICENSED

PERIOD 2014-2016 LIC. NO.

9203.482

8.625  
(8-5/8)

7.4375  
(7-7/16)

211 x 713 (20 oz.) AEROSOL CAN TEMPLATE  
LABEL STOCK = 60# ALL PURPOSE LITHO

GLUE LAP AREA

.375  
3/8

CUT CODE  
REQUIRED  
ONLY ON  
KRONES  
ROLL-FED  
LABELS

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### Product Information

**KILLS:** *Aspergillus niger* (ATCC 16404), \*Human Herpes Simplex Virus Type 1 (ATCC VR-733) and Type 2 (ATCC VR-540), \*Human Immunodeficiency Virus Type 1 [HIV-1 (AIDS virus)], \*Influenza A2/Hong Kong Virus, Methicillin Resistant *Staphylococcus aureus* (MRSA) (ATCC 33591), *Mycobacterium tuberculosis var bovis* (BCG), \*Polio Virus Types 1 and 2, *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella choleraesuis* (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), *Trichophyton mentagrophytes* (ATCC 9972) and Vancomycin Resistant *Enterococcus faecalis* (VRE) (ATCC 51299) on hard, nonporous, inanimate environmental surfaces.

This product has demonstrated effectiveness against Influenza A Virus\* and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 Influenza A Virus\*.

**Disinfects:** Disinfects on such bacterial- and viral-carrying surfaces as toilet seats, telephones, refuse cans, urinals, light switches, bed pans, empty hampers and other out of the way places. **Controls Mold and Mildew** on mattresses. **Controls** mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, and storage areas.

### General Precautions and Restrictions

Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet. This product is not for use on medical devices or medical equipment surfaces.

### Application Instructions

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.

**To Disinfect and for Tuberculocidal Activity:** After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C.

**To Control Surface Mildew:** After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control.

### Special Instructions for Cleaning and Decontamination Against HIV on

**Surfaces/Objects Soiled with Blood/Body Fluids** on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): **Personal Protection:**

When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. **Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

### Storage And Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Do not incinerate or puncture! **If empty:** Replace cap, offer for recycling, if available; otherwise dispose of in trash. **If partly filled:** Call your local solid waste agency for disposal instructions.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### First Aid

**If on Skin or Clothing** Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes.

**If in Eyes** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**You may also contact 1.800.328.0026 for emergency medical treatment information.**

#### Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.



ECOLAB®

## Asepti-Steryl® Disinfectant



Disinfects \*HIV-1 (AIDS virus), Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin Resistant *Enterococcus faecalis* (VRE), \*Polio Virus Types 1 and 2, \*Influenza A2/Hong Kong Virus, *Mycobacterium tuberculosis* (TB) and \*Herpes Simplex Virus Types 1 and 2 on hard, nonporous, inanimate environmental surfaces. Kills Pandemic 2009 H1N1 Influenza A Virus\* (formerly called "swine flu").

For use in Health Care Settings such as Hospitals, Nursing Homes, Schools and Institutions.

### Active Ingredients:

Orthophenylphenol (CAS No. 90-43-7).....0.176%  
Para-tertiary Amylphenol (CAS No. 80-46-6).....0.045%  
Ethanol (CAS No. 64-17-5).....49.950%  
+Other Ingredients.....49.829%  
Total.....100.000%  
+ Contains Sodium Nitrite.

Keep Out of Reach of Children  
**CAUTION**

See back panel for additional precautionary statements

Net Weight:  
15.5 oz (439 g)

61044182

Manufactured for:  
Ecolab Inc.  
370 Wabasha Street N • St Paul MN 55102  
© 2011 Ecolab USA Inc • All rights reserved  
Made in United States • 714673/8504/0811

EPA Reg. No. 706-69-1677  
EPA Est.: 33595-MO-2(PL),  
706-IL-1(C)  
Superscript refers to first  
letter of date code.  
SDS-MO-1320, SDA-IL-1783

Gen Spec NA-Krones label

Created: 6-11-07

FILE NAME	DIELINE # / SIZE	CONTAINER COLOR	COLORS (#)	NOTES
714673/85	8.625 x 7.4375		PMS 3005 PMS 369	
PACKAGING SUBSTRATE (LABEL TYPE)				
CO-PACKER MANAGED PACKAGING-APPLIED LABEL FOR CAN				
			BLACK	