



**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER:** Corrosive: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor, or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.  
**PHYSICAL OR CHEMICAL HAZARDS**  
**DANGER:** Strong Oxidizing Agent: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.  
**ENVIRONMENTAL HAZARDS**  
This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.  
**FIRST AID**  
**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.  
**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.  
**FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026**  
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.


6100821



# Low Temp Laundry Solid Chlorine Sanitizer

4 US LBS (1.81 KG)

**Active Ingredient:**  
Sodium Dichloro-s-Triazinetrione Dihydrate .....99.0%  
**Other Ingredients:** .....1.0%  
**Total:** .....100.0%  
**Available Chlorine:** 55.0%

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  
See side panel for Precautionary Statements and First Aid.

Low Temp Laundry Solid Chlorine Sanitizer is a concentrate formulation designed for use in commercial, institutional and industrial laundry operations. When added as a sanitizing agent at the rate of 43.2 grams per 100 pounds of dry laundry, this formulation provides sanitization against *Staphylococcus aureus* (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352), *Pseudomonas aeruginosa* (ATCC 15442) and Methicillin-Resistant *Staphylococcus aureus* (ATCC 33592).

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Sanitize and Bleach**  
Using the appropriate Ecolab dispenser, inject Low Temp Laundry Solid Chlorine Sanitizer as a bleach and sanitizer into the bleach step. Low Temp Laundry Solid Chlorine Sanitizer is effective in water up to 500 ppm of water hardness (up to 29 grains per gallon). Use Low Temp Laundry Solid Chlorine Sanitizer at a rate of 43.2 grams per 50 gallons of water to sanitize a maximum of 100 pounds of dry laundry. Treat the laundry for a minimum of 8 minutes at 100°F. Softener can subsequently be added after the sanitizing step. Following the sanitizing step, the laundry may be rinsed with water that may include starch, softener, odor neutralizer, fragrance, soil release agent and/or fluid repellent. Use level, time and temperature will vary depending on stain level, fabric type and load weight.

**STORAGE AND DISPOSAL**  
Do not contaminate water, food or feed by storage or disposal. Keep product dry in tightly closed container when not in use.  
**PESTICIDE STORAGE:** Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Securely wrap container in several layers of newspaper and discard in trash.  
In case of contamination or decomposition do not reseal container. If possible, isolate container in open well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.  
When handling or dealing with spills, use impact-resistant goggles with side shields, or face shield; body covering clothes, including impervious rubber or plastic gloves and boots; use a dust respirator if dusting occurs. Sweep up spills and dispose of as described for pesticide disposal. If contents are contaminated or decomposing, do not reseal container; isolate unsealed container in the open or in a well-ventilated area; flood with large volumes of water if necessary.  
**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.  
**CONTAINER HANDLING AND DISPOSAL:** Nonrefillable container. Do not re-use or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.  
EPA Reg. No. 1677-243  
EPA Est.: 1677-1L-2 (J), 1677-TX-1 (U), 1677-GA-1 (M), 1677-MN-1 (P), 1677-CA-1 (S), 1677-WV-1 (V), 303-IN-1 (L), 1677-CA-2 (R).  
Superscript refers to first letter of date code  
Manufactured for:  
Ecolab Inc.  
370 N. Wabasha Street  
St. Paul, MN 55102  
756912/5400/1113

**DIELINE #**  
**408843**

EPA PROOF IN PROCESS (PLEASE DATE AND INITIAL WHEN FINISHED)										
ROUND	1	2	3	4	5	6	7	8	9	10
DATE	11-11-2013	05-02-2014	08-06-2014							
Designer										
Initials	CM	AP	BW							

\* When EPA art is finalized and going to print vendor put an \* next to your initials.

358mm

Ecolab: 1.8kg Round White Canister  
Layflat: 174mm  
Cut Length: 162mm