



LICENSED

APPROVED Regulatory Dept - based on EPA label dated 7/1/14
By Linda Fogel at 10:34 am, Oct 30, 2014

PERIOD 2015-2017 LIC. NO. **9203.494**

ECOLAB® 6100912



14 Plus Antibacterial All Purpose Cleaner

NET CONTENTS: **Oasis Pro™**
0.53 US GAL (2 L)

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride . . . 6.67%
Dioctyl dimethyl ammonium chloride 2.67%
Didecyl dimethyl ammonium chloride 4.00%
Alkyl (C14, 50%; C12, 40%; C16, 10%)
dimethyl benzyl ammonium chloride 8.90%

OTHER INGREDIENTS: 77.76%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for First Aid Statements
See back label for complete Directions for Use.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER . Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor or going for treatment.

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash. One-Step Disinfectant - Cleaner - Fungicide - Mildewstat - Virucide* - Deodorizer for Hospitals, Institutional and Industrial Use

This product will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. This product is a concentrated one-step Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C Virus), fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed.

(For the complete list of organisms, please refer to the case insert).

Cross-contamination is of major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but in schools, institutions and industry. This product leaves a clean fresh scent.

EPA Reg. No. 6836-349-1677

EPA Est. No. 303-IN-1 (L), 1677-MN-1 (P), 1677-CA-2 (R), 1677-TX-1 (D), 1677-IL-2 (J), 1677-GA-1 (M), 1677-WV-1 (V), 6836-IL-1, 6836-PA-1.

The superscript refers to the first letter of the date code.

Distributed by:

Ecolab Inc. · 370 North Wabasha Street · St Paul MN 55102-1390 USA · tel: 1 800 35 CLEAN (352 5326)

© 2014 Ecolab USA Inc · All rights reserved

Made in United States - 758621/5400/0414

EPA PROOF IN PROCESS (PLEASE DATE AND INITIAL WHEN FINISHED)

ROUND	1	2	3	4	5	6	7	8	9	10
DATE	06/24/14	09/08/14	10/07/14	10/13/14						
Designer										
Initials	AP	BW	CM	AP						

* When EPA art is finalized and going to print vendor put an * next to your initials.

14 Plus Antibacterial All Purpose Cleaner

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

Dilution:

Disinfection (1:256) ½ oz. per gallon of water

Disinfection (1:128) 1 oz. per gallon of water

Disinfection (1:64) 2 oz. per gallon of water

Virucidal: 1/2 - 1 oz. per gallon of water

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

Preparation of Disinfectant Use-Solution: Mix ½ oz - 1 oz. per gallon of water [1:256 - 1:128]. For heavy duty use, mix 2 oz. per gallon of water [1:64]. Use 1 oz. per gallon of water to kill Norovirus. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.

DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a sprayer. Treated surfaces must remain wet for contact time indicated on the case insert. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

For fungicidal activity, this product is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is a one-step fungicide at ½ oz. per gallon in 250 ppm hard water and 5% serum.

For mold and mildew, At ½ oz. - 1 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

This product is not for use on medical device surfaces.

TO CLEAN AND DEODORIZE: Mix ½ oz. - 1 oz. of this product per gallon of water to clean and deodorize surfaces.

Apply using a sprayer. Wipe or allow to air dry.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:

From Use Solution: Empty toilet bowl or urinal and apply ½ oz. - 1 oz. per gallon use-solution to exposed surfaces and under the rim with a sprayer. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Brush or swab thoroughly, allow to stand for contact time indicated on the case insert and flush.

For Heavy Duty Use: Empty toilet bowl or urinal and apply 2 oz. per gallon use-solution to exposed surfaces including under the rim with a sprayer. Brush or swab thoroughly, allow to stand for contact time indicated on the case insert and flush.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

Personal protection: Cleanup must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1 and 3 minutes for HBV and HCV with ½ oz. - 1 oz. per gallon use-solution. Use contact time indicated on case insert for disinfection against all other viruses, bacteria and fungi claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS


DISINFECTION / VIRUCIDAL* DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces by spraying with a use-solution of ½ oz. - 1 oz. of this product per gallon of water for contact time listed on the case insert. Use 1 oz. per gallon of water to kill Feline Calicivirus. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Wipe or allow to air dry. Immerse all animal halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

FARM PREMISE USE: Remove all animals and feeds from premises, vehicles, coops, crates and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces by spraying with a use-solution of ½ oz. - 1 oz. of this product per gallon of water for contact time listed on the case insert. Use 1 oz. per gallon of water to kill Feline Calicivirus. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Spray all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. Ventilate treated buildings, vehicles, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

For service or additional information, call 1-800-35-CLEAN (352-5326).



Ecolab Inc. - 370 North Wabasha Street -
St Paul MN 55102-1390 USA -
tel: 1 800 35 CLEAN (352 5326)
© 2014 Ecolab USA Inc. All rights reserved
Made in United States - 758625/5400/0414



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
Call a poison control center or doctor for treatment advice.
 Have the product container or label with you when calling poison control center or doctor or going for treatment.
EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.
Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

EPA Reg. No. 6836-349-1677
 EPA Est. No. 303-IN-1 (L), 1677-MN-1 (P), 1677-CA-2 (R), 1677-TX-1 (D), 1677-IL-2 (J), 1677-GA-1 (M), 1677-WV-1 (V), 6836-IL-1, 6836-PA-1.
 The superscript refers to the first letter of the date code.

One-Step Disinfectant - Cleaner - Fungicide - Mildewstat - Virucide* - Deodorizer for Hospitals, Institutional and Industrial Use
 This product will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.
 This product is a concentrated one-step Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* [including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C Virus], fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. Cross-contamination is of major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but in schools, institutions and industry.
 This product is a one-step Hospital Use disinfectant, Bactericidal according to the current ADAC Use-Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 250 ppm hard water plus 5% organic serum against:

3 MINUTE CONTACT TIME:
Bacteria:
Pseudomonas aeruginosa
Salmonella enterica
Staphylococcus aureus (Staph)
Acinetobacter baumannii
Bordetella bronchiseptica (Kennel cough)
Bordetella pertussis (whooping cough)
Campylobacter jejuni
Enterococcus faecalis
Enterococcus faecalis - Vancomycin Resistant (VRE)
Escherichia coli (E. coli)
Escherichia coli O157:H7
Klebsiella pneumoniae
Klebsiella pneumoniae, Carbapenem-resistant
Listeria monocytogenes
Proteus vulgaris
Shigella dysenteriae
Shigella flexneri serotype 1B
Shigella sonnei
Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA) (MRSA384) (USA300)
Staphylococcus aureus - Methicillin-Resistant (MRSA)
Staphylococcus aureus - Vancomycin Intermediate Resistant - (VISA)
Streptococcus pyogenes (Strep)
Vibrio cholerae
Yersinia enterocolitica

10 MINUTE CONTACT TIME:
Bacteria:
Legionella pneumophila
Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA) (MRSA123) (USA400)
Staphylococcus aureus - Multi-Drug Resistant

1 MINUTE CONTACT TIME:
Viruses:
 *HIV-1 (AIDS Virus)
 *Influenza Virus Type A/Hong Kong

3 MINUTE CONTACT TIME:
Animal Viruses:
 Canine Distemper Virus
 Newcastle B Disease Virus
Viruses:
 *Hepatitis B Virus (HBV)
 *Hepatitis C Virus (HCV)
 *Herpes Simplex Virus Type 1
 *Herpes Simplex Virus Type 2
 *Human Coronavirus
 *Respiratory Syncytial Virus (RSV)
 *Rotavirus
 *Vaccinia Virus (Pox Virus)

5 MINUTE CONTACT TIME:
Animal Virus:
 Feline Calicivirus at 1:128 dilution
Viruses:
 *Norwalk Virus - Norovirus - Feline Calicivirus at 1:128 dilution

10 MINUTE CONTACT TIME:
Viruses:
 *Adenovirus Type 5
 *Adenovirus Type 7
 *SARS Associated Coronavirus (SARS)

3 MINUTE CONTACT TIME:
Fungi:
 Candida albicans
 Trichophyton mentagrophytes (the Athlete's Foot Fungus)

Kills Pandemic 2009 H1N1 influenza A virus.

ECOLAB® 6100920

APPROVED Regulatory Dept - based on EPA label dated 7/1/14
 By Linda Fogel at 10:28 am, Oct 30, 2014

Department of Agriculture STATE OF HAWAII LICENSED PERIOD 2015-2017 LIC. NO. 9203.494

14 Plus Antibacterial All Purpose Cleaner

Net Contents: 2.5 US GAL (9.46 L) Oasis™

ACTIVE INGREDIENTS:
 Octyl decyl dimethyl ammonium chloride 6.67%
 Dioctyl dimethyl ammonium chloride 2.67%
 Didecyl dimethyl ammonium chloride 4.00%
 Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride 8.90%
OTHER INGREDIENTS: 77.76%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for Precautionary Statements and First Aid.

ECOLAB® 6100920

14 Plus Antibacterial All Purpose Cleaner

Net Contents: 2.5 US GAL (9.46 L) Oasis™

ACTIVE INGREDIENTS:
 Octyl decyl dimethyl ammonium chloride 6.67%
 Dioctyl dimethyl ammonium chloride 2.67%
 Didecyl dimethyl ammonium chloride 4.00%
 Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride 8.90%
OTHER INGREDIENTS: 77.76%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for Precautionary Statements and First Aid.

Dilution:
 Disinfection (1-256) 1/2 oz. per gallon of water
 Disinfection (1-128) 1 oz. per gallon of water
 Disinfection (1-64) 2 oz. per gallon of water
 Virucidal: 1/2 - 2 oz. per gallon of water
 Si used no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle.
 If you do not understand the label, find someone to explain it to you in detail.

DIRECTIONS FOR USE:
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.
Preparation of Use-Solution: Mix 1/2 oz. - 2 oz. per gallon of water [1:256 - 1:64]. For heavy duty use, mix 2 oz. per gallon of water [1:64]. Use 1 oz. per gallon of water to kill Norovirus. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.
DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a sprayer. Treated surfaces must remain wet for contact time indicated on the case insert. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.
 Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.
For fungicidal activity, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.
 This product is a one-step fungicide at 1/2 oz. - 2 oz. per gallon in 250 ppm hard water and 5% serum.
For mold and mildew, at 1/2 oz. - 2 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.
 This product is not for use on medical device surfaces.
 Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.
TO CLEAN AND DEODORIZE: Mix 1/2 oz. - 2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a sprayer. Wipe or allow to air dry.
NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:
From Use Solution: Empty toilet bowl or urinal and apply 1/2 oz. - 2 oz. per gallon use-solution to exposed surfaces and under the rim with a sprayer. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Brush or swab thoroughly, allow to stand for contact time indicated on the case insert and flush.
For Heavy Duty Use: Empty toilet bowl or urinal and apply 2 oz. per gallon use-solution to exposed surfaces including under the rim with a sprayer. Brush or swab thoroughly, allow to stand for contact time indicated on the case insert and flush.
***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).
SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD / BODY FLUIDS.
Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.
Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.
Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1 and 3 minutes for HBV and HCV with 1/2 oz. - 2 oz. per gallon use-solution. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Use contact time indicated on the label for disinfection against all other viruses, bacteria and fungi claimed.

DIRECTIONS FOR USE (continued)
Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.
Animal Viruses:
 Canine Distemper Virus
 Feline Calicivirus
 Newcastle's Disease Virus
VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOO'S / PET SHOP / KENNELS DISINFECTION / VIRUCIDAL* DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces by spraying with a use-solution of 1/2 oz. - 2 oz. of this product per gallon of water for contact time indicated on the label. Use 1 oz. per gallon of water to kill Feline Calicivirus. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Wipe or allow to air dry. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.
FARM PREMISE USE: Remove all animals and feeds from premises, vehicles, coops, crates and other enclosures. Remove all litter, and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces by spraying with a use-solution of 1/2 oz. - 2 oz. of this product per gallon of water for contact time indicated on the label. Use 1 oz. per gallon of water to kill Feline Calicivirus. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Spray all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. Ventilate treated buildings, vehicles, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.
For service or additional information, call 1-800-35-CLEAN (352-5326).

Ecolab Inc. - 370 North Wabasha Street - St. Paul MN - 55102-1390 USA
 © 2014 Ecolab USA Inc. All rights reserved - Made in United States - 758934/5400/0614

DIELINE #
 574129

REV#	DATE	DESCRIPTION	REVISED BY
Orig	02/02/94	Created from Original Container	dfc/jvj
RevA	10/02/09	Revised Container	dfc/tb
RevB	10/06/09	Finalized Container	dfc/tb



EPA PROOF IN PROCESS (PLEASE DATE AND INITIAL WHEN FINISHED)

ROUND	1	2	3	4	5	6	7	8	9	10
DATE	06/24/14	07/29/14	10/07/14	10/13/14						
Designer										
Initials	AP	CM	CM	AP						

* When EPA art is finalized and going to print vendor put an * next to your initials.

Ecolab: 2 1/2 Gallon F-Style
 Layflat: 15 11/16"
 Height: 5 1/2"
 Container#: BO4417& 4418