

# Finalize™

## Acid Sanitizer



A non-iodine blended acid sanitizer for CIP and COP systems, tanks and backflush systems

### ACTIVE INGREDIENTS:

Decanoic Acid .....	3.0%
Nonanoic Acid .....	3.0%
Phosphoric Acid .....	8.5%
Sulfuric Acid .....	9.5%
Propionic Acid .....	10.0%
<b>INERT INGREDIENTS:</b> .....	66.0%
<b>TOTAL:</b> .....	100.0%

EPA Reg. No.: 4959-41-1677

EPA Establishment Nos.: 1677-IL-2 (J), 1677-TX-1 (D), 1677-GA-1 (M), 1677-MN-1 (P), 1677-CA-2 (R), 1677-WV-1 (V).

Superscript refers to the first letter of date code.

**KEEP OUT OF REACH OF CHILDREN**

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**

**DANGER - PELIGRO**

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**IF SWALLOWED:** Call a Poison Control Center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL 1-800-328-0026.**

**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL 1-651-222-5352 (IN THE USA).**

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

### FOR INDUSTRIAL USE ONLY

### PRECAUTIONARY STATEMENT

### HAZARD TO HUMANS AND DOMESTIC ANIMALS

**DANGER. CORROSIVE.** Causes irreversible eye damage or skin burns. Harmful if swallowed, absorbed or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Manufactured by

Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2015 Ecolab USA Inc. · All rights reserved

Made in United States

760971/5300/0515 (C0814)

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS:** Mix only with water following label directions. Do not mix with chlorinated cleaners or sanitizers. Toxic chlorine gas will be formed. Contact with soft metals may generate hydrogen gas.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):** Applicators and handlers must wear coveralls over long-sleeved shirt and long pants, socks and chemical-resistant footwear, goggles or face shield and chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, PV or viton).

### DIRECTIONS FOR USE

**FOLLOW STATE AND LOCAL HEALTH DEPARTMENT REGULATIONS FOR CLEANING AND SANITIZING FOOD PROCESSING AND DAIRY EQUIPMENT. IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

#### APPLICATION INSTRUCTIONS

##### Dairy Equipment:

Regular use of Finalize on dairy equipment will prevent formation of milkstone and mineral stone on hard, non-porous surfaces. On pre-cleaned, hard non-porous, food-contact surfaces Finalize is effective against *Salmonella enterica*, *Listeria monocytogenes* and *Escherichia coli*, 0157:H7.

1. Remove gross food particles and soil by a pre-flush or pre-scrape and when necessary, pre-soak treatment.
2. Clean all hard, non-porous surfaces with an appropriate chlorinated alkaline cleaner, followed by a potable water rinse prior to the application of the sanitizing solution.
3. Sanitize equipment prior to use with a solution of 1 oz - 2 oz of Finalize in 6 gallons of water, to provide 90 - 180 ppm of decanoic and nonanoic acids combined. Circulate sanitizing solution through CIP or COP systems for a minimum of 2 minutes contact time. Sanitizing solution must have a pH of 4 or below. Adequately drain solution. For mechanical operations, the prepared use solution may not be reused for sanitizing, but may be re-used for other purposes such as cleaning. For manual operations, fresh sanitizing solution should be prepared daily or more often if the solution becomes dirty or soiled.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container. Keep container closed when not in use and under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Do not store below 0°F for extended periods.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

**NET CONTENTS: 55 US GAL (208 L)**

**6301423**



**LICENSED**

PERIOD 2015-2017 LIC. NO.

**9203.501**