



GAMMA IRRADIATED GAMMA IRRADIATED

ECOLAB



9203.507

Klercide™

**70|30 Pharma
Ethanol**

**70
30**

Alcohol blended with WFI

**HARD SURFACE DISINFECTANT
SANITIZER/VIRUCIDE*/FUNGICIDE**

Ready to Use, disinfectant solution for hard, non-porous surfaces for use in clean rooms and controlled areas containing 70% v/v Ethanol Denatured with IPA blended with Water for Injection.

ACTIVE INGREDIENT:

Ethanol**.....	59.2%
OTHER INGREDIENTS:	40.8%
Total:	100.0%

**Ethanol denatured with IPA at 70% by volume
**Ethanol denatured with isopropyl alcohol
USP Water for Injection (meets EP WFI requirements)

KEEP OUT OF REACH OF CHILDREN

**CAUTION
Flammable**

Keep away from heat or open flame.
Store at room temperature below 120°F (48.8°C).
See back panel for additional
precautionary statements.

XXXXXXXX

**Net Contents:
33.8 fl oz (1L)**

No Print Area



Klercide™ 70|30 Pharma Ethanol

Klercide™ 70|30 Pharma Ethanol

ECOLAB

Klercide™

**70|30 Pharma
Ethanol**

**70
30**

Alcohol blended with WFI

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

FOR EMERGENCY MEDICAL INFORMATION CALL TOLL FREE: 1-800-328-0026
Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

PHYSICAL AND CHEMICAL HAZARDS:

Flammable: Keep away from heat and open flame.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER OR FOOD OR FEED BY STORAGE OR DISPOSAL.

DO NOT STORE NEAR HEAT OR OPEN FLAME.

PESTICIDE STORAGE: Store in the original container in a dry cool place below 120°F (48.8°C). Absorb spills with inert dry absorbent or sand, then place in a chemical waste container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING AND DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

APPLICATION AREA: For use on floor, walls and hard non-porous surfaces in clean rooms and controlled areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

DISINFECTION

This product is ready to use. Do not dilute. This product is a one-step disinfectant cleaner on hard, non-porous surfaces in clean rooms and controlled areas. For heavily soiled areas, a pre-cleaning step is required. Apply solution with mop, cloth, disposable wiper, coarse spray device, or by soaking, so as to wet all surfaces thoroughly. If applying with a spray device, hold the bottle upright 6-8" from the surface. Always close the nozzle after use. All surfaces must remain wet for a minimum of 5 minutes and then either allow to air dry or wipe dry with a sterilized cloth or wiper. When used as directed at a 5 minute contact time, this product is effective against:

- Staphylococcus aureus* (ATCC 6538)
- Pseudomonas aeruginosa* (ATCC 15442)
- Brevundimonas vesicularis* (ATCC 51606)
- Burkholderia cepacia* (ATCC 25416)
- Corynebacterium jeikeium* (ATCC 43216)
- Escherichia coli* (ATCC 11229)
- Micrococcus luteus* (ATCC 49732)

FOR USE AS A VIRUCIDE*

This product is ready to use. Do not dilute. For heavily soiled areas, a pre-cleaning step is required. Apply solution to hard, non-porous surfaces in clean rooms and controlled areas with a mop, cloth, disposable wiper, coarse spray device, or by soaking, so as to wet all surfaces thoroughly. If applying with a spray device, hold the bottle upright 6-8" from the surface. Always close the nozzle after use. All surfaces must remain wet for the required contact time indicated in the directions for use. Allow surfaces to air dry or wipe dry with a sterilized cloth or wiper.

VIRUCIDAL* in 5 minutes against the following viruses:

- *Herpes Simplex Type I Virus (Herpes) (ATCC VR-733)
- *Herpes Simplex Type II Virus (Genital Herpes) (ATCC VR-734)
- *Influenza A Hong Kong H3N2 Virus (ATCC VR-544)

FUNGICIDAL in 5 minutes against *Candida albicans* (ATCC 10231) and *Penicillium chrysogenum* (ATCC 10003) on hard, non-porous surfaces.

FUNGICIDAL in 10 minutes against *Trichophyton mentagrophytes* (ATCC 9533) on hard, non-porous surfaces.

SANITIZATION

This product is ready to use. Do not dilute. This product is a hard surface sanitizer for pre-cleaned, hard non-porous, non-food contact surfaces in clean rooms and controlled areas. Apply solution with mop, cloth, disposable wiper, coarse spray device, or by soaking, so as to wet all surfaces thoroughly. If applying with a spray device, hold the bottle upright 6-8" from the surface. Always close the nozzle after use. Allow surfaces to remain wet for a minimum of 3 minutes and then either allow to air dry or if desired wipe dry with a sterilized cloth or wiper. When used as directed at a 3 minute contact time, this product is effective against:

- Staphylococcus aureus* (ATCC 6538)
- Klebsiella pneumoniae* (ATCC 4352)
- Enterobacter aerogenes* (ATCC 13048)

US EPA Reg. No. 1677-252
US EPA Est. No.: 001677-GBR-001

Manufactured by:
Ecolab Inc. • 370 Wabasha Street N •
St Paul MN 55102-1390 USA
© 2015 Ecolab USA Inc • All rights reserved
Made in Great Britain • 761086/8500/0115



0 25469 00000 2

LABXXXX/XX

