STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9212.402**
Disc.

bio SPOT

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

DO NOT USE ON CATS!

PS

bio SPOT

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

bio SPOT®

3 MONTH SUPPLY

FOR PUPPIES, TOYS & MINIATURES | UNDER 15 LBS

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

- Three monthly treatments
- Each applicator kills & repels fleas, ticks & mosquitoes for up to 30 days
- Contains Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation

ACTIVE INGREDIENTS:
Permethrin (CAS # 52645-53-1)..... 45%
(S)-Methoprene (CAS # 65733-16-6).... 3%
OTHER INGREDIENTS:..... 52%
TOTAL..... 100%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Inside Back Panel for Additional Precautionary Statements

DO NOT USE ON CATS!

NET CONTENTS: Three 0.034 fl oz Applicators

0 39079 06003 5

EPA Reg. No. 2724-497-270
EPA Est. No. 2724-TX-1
Spot On® is a registered trademark of Wellmark International
Made in USA ©2006 Farnam Companies, Inc.
Product Code: 3006003 • RM# 101037 • 06-1715

bio SPOT

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

IMPORTANT! Intended for Use on Dogs & Puppies 6 Months of Age or Older
READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS!

bio SPOT® Spot On® Flea & Tick Control For Dogs prevents eggs from developing into adult fleas for up to 30 days. This product also kills and repels ticks and mosquitoes for up to 30 days.

DO NOT USE ON CATS! May be toxic and potentially fatal if applied to or ingested by cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harmful effects.

1. Bend at perforation and tear off first month's applicator. **2.** Hold applicator and bend area of plastic at perforation, tear off and discard. **3.** Hold applicator upright and snap tip back, away from face and body. **4.** Position tip of the applicator on the dog's back between the shoulder blades. Apply ½ of the contents of the applicator. **5.** Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator. **6.** Do not reapply product for 30 days.

NOTE: DO NOT APPLY BIO SPOT SPOT ON FLEA & TICK CONTROL FOR DOGS to cats. This product is intended for dogs only!

Although BIO SPOT Spot On Flea & Tick Control For Dogs is applied only between the shoulder blades and at the base of the tail, the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. BIO SPOT Spot On Flea & Tick Control For Dogs is most effective when used as part of a total flea and tick management program. Use other BIO SPOT products registered for residential area control of these pests in conjunction with this treatment.

STORAGE & DISPOSAL: Storage: Store in a cool, dry area in a location out of reach of children and pets. **Disposal: If Empty:** Do not reuse empty applicator. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS & DOMESTIC ANIMALS – CAUTION: HUMANS: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. **DOMESTIC ANIMALS: DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.** Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur, bathe your pet with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY. **In the event of an emergency, contact 1-800-234-2269.**

FIRST AID

If on skin or clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 –20 minutes. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-234-2269 or a poison control center for emergency medical treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

In case of emergency, or for product information call **1-800-234-2269**, Monday-Friday, 7:00 AM - 3:45 PM MST

SPOT ON®
FLEA & TICK CONTROL FOR DOGS
FOR PUPPIES, TOYS & MINIATURES | UNDER 15 LBS

SPOT ON®
FLEA & TICK
CONTROL
FOR DOGS

CENTRAL
Garden & Pet

APPLICATION METHOD

1. Bend at perforation and tear off first month's applicator.
2. Hold applicator and bend area of plastic at perforation, tear off and discard.
3. Hold applicator upright and snap tip back, away from face and body.
4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator.
5. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator.
6. Do not reapply product for 30 days.

DO NOT USE
ON CATS!

Manufactured for:
FARNAM PET PRODUCTS
A Division of Farnam Companies, Inc.
P.O. Box 34820 • Phoenix, AZ 85067
biospot.com

TREATMENT SCHEDULE

Dosage: 1 Applicator every 30 days per dog

Pet's Name	First Treatment Date	Second Treatment Date (30 Days From 1st)	Third Treatment Date (30 Days From 2nd)

NOTES:

REMINDER:
I purchased Bio Spot® Spot On® from:

BIO SPOT® SPOT ON®
Flea & Tick Control For Puppies,
Toys & Miniatures Under 15 lbs
Permethrin 45%, (S)-Methoprene 3%
KEEP OUT OF REACH OF CHILDREN
CAUTION
DO NOT USE ON CATS
READ DIRECTIONS BEFORE USING
EPA Reg. No. 2724-497-270
Net Contents: 0.034 fl oz
©2006 Farnam Companies, Inc.
06-1766 RM# 101039
123456789

bio SPOT

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

DO NOT USE ON CATS!

PS

bio SPOT

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

bio SPOT®

6 MONTH SUPPLY

FOR PUPPIES, TOYS & MINIATURES | UNDER 15 LBS

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

- Six monthly treatments
- Each applicator kills & repels fleas, ticks & mosquitoes for up to 30 days
- Contains Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation

ACTIVE INGREDIENTS:
Permethrin (CAS # 52645-53-1)..... 45%
(S)-Methoprene (CAS # 65733-16-6).... 3%
OTHER INGREDIENTS:..... 52%
TOTAL..... 100%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Inside Back Panel for Additional Precautionary Statements

DO NOT USE ON CATS!

NET CONTENTS: Six 0.034 fl oz Applicators

0 39079 06007 3

EPA Reg. No. 2724-497-270
EPA Est. No. 2724-TX-1
Spot On® is a registered trademark of Wellmark International
Made in USA ©2006 Farnam Companies, Inc.
Product Code: 3006007 • RM# 101077 • 06-1719

bio SPOT

SPOT ON®
FLEA & TICK CONTROL FOR DOGS

IMPORTANT! Intended for Use on Dogs & Puppies 6 Months of Age or Older
READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS!

BIO SPOT® Spot On® Flea & Tick Control For Dogs prevents eggs from developing into adult fleas for up to 30 days. This product also kills and repels ticks and mosquitoes for up to 30 days.

DO NOT USE ON CATS! May be toxic and potentially fatal if applied to or ingested by cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harmful effects.

1. Bend at perforation and tear off first month's applicator. **2.** Hold applicator and bend area of plastic at perforation, tear off and discard. **3.** Hold applicator upright and snap tip back, away from face and body. **4.** Position tip of the applicator on the dog's back between the shoulder blades. Apply ½ of the contents of the applicator. **5.** Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator. **6.** Do not reapply product for 30 days.

NOTE: DO NOT APPLY BIO SPOT SPOT ON FLEA & TICK CONTROL FOR DOGS to cats. This product is intended for dogs only!

Although BIO SPOT Spot On Flea & Tick Control For Dogs is applied only between the shoulder blades and at the base of the tail, the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. BIO SPOT Spot On Flea & Tick Control For Dogs is most effective when used as part of a total flea and tick management program. Use other BIO SPOT products registered for residential area control of these pests in conjunction with this treatment.

bio SPOT

FOR PUPPIES, TOYS & MINIATURES | UNDER 15 LBS

STORAGE & DISPOSAL: Storage: Store in a cool, dry area in a location out of reach of children and pets. **Disposal: If Empty:** Do not reuse empty applicator. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS & DOMESTIC ANIMALS – CAUTION: HUMANS: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. **DOMESTIC ANIMALS: DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.** Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY. **In the event of an emergency, contact 1-800-234-2269.**

FIRST AID

If on skin or clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 –20 minutes. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-234-2269 or a poison control center for emergency medical treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

In case of emergency, or for product information call **1-800-234-2269**, Monday-Friday, 7:00 AM - 3:45 PM MST

SPOT ON®
FLEA & TICK
CONTROL
FOR DOGS

CENTRAL Garden & Pet

APPLICATION METHOD

1. Bend at perforation and tear off first month's applicator.
2. Hold applicator and bend area of plastic at perforation, tear off and discard.
3. Hold applicator upright and snap tip back, away from face and body.
4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator.
5. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator.
6. Do not reapply product for 30 days.

DO NOT USE ON CATS!

Manufactured for:
FARNAM PET PRODUCTS
A Division of Farnam Companies, Inc.
P.O. Box 34820 • Phoenix, AZ 85067
biospot.com

TREATMENT SCHEDULE

Dosage: 1 Applicator every 30 days per dog

Pet's Name	REMINDER: I purchased Bio Spot® Spot On® from:	NOTES:

First Treatment Date	
Second Treatment Date (30 Days From 1st)	
Third Treatment Date (30 Days From 2nd)	

Fourth Treatment Date (30 Days From 3rd)	
Fifth Treatment Date (30 Days From 4th)	
Sixth Treatment Date (30 Days From 5th)	

BIO SPOT® SPOT ON®
Flea & Tick Control For Puppies,
Toys & Miniatures Under 15 lbs
Permethrin 45%, (S)-Methoprene 3%
KEEP OUT OF REACH OF CHILDREN
CAUTION
DO NOT USE ON CATS
READ DIRECTIONS BEFORE USING
EPA Reg. No. 2724-497-270
Net Contents: 0.034 fl oz
©2006 Farnam Companies, Inc.
06-1766 RM# 101039
123456789