

# bio SPOT

## ROOM FOGGER with Sykillstop®

### HOME PROTECTION



- Kills Fleas And Flea Eggs for 7 Months
- Kills Ticks, Spiders, Ants And Cockroaches
- One Unit Treats Up To 6,000 Cubic Feet

#### ACTIVE INGREDIENTS:

2-[1-(Methyl-2-(4-phenoxyphenoxy) ethoxy) pyridine]	0.100%
Pyrethrins	0.050%
N-Octyl bicycloheptene dicarboximide*	0.400%
Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-carboxylate]	0.400%
Related Compounds	0.035%
OTHER INGREDIENTS	99.015%
TOTAL	100.000%

\*MGK® 264, Insecticide Synergist

\*\*Cis-trans isomers ratio: Max 95% (+ or -) cis and Min. 45% (+ or -) trans

MGK® is a registered trademark of McLaughlin Gormley King Co.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements

EPA Reg. No. 2724-666-270 (A) EPA Est. No. 11715-TN-1 (B) EPA Est. No. 11623-GA-1  
Circled letter in front of the EPA Est. No. corresponds to the first letter in lot number on bottom of container.

Net Contents: 6 oz (170 g)

Manufactured for:  
Farnam Companies, Inc.  
P.O. Box 34820, Phoenix, AZ 85067-4820

Product Code: 3005952  
RM#: 2008346  
©2006 Farnam  
Companies, Inc.  
06-1840

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feed stuffs.

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held in the home, all food processing surfaces and utensils should be covered before treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants. Remove pets, birds, and cover fish aquariums before spraying.

#### LIMITED FIRST AID

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Contains petroleum distillate - vomiting may cause aspiration pneumonia.



**PHYSICAL OR CHEMICAL HAZARDS:**  
Highly Flammable Ingredient  
Ingredientes Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### READ ALL DIRECTIONS COMPLETELY BEFORE USE.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets, or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or a management company if you need assistance with your pilot lights.

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry. For best results, treat all infested areas. Use one fogger for each 6,000 cubic feet (approximately 27 ft. x 27 ft. x 8 ft. ceiling) of unobstructed area.

**PREPARATION:** Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Put out all flames and pilot lights. Close outside doors and windows. Remove pets and birds, but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. Cover waxed wood floors and waxed furniture in the immediate areas surrounding the fogger. (Newspapers may be used.)

For more effective control of storage pests (cockroaches), open all cupboard doors and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash. For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

#### READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

**TO START FOGGING:** SHAKE FOGGER WELL BEFORE USING. Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used, increase airing out time accordingly.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry area away from heat or open flame.

**DISPOSAL:** Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

For product use information, call 1-800-234-2269 Monday - Friday, 7:00 a.m. - 3:45 p.m. MST.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

**9212.413  
Disc.**