

DISC.

Do Not Varnish This Area

Do Not Varnish This Area

Do Not Varnish This Area



Flea & Tick Collar For Puppies



READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON PUPPIES.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Buckle collar around puppy's neck. Fit collar snug enough to prevent placement of the puppy's leg or lower jaw through the collar, yet loose enough to be rotated about the neck.
2. Leave 2-3 extra inches on the collar for adjustment, cut off excess length, and dispose of in trash.
3. Check periodically and adjust fit, if necessary, especially when puppies are rapidly growing.
4. May be used in addition to regular collar. Replace collar when effectiveness diminishes.

WHAT TO EXPECT

FOR FLEAS:

1. This BIO SPOT® Flea & Tick Collar for Puppies is designed to kill adult fleas. 2. This collar starts killing fleas as soon as it is placed around puppy's neck. 3. Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months. 4. Replace collar every 5 months to help control flea infestations on your puppy.

FOR TICKS: 1. Ticks are tougher to kill than fleas and are killed more slowly. 2. Full protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. 3. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed. 4. Replace collar every 5 months for continuous protection from ticks. If your puppy goes swimming or is out in the rain, it is not necessary to remove the collar. The continuous action collar will rapidly replace any flea and tick killing material removed.

STORAGE AND DISPOSAL: Storage: Store in original, unopened container away from children. Disposal: Do not reuse container or used collar. Dispose of in trash.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes, will cause temporary pupillary constriction. The dust released by this collar is a cholinesterase inhibitor.

HUMANS: Do not open package until ready to use. Do not allow children to handle this collar. Dust will form on this collar during storage. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling collar. ANIMALS: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON PUPPIES UNDER 12 WEEKS OF AGE. Do not use this product on dogs simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID: Call a poison control center or doctor for treatment advice

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.

NOTE TO PHYSICIAN/VETERINARIAN: *Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

Satisfaction guaranteed or your money back. For product use information, call 1-800-234-2269

EPA Reg. No. 2724-254-270
EPA Est. No. 2724-TX-1



Manufactured by:
FARNAM PET PRODUCTS
A Division of Farnam Companies, Inc.
P.O. Box 34820 • Phoenix, AZ 85067
biospot.com

© 2007 Farnam Companies, Inc.
Product Code: 3006377 07-1673

bio SPOT FLEA & TICK COLLAR FOR PUPPIES



FLEA & TICK COLLAR FOR PUPPIES

bio SPOT

5 MONTH FLEA & TICK PROTECTION!

FLEA & TICK COLLAR FOR PUPPIES

DO NOT USE ON PUPPIES UNDER 12 WEEKS OF AGE



- Kills Fleas & Ticks (including those carrying Lyme disease)
- Continuous Action Even When Wet
- Long-Lasting Protection

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR

CAUTION

See Precautions on Back

ACTIVE INGREDIENT:
Propoxur (CAS #114-26-1) 10%
OTHER INGREDIENTS 90%
TOTAL 100%

NET WEIGHT: .69 OZ (19.8 g)

FLEA & TICK COLLAR FOR PUPPIES



Do Not Varnish This Area

Do Not Varnish This Area

Do Not Varnish This Area
Lot Code Prints Here

Do Not Varnish This Area



LICENSED

PERIOD 2008-2010 LIC. NO.

Collar folding carton die/vinyl



LICENSED

PERIOD 2011-2013 LIC. NO.



LICENSED

PERIOD 2014-2016 LIC. NO.

9212.446