

ADAMS™ *plus*

Flea & Tick Mist with Precor®

KILLS & REPELS:



fleas



ticks



lice



mosquitoes



gnats



flies



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

9212.468

Disc.

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6).....	0.27%
Pyrethrins (CAS #8003-34-7).....	0.20%
Piperonyl Butoxide (CAS #51-03-6).....	0.37%
N-octyl Bicycloheptene Dicarboximide (CAS #1113-48-4).....	0.62%

OTHER INGREDIENTS:..... 98.54%

TOTAL..... 100.00%

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See Back Panel for Additional Precautionary Statements

EPA Reg. No. 2724-404-270

Ⓐ EPA Est. No. 2724-TX-1 Ⓑ EPA Est. No. 11623-GA-1

Circled letter in front of the EPA Est. No. corresponds to the first letter in lot number on container label.

Product Code: 100503560

Net Contents 1 pt (16 fl oz) (473 ml) RM#: 300506075 09-1501

ADAMS™ Plus Flea & Tick Mist with Precor®

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS, CATS, PUPPIES, KITTENS

DIRECTIONS FOR USE – It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

FOR DOGS AND CATS

FOR FLEAS: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp animal to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover animal's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. With cloth, rub into face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.

Apply at the rate of 1 or 2 squeezes of the trigger sprayer per pound of body weight. For larger dogs, spray until damp, not saturated. Do not allow animals, cats in particular, to become chilled. Repeat every 2 months for continuous home flea infestation prevention. If your pet becomes reinfested with adult fleas from outside sources, ADAMS™ Plus Flea & Tick Mist with Precor® may be reapplied weekly.

FOR TICKS: Make sure spray thoroughly wets individual ticks. Kills Lyme disease-carrying ticks, including *Ixodes scapularis*.

FOR PUPPIES AND KITTENS

FOR FLEAS: Leaving the eyes, nose, and mouth exposed, treat puppies and kittens weighing less than 3 pounds by wrapping the animal in a towel that has been lightly sprayed with ADAMS™ Plus Flea & Tick Mist with Precor®, for 5 to 10 minutes. Or lightly spray a brush or cotton ball and work thoroughly into the hair coat. Fleas may then be removed from the coat by picking or combing. Puppies and kittens over 3 pounds may be treated the same as dogs and cats as described above. Repeat every 2 months for continuous home flea infestation prevention. If your pet becomes reinfested with adult fleas from outside sources, ADAMS™ Plus Flea & Tick Mist with Precor® may be reapplied weekly. Do not allow animal to become chilled. **Do not use on puppies and kittens under 12 weeks of age.**

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS – CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. May cause dermal sensitization (skin allergy). **HAZARDS TO ANIMALS - CAUTION:** Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Some cats may be sensitive to products containing pyrethrins. Excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful. May cause dermal sensitization (skin allergy).

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If on skin or clothing: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

Satisfaction guaranteed or your money back.

For product use information,
call 1-800-234-2269
adamsfleacontrol.com

©2009 Farnam Companies, Inc.
Manufactured for: **Farnam Pet Products**
A Division of Farnam Companies, Inc.
P.O. Box 34820
Phoenix, AZ 85067-4820
Product Code: 100503560
RM#: 300506053 09-1501
Precor is a registered trademark of
Wellmark International.
Adams is a licensed trademark of Farnam
Companies, Inc.



7

0