



Department of Agriculture
STATE OF HAWAII

FLYSECT®

LICENSED

SUPER-C REPELLENT CONCENTRATE

FOR USE ON HORSES OR FOALS

PERIOD 2015-2017 LIC. NO.

9212.529

*For control of face flies, stable flies, horse flies, deer flies,
mosquitoes, gnats & chiggers*

ACTIVE INGREDIENTS:

Permethrin*	1.00%
Pyrethrins	0.50%
Piperonyl Butoxide**	1.85%
N-octyl Bicycloheptene Dicarboximide	3.10%
Di-n-propyl Isocinchomeronate	2.50%

OTHER INGREDIENTS:..... 91.05%

TOTAL 100.00%

*[(3-phenoxy phenol) methyl (+) cis, trans -3(2,2-dichloroethenyl) 2,2-dimethyl cyclopropane carboxylate] cis/trans isomer ratio: Min 35% (+) cis Max 65% (+) trans

**[(Butylcarbityl)(6-Propylpiperonyl) ether and related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

Net Contents: 1 qt (32 fl oz) (946 ml)

EPA Reg. No. 270-301
EPA Est. No. 11623-GA-3
Product Code: 3006290
RM# 300512693
12-0281

READ ENTIRE LABEL BEFORE EACH USE - USE ONLY ON HORSES OR FOALS

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply over cuts, wounds, or irritated skin. Do not apply near eyes and mouth. Apply sparingly around ears. Do not apply more than one (1) time per day. **Wash hands with soap and water promptly after use. Not for use in outdoor residential misting systems. SHAKE WELL BEFORE USE.** Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo. Use at a 1 to 4 ratio with water. Put required amount of concentrate into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). Cover entire surface of animal with spray, but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Spray horse's coat especially around shoulders, flanks, neck and legs. Brush coat against grain while spraying to insure adequate penetration of product. Make sure application has completely dried on hair coat before covering with tack. As a wipe, apply with a clean cloth or sponge. For initial treatment, apply daily. As infestation subsides and protection builds, reapply every 2-3 days as needed. Also, reapply every time animal is washed or exposed to a heavy rain. Do not use on horses or foals intended for slaughter.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HUMANS: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. **HORSES:** Avoid contact with eyes or mucous membranes. Do not treat foals under 12 weeks of age. Do not use on horses or foals intended for slaughter. Consult a veterinarian before applying this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amount of water. If signs continue, consult a veterinarian immediately.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 1-800-234-2269. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS: Keep away from heat and open flame. Do not apply to painted or finished wood surfaces.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store in original container in a dry place inaccessible to children and pets. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, seed, fertilizers, and veterinary supplies. Do not store near heat or open flame. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FARNAM COMPANIES, INC.

P.O. Box 34820, Phoenix, AZ 85067-4820

©2000, 2003, 2007, 2009, 2011, 2012, 2014 Farnam Companies, Inc.

Product Code: 3006290 RM# 300517512 14-20552

Equicare, Equicare with design and Flysect are registered trademarks of Farnam Companies, Inc. Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

