



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2015-2017** LIC. NO.

**9227.323**

**SENTRY**  
**PurrScriptions PLUS**  
Flea Collar For Cats  
(Over 12 Weeks Of Age)

READ ENTIRE LABEL BEFORE EACH USE.  
USE ONLY ON CATS AND KITTENS  
OVER 12 WEEKS OF AGE.

SENTRY® PurrScriptions™ PLUS Flea Collar for Cats (over 12 weeks of age) kills fleas and flea eggs for up to 6 months. Collar is a sustained-release system containing four active agents working to provide head-to-tail protection. Thus, collar has the effect of simultaneous usage of a spray and powder in the control of fleas. Use SENTRY® PurrScriptions™ PLUS Flea Collar for Cats (over 12 weeks of age) year round for most effective control. The adult fleas you see on your pet make up only part of an infestation; over 90% of a flea infestation can lie in the pre-adult forms of the flea (egg, larvae, pupae). This collar protects your pet against reinfestation for up to 6 months. To protect against adult fleas, the collar should be replaced every 6 months or sooner if needed.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

**HAZARDS TO HUMANS:** Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

**HAZARDS TO DOMESTIC ANIMALS:** Collar is for external use only, not to be taken internally. Some animals may become irritated by any collar. If this occurs, remove collar. If condition persists, consult a veterinarian. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. **RESTRICTION:** Do not use on pets under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Notice: This product contains a chemical (Propoxur) known to the State of California to cause cancer.

FIRST AID	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Have person sip of glass of water if able to swallow.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-781-4738 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN/VETERINARIAN:</b> Dust released by this collar is a cholinesterase inhibitor. Atropine is antidotal. Do not use this product on animals simultaneously or within 30 days or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea collars may be immediately replaced.	

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Place collar around pet's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the pet and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over pet's head. Leave 2 or 3 extra inches for collar adjustment, cut off remaining excess and dispose of in the trash. Wash hands after installing collar on pet. Replace collar every 6 months, or sooner if needed.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store unopened collar in a cool, dry place. Protect from freezing. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Dispose of expired collar in trash.

If you have questions or comments about this product, please write: SENTRY Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.

In Case of Emergency, call: 1-800-781-4738  
Non-Emergency call: 1-800-224-PETS(7387)

Distributed by: Sergeant's Pet Care Products, Inc.  
P.O. Box 540399, Omaha NE, 68154-0399.

Made in USA P003989 RARR

EPA Reg. No. 2517-144  
EPA Est. No. 42836-TX-1\*  
EPA Est. No. 2517-NE-02\*  
EPA Est. No. 2517-TN-1\*  
Superscript is the first letter in the lot code

Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2012-2014** LIC. NO.

**SENTRY**  
**PurrScriptions PLUS**  
Flea Collar For Cats  
(Over 12 Weeks Of Age)

for cats  
over 12 weeks of age



for cats  
over 12  
weeks of  
age

Controls  
**REINFESTATION**  
for up to **6 months**

**SENTRY**  
**PurrScriptions PLUS**

Flea Collar For Cats  
(Over 12 Weeks Of Age)

**Kills** Fleas  
 Flea Eggs  
 Flea Larvae

**DO NOT ALLOW CHILDREN  
TO PLAY WITH COLLAR**

**CAUTION** SEE BACK LABEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

**NET WEIGHT: 0.5 OZ (14 g)**

**ACTIVE INGREDIENTS:**

Propoxur (CAS # 114-26-1)	9.00%
Phenothrin* (CAS # 26002-80-2)	3.00%
n-Octyl bicycloheptene dicarboximide (CAS # 113-48-4)	3.00%
Pyriproxyfen (CAS # 95737-68-1)	0.50%
<b>OTHER INGREDIENTS:</b>	<b>84.50%</b>
<b>TOTAL</b>	<b>100.00%</b>

\*cis/trans isomer ratio: Max. 25% (+/-) cis, Min. 75% (+/-) trans

EPA Reg. No. 2517-144



**SENTRY**  
**PurrScriptions PLUS**  
Flea Collar For Cats  
(Over 12 Weeks Of Age)

**SENTRY**  
Flea Collar For Cats  
(Over 12 Weeks Of Age)

**SENTRY**  
Flea Collar For Cats  
(Over 12 Weeks Of Age)