

3  APPLICATORS

# PETARMOR® Plus IGR FOR DOGS

READ ENTIRE LABEL BEFORE EACH USE.  
USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.

### Precautionary Statements

**HAZARDS TO HUMANS. CAUTION:** Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### First Aid

- If Swallowed:
- Immediately call a poison control center or doctor.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Have person sip a glass of water if able to do so.
  - Do not give anything by mouth to an unconscious person.

### Hot Line Number

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-908-TICK (8425) for emergency medical treatment information.

### Hazards To Domestic Animals

For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, known organ dysfunction, debilitated or aged dogs. Call 1-888-908-TICK (8425) for 24-hour assistance.

### Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not have contact or allow children contact with treated area until completely dry. Do not use on dogs or puppies under 89 pounds or less than 8 weeks of age. Do not allow your dog to ingest this product. Use entire contents of tube on each dog. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Do not treat your dog with more than one pesticide product at a time. Do not use on rabbits or animals other than dogs. Do not use on pregnant or lactating dogs. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Distributed by: Sergeant's Pet Care Products, Inc., Omaha, NE 68154

Questions? Comments? 1-888-908-TICK (8425)

Or write to: Sergeant's Pet Care Products, Inc.,  
PO Box 540399, Omaha, NE 68154-0399

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Individual sensitivities, while rare, may occur after using any pesticide product. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Call 1-888-908-TICK (8425) for 24-hour assistance.

 **DO NOT USE ON CATS™**  
24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

### How To Open

Remove product tubes from the package. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body of you and your dog. Use scissors to cut off the narrow end at the notches along the line.

### How To Apply

Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks. Repeat application may be made if necessary, but do not apply more often than once every 30 days. Repeat application can be made every 4 weeks.  
**Only For Dogs Weighing 89-132 lbs:** Apply one tube (0.136 fl oz) (4.02 mL) from the back of the neck to a point midway between the neck and tail. **Do not use two tubes on dogs greater than 132 lbs.**



**FREQUENCY OF APPLICATION:** Use PETARMOR® PLUS IGR For Dogs monthly for control of flea, tick, flea egg, and chewing lice infestations. Studies show that PETARMOR® PLUS IGR For Dogs kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation, or in a highly infested environment. Apply monthly to control ticks and chewing lice.

**Do not reapply for thirty (30) days.**

EPA Reg. No. 53883-312-2517, EPA Est. No. 2517-NE-02



**STORAGE AND DISPOSAL**  
PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F / 25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.  
PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty, nonrefillable container, do not reuse or refill this container. Offer for recycling if available. If partly filled, call your local waste agency for disposal instructions. Never place unused product down any drain or outdoor drain.

PETARMOR®  
Plus IGR  
FOR DOGS

PETARMOR®  
Plus IGR  
FOR DOGS

3  APPLICATORS

# PETARMOR® Plus IGR FOR DOGS

## KILLS FLEAS, FLEA EGGS, TICKS, & CHEWING LICE

Kills ticks, including those that may transmit Lyme Disease

- Fast acting
- Long lasting

For use ONLY on dogs  
**89-132 lbs**  
over 8 weeks of age



Contains  
fipronil, an active  
ingredient used in  
FRONTLINE®  
brand products.\*

### BREAKS THE FLEA LIFE CYCLE

#### ACTIVE INGREDIENTS:

Fipronil ..... 9.80%

Novaluron ..... 20.00%

OTHER INGREDIENTS: ..... 70.20%

TOTAL ..... 100.00%

NET CONTENTS: 0.408 fl oz (12.06 mL)

3-0.136 fl oz (4.02 mL) applicators


KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION**  
SEE BACK LABEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS



\*PETARMOR® PLUS IGR For Dogs is not manufactured by or distributed by Meril. FRONTLINE® is a registered trademark of Meril.

PETARMOR®  
Plus IGR  
FOR DOGS

For use ONLY on dogs  
**89-132 lbs**  
over 8 weeks of age

3  APPLICATORS