3-15/16Ó

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2008-2010 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2011-2013 LIC. NO.

3-15/16Ó

4-3/16Ó 3-15/16"

Hartz®

ULTRA GUARD Plus™

Flea & Tick Spray for Dogs

Kills & Repels:

Fleas

Ticks

for 7 days

Plus Kills & Prevents:

Flea Eggs

for up to 30 days

KEEP OUT OF REACH OF CHILDREN

CAUTION: SEE BACK PANEL FOR INGREDIENTS AND ADDITIONAL PRECAUTIONS.

16 fl. oz. (473ml)

RM105867

3-15/16Ó

4-3/16Ó

3-15/16"

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

9235.415

TOP PLY
(Page 1)

4-3/16"

For full precautions and directions for use, peel back here.

Hartz® UltraGuard Plus™ Flea & Tick Spray for Dogs

When your dog has fleas and ticks, your family and pet may be exposed to:

- Lyme disease
- Tapeworm infestation
- Flea bite anemia
- Flea allergy dermatitis

To learn more, visit **www.hartz.com**

For more information, call our flea and tick experts at 1-800-275-1414

ACTIVE INGREDIENTS:

Tetrachlorvinphos	1.08%
[S]-Methoprene	0.07%
OTHER INGREDIENTS:	98.85%
TOTAL	100.00%

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.

Made by ©The Hartz Mountain Corporation,
400 Plaza Drive, Secaucus, NJ 07094

EPA Reg. No. 2596-140
EPA Est. No. 2596-NJ-1

RM105868

0 32700 01883 2

3-15/16Ó

4-3/16"

1/4Ó

HINGE

3-11/16Ó

NOTE TO PHYSICIANS AND VETERINARIANS: This product contains an organophosphate and may cause cholinesterase inhibition. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting, and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call a Poison Control Center for further information.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS

SHAKE WELL BEFORE USE

1. To kill and repel fleas, ticks and lice for 7 days and to kill flea eggs and prevent their hatching for over 1 month, hold container upright 6 to 10 inches from the animal and spray lightly over the entire body. Move spray to get even coverage of coat until tips of hair are moist. Do not spray in eyes.
2. Apply lightly and rub into coat. Ruffle hair for spray to reach skin. Once sprayed, fleas will be killed within 5 to 10 minutes.
3. Ticks are tough—spray directly.
4. In addition to controlling fleas and ticks, this product leaves your pet's coat soft, glossy, and manageable.
5. Under normal circumstances, to kill adult fleas and ticks, repeat spray once every few days until infestation is brought under control.
6. For more prolonged flea and tick control, the animal's bedding, quarters and surrounding area should also be sprayed lightly until damp to help prevent reinfestation.

STORAGE AND DISPOSAL

Storage: Store at room temperature. **Disposal:** Do not reuse this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

4-3/16Ó 3-11/16Ó

1/4Ó

4-3/16Ó

4-3/16Ó

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Do not use on puppies under **12** weeks of age. Do not spray in eyes. To prevent harm to you or your pet, read entire label before use. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or medicated animals. Sensitivity may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Using it in a manner other than that described by this label could result in harm to aquatic invertebrates.

FIRST AID: Contains an organophosphate that inhibits cholinesterase.

If swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a Poison Control Center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

HINGE

4-3/16Ó

4-3/16Ó