

Hartz **ADVANCED**[™]
Flea Treatment for **DOGS**

For use ONLY on dogs and puppies 7 weeks and older weighing **11 to 20 lbs.**

CONTAINS THE SAME ACTIVE INGREDIENTS USED IN ADVANTAGE® II* PRODUCTS

Hartz

ADVANCED[™]
Flea Treatment for **DOGS**

For use ONLY on dogs and puppies 7 weeks and older weighing **11 to 20 lbs.**



waterproof



kills flea eggs



kills fleas



kills larval stages of fleas

4 Monthly Treatments

Starts working through contact

ACTIVE INGREDIENTS:

Imidacloprid 9.10%
Pyriproxyfen 0.46%
Other Ingredients 90.44%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See back panel for Precautionary Statements and Directions for Use.

NET CONTENTS:

0.136 fl. oz. (4.0 ml),
Contains 4 tubes,
each 0.034 fl. oz. (1.0 ml)

*Hartz Advanced[™] Flea Treatment for Dogs is not manufactured by or distributed by Bayer. Advantage® II is a registered trademark of Bayer Healthcare, LLC.



DO NOT USE ON CATS



LICENSED

PERIOD 2015-2017 LIC. NO. **9235.517**



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under 7 weeks of age or weighing less than 11 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

FIRST AID


Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-800-275-1414.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment or advice.

For more information call our experts at 1-800-275-1414 (weekdays, 9 am - 5 pm E.S.T.) EPA Reg. No. 2596-180 EPA Est. No. 2596-OH-1 Hartz[®] and other trademarks are trademarks of The Hartz Mountain Corporation.
Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (USA)



0 32700 14733 4 RM112570

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS

USE ONLY ON DOGS OR ON PUPPIES 7 WEEKS OF AGE OR OLDER WEIGHING 11 to 20 lbs.

DO NOT USE ON OTHER ANIMALS.

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR DOGS.

DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT.

DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

HOW TO APPLY




1) Remove one applicator tube from the package.



3) Twist dispensing tip clockwise about 1/2 turn while pushing down to break the tube's seal. Do not remove the dispensing tip.

2) Hold applicator tube in an upright position facing away from you and your pet's face and eyes.



4) The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. **Do not get this product in your dog's eyes or allow your dog to ingest this product.** Do not allow the product to run off.

5) Discard empty tube as described in the Storage and Disposal section.

6) Under normal conditions the product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not re-treat more often than once every seven (7) days. After flea control is obtained, return to a monthly retreatment schedule.

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-275-1414.



DO NOT USE ON CATS.


Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-275-1414 for disposal instructions. Never place unused product down any indoor or outdoor drain.



112570

