# RAID® PLUS EGG STOPPERS™

3 Child Resistant Baits
Cebos a Prueba de Niños

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO.
9274.480

SC Johnson
A Family Company

Raid®

Raid® Plus
Egg Stoppers™

## Most Advanced Raid® Roach Control System Available

El más avanzado sistema de Raid® disponible para el control de las cucarachas

## RAID® PLUS EGG STOPPERS™

Sterilizes Roaches That Don't Eat the Bait
Esteriliza las Cucarachas que No Comen el Cebo

3 Child Resistant Baits
Cebos a Prueba de Niños

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN: VER LAS PRECAUCIONES ADICIONALES EN LA PARTE POSTERIOR.

NET 0.0136 FL. OZ.

ACTIVE INGREDIENT:
(S)-Hydroprene ..... 95%
OTHER INGREDIENTS: .. 5%

RAID® PLUS EGG STOPPERS™
INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

3 Child Resistant Baits
Cebos a Prueba de Niños

RAID® PLUS EGG STOPPERS™
INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

3 Child Resistant Baits
Cebos a Prueba de Niños

www.killsbugsdead.com™
Questions? Comments? Call 800-558-5252 or write Helen Johnson.
Sold by: ©2010 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A.
All Rights Reserved.

746676

EPA Reg. No. 4822-400
EPA Est. No. 56207-WI-002

100%
For Position Only
Check Code Number Before Generating Actual Bar Code
0 46500 11634 6
X XXXXX XXXXX X

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2011-2013 LIC. NO.

A family company since 1886. Fisk Johnson

- **Prevents Roach Reproduction**
- **Roaches are tough to control because they reproduce so quickly . . . one roach can lay 40 eggs at a time. Raid® Plus Egg Stoppers™ stop roaches from reproducing to break the roach life cycle.**

## DIRECTIONS FOR HOUSEHOLD USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### THIS IS HOW RAID® PLUS EGG STOPPERS™ WORK






1. Do not activate Egg Stopper™ until ready to use. To activate, press down firmly on the pouch on the side of the disc until a snapping sound is heard, indicating that the small capsule inside has been opened. **NOTE:** Do not activate until immediately before placement in room to be treated.
2. Place one Egg Stopper™ every 75 sq. ft. (e.g., 2 Egg Stoppers™ per average size kitchen). Placement under the sink and under the refrigerator is recommended or in other areas of high roach activity. Place 1 unit in the bathroom if roaches are frequently seen there. Do not place in areas accessible to children. Do not place Egg Stoppers™ on food contact surfaces or in storage areas for dishes, utensils, or food.
3. Replace all Egg Stoppers™ every 3 months for continued effectiveness.

## STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry area inaccessible to children.
**DISPOSAL:** Before disposal, use the product up according to the label. Do not reuse this container.
If empty: Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 800-529-3394 for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS
### HAZARDS TO HUMANS.

**CAUTION:** Contact with material inside the Egg Stoppers™ may cause eye irritation. Prolonged or frequently repeated contact may cause allergic reactions in some individuals. Wash with soap and water after contact.

## FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**• Impiden la Reproducción de las Cucarachas**

**• Fáciles de Usar, No Requieren Limpieza, No Tienen Olor**

Las cucarachas son difíciles de controlar porque se reproducen tan rápidamente: una cucaracha puede poner 40 huevos a la vez. Raid® Plus Egg Stoppers™ impiden que las cucarachas se reproduzcan para interrumpir su ciclo de vida. De una a dos semanas después de la aplicación, usted comenzará a ver que las cucarachas tienen alas arrugadas, lo que muestra los efectos iniciales de Egg Stoppers™. **Para ser afectadas, las cucarachas no necesitan entrar en contacto directo con Egg Stoppers™, puesto que su singular sistema de interrupción de huevos penetra en las áreas donde las cucarachas se esconden.** Los Egg Stoppers™ controlan las poblaciones de cucarachas a lo largo del tiempo. Utilizados conjuntamente con los cebos Raid® que combaten las cucarachas rápidamente, representa un método doble de control efectivo.

## INSTRUCCIONES PARA USO EN EL HOGAR

El uso de este producto de una manera contraria a las indicaciones de la etiqueta constituye una violación de la ley federal.

### ASÍ FUNCIONAN LOS CEBOS PARA CUCARACHAS PEQUEÑAS DOBLE CONTROL RAID® MAS LOS EGG STOPPERS™






1. No active Egg Stoppers™ hasta que no esté listo para usarlo. Para activarlo, empuje firmemente hacia abajo sobre la bolsa al costado del disco hasta oír un chasquido, lo que indica que se ha abierto una pequeña cápsula en su interior. **NOTA:** No lo active hasta el momento inmediatamente anterior a colocarlo en la habitación que desea tratar.
2. Coloque un Egg Stoppers™ cada 75 pies cuadrados (es decir, 2 Egg Stoppers™ en una cocina de tamaño mediano). Se recomienda colocarlos debajo del fregadero y del refrigerador, o en otras áreas con alta actividad de cucarachas. Coloque una unidad en el cuarto de baño si ha visto allí las cucarachas con frecuencia. No lo coloque en lugares accesibles a los niños. No coloque los Egg Stoppers™ en superficies que entren en contacto con los alimentos o en lugares de almacenamiento de platos, utensilios o alimentos.
3. Reemplace todos los Egg Stoppers™ cada 3 meses para asegurar una continua eficacia.

## ALMACENAMIENTO Y ELIMINACIÓN

**ALMACENAMIENTO:** Almacene en un lugar fresco y seco, que no sea accesible para los niños. **ELIMINACIÓN:** Antes de desechar, use el producto de acuerdo con las intrucciones de la etiqueta. No use de nuevo este recipiente. Si está vacío: Deséchelo en la basura o ofrézcalo para reciclaje si este es disponible Si está parcialmente lleno: Llame a su agencia local de recolección de desechos sólidos o al 800-529-3394 para instrucciones de eliminación. Nunca ponga producto que no haya usado en cualquier drenaje que esté adentro o afuera de la casa.

## DECLARACIONES DE PRECAUCIÓN
## RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

**RIESGOS PARA LOS SERES HUMANOS-PRECAUCIÓN:** Contacto con el material que se encuentra adentro de Egg Stoppers™ puede causar reacciones alérgicas en algunos individuos. Lávese con jabón y agua después de manejar el producto.

## PRIMEROS AUXILIOS

**SI LE CAE EN LOS OJOS:** Mantenga los ojos abiertos y enjuáguelos despacio y suavemente con agua por 15-20 minutos. Si usa lentes de contacto, quíteselos después de los primeros 5 minutos y continúe enjuagándose los ojos. Llame al centro de control de envenenamientos o al médico para que le aconseje un tratamiento. Tenga en sus manos el envase o la etiqueta del producto cuando llame al centro de control de envenenamientos o al médico para un consejo de tratamiento.

**¿Preguntas? ¿Comentarios? Llame al 800-558-5252 o escriba a Helen Johnson.**

**©2010 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A.**

**Todos los derechos reservados.**

**INGREDIENTE ACTIVO:**
**(S)-Hydroprene . . . . . 95%**
**OTROS INGREDIENTES: . . . . 5%**

**RAID®**
**PLUS EGG STOPPERS™**
**KEEP OUT OF REACH OF CHILDREN.**
**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.**
**CAUTION/PRECAUCIÓN:** See outer package for additional precautionary statements and complete directions.

**THIS SIDE DOWN**

**ACTIVE INGREDIENT:**
(S)-Hydroprene. . . . . 95%
OTHER INGREDIENTS . . . . . 5%

Questions? Comments? Call 800-558-5252 or Write Helen Johnson.

Date:___/___/__
Replace 3 months after placement.

Sold by: © 2002 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A.
EPA Reg. No. 4822-400; EPA Est. No. 56207-WI-002 736200
.0045 FL. OZ.

# RAID® PLUS EGG STOPPERS™

3 Child Resistant Baits
Cebos a Prueba de Niños

SC Johnson
A Family Company

## Most Advanced Raid® Roach Control System Available

El más avanzado sistema de Raid® disponible para el control de las cucarachas

## RAID® PLUS EGG STOPPERS™

Sterilizes Roaches That Don't Eat the Bait
Esteriliza las Cucarachas que No Comen el Cebo

3 Child Resistant Baits
Cebos a Prueba de Niños

Raid® Plus Egg Stoppers™

KEEP OUT OF REACH OF CHILDREN
**CAUTION:** SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
**PRECAUCIÓN:** VER LAS PRECAUCIONES ADICIONALES EN LA PARTE POSTERIOR.

NET 0.0136 FL. OZ.

ACTIVE INGREDIENT:
(S)-Hydroprene ..... 95%
OTHER INGREDIENTS: .. 5%

RAID® PLUS EGG STOPPERS™
INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

3 Child Resistant Baits
Cebos a Prueba de Niños

3 Child Resistant Baits
Cebos a Prueba de Niños

RAID® PLUS EGG STOPPERS™
INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA


www.killsbugsdead.com™
Questions? Comments? Call 800-558-5252 or write Helen Johnson.
Sold by: ©2010 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A.

All Rights Reserved.

746676

EPA Reg. No. 4822-400
EPA Est. No. 56207-WI-002

100%
For Position Only
Check Code Number Before Generating Actual Bar Code
0 46500 11634 6
X XXXXX XXXXX X

A family company since 1886. Fisk Johnson

- **Prevents Roach Reproduction**
- **Roaches are tough to control because they reproduce so quickly . . . one roach can lay 40 eggs at a time. Raid® Plus Egg Stoppers™ stop roaches from reproducing to break the roach life cycle.**

## DIRECTIONS FOR HOUSEHOLD USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### THIS IS HOW RAID® PLUS EGG STOPPERS™ WORK






1. Do not activate Egg Stopper™ until ready to use. To activate, press down firmly on the pouch on the side of the disc until a snapping sound is heard, indicating that the small capsule inside has been opened. **NOTE:** Do not activate until immediately before placement in room to be treated.
2. Place one Egg Stopper™ every 75 sq. ft. (e.g., 2 Egg Stoppers™ per average size kitchen). Placement under the sink and under the refrigerator is recommended or in other areas of high roach activity. Place 1 unit in the bathroom if roaches are frequently seen there. Do not place in areas accessible to children. Do not place Egg Stoppers™ on food contact surfaces or in storage areas for dishes, utensils, or food.
3. Replace all Egg Stoppers™ every 3 months for continued effectiveness.

## STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry area inaccessible to children.
**DISPOSAL:** Before disposal, use the product up according to the label. Do not reuse this container. If empty: Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 800-529-3394 for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS
### HAZARDS TO HUMANS.

**CAUTION:** Contact with material inside the Egg Stoppers™ may cause eye irritation. Prolonged or frequently repeated contact may cause allergic reactions in some individuals. Wash with soap and water after contact.

## FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.